

Terpenoids Library (96-well)

Product Details:

Catalog Number:	CS-L056
Formulation:	A collection of 629 terpenoids supplied as pre-dissolved Solutions or Solid
Container:	96- or 384-well Plate with Peelable Foil Seal; 96-well Format Sample Storage Tube With Screw Cap and Optional 2D Barcode
Storage:	In solvent: -80°C 2 years, -20°C 1 year; Powder: -20°C 3 years, 4°C 2 years
Shipping:	Blue ice
Packaging:	Inert gas

Plate layout: CS-L056-1

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Abscisic acid	Saponins	Larixyl acetate	Betulinic acid	Raddeanoside R8	β-Elemene	Guggulsterone	Picrotin	Ginsenoside F5	Polygodial	Empty
b	Empty	Sabinene	Leelamine (hydrochloride)	(R)-(+)-Citronellal	(S)?-?(-)?-?Citronellal	7-Methoxyrosmaronol	Glycolithocholic acid 3-sulfate	7-Ketocholesterol	Curcumenone	Nimbolide	(S)-(?)-Perillyl alcohol	Empty
c	Empty	Triptohypol C	Neocryptotanshinone	Ganoderic acid DM	α-Bisabolol	Gypsogenin	(?)-Myrtenal	α-Thujone	Artemisitene	Eburicoic acid	(R)-Citronellol	Empty
d	Empty	Kansuiphorin C	Ganosporeric acid A	Ferutinin	Ginsenoside F2	Cycloartenyl ferulate	Lupeol acetate	Azadirachtin	4α,7α,7α-Nepetalactone	Celastrol	Umbellulone	Empty
e	Empty	(-)-Cedrene	Methyl carnosate	β-Bisabolene	Ingenol 3,20-dibenzoate	23-epi-26-Deoxyactein	α-Farnesene	Forskolin	Crocetin (disodium)	10-Deacetylbaicatin III	Damulin A	Empty
f	Empty	Damulin B	(-)-Huperzine A	(±)-Huperzine A	Genipin	Limonin	Brusatol	10-Deacetyl-7-xylosyl paclitaxel	Triptolide	Triptonide	cis-Isolimonenol	Empty
g	Empty	Crocetin (meglumine)	(-)-Menthol	Ammonium glycyrrhizinate	9-Dihydro-13-acetylbaccatin III	Cephalomannine	7-Epi 10-desacetyl paclitaxel	Paclitaxel	Artemisinin	Ginkgolide A	Ingenol Mebutate	Empty
h	Empty	(+)-Camphor	Fusidic acid	Fusidic acid (sodium salt)	Santonin	Escin	Oridonin	Geniposide	Geniposidic acid	Costunolide	Albiflorin	Empty

Plate layout: CS-L056-2

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Alantolactone	Ginsenoside Rb1	Ginsenoside Rb2	Ginsenoside Rb3	Ginsenoside Rc	Ginsenoside Rd	Ginsenoside Re	Ginsenoside Rg1	Notoginsenoside Fe	Bilobalide	Empty
b	Empty	Betulin	Betulinaldehyde	Curcumol	Sclareol	Scclareolide	Tanshinone I	Ursolic acid	Parthenolide	Oleanolic Acid	Gynostemma Extract	Empty
c	Empty	Dihydroartemisinin	18β-Glycyrrhetic acid	Glycyrrhizic acid	Dipotassium glycyrrhizinate	Andrographolide	Artesunate	Asiatic acid	Atractylenolide I	Atractylenolide II	Atractylenolide III	Empty
d	Empty	Pulchrenoside A	Pulchrenoside C	Ardisiacrispin A	Patchouli alcohol	Epibetulinic acid	7-epi-Taxol	Atractyloside A	Fraxinellone	Saikosaponin A	Saikosaponin B2	Empty
e	Empty	Saikosaponin C	Saikosaponin D	Hederacoside C	Hederacoside D	α-Hederin	Hederagenin	Toosendanin	Asperosaponin VI	Dipsacoside B	Echinocystic acid	Empty
f	Empty	Corosolic acid	Oleuropein	Paeoniflorin	Hederasaponin B	Ciwujianside B	Soyasaponin Ba	Soyasaponin Bb	Euphol	Mollugin	Momordin Ic	Empty
g	Empty	Ziyuglycoside I	Ziyuglycoside II	Curdione	3,29-Dibenzoyl rarounitriol	Linalool	Pachymic acid	18α-Glycyrrhetic acid	Nardosinone	Columbin	Polygalasaponin F	Empty
h	Empty	Harpagoside	Harpagide	Artemether	Picroside I	Picroside II	Picroside III	Sesamoside	Cucurbitacin B	Cucurbitacin E	Cyclogalagenin	Empty

Plate layout: CS-L056-3

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	Alismoxide	Obacunone	Diosbulbin B	Astragaloside IV	Astragaloside I	Astragaloside II	Astragaloside III	Asiaticoside	Germacrone	Pedunculoside	Empty
b	Empty	Blinin	Rebaudioside A	Rebaudioside C	Rebaudioside D	Triptophenolide	Wilforlide A	Roburic acid	Gentiopicroside	Mogroside III	11-oxomogroside V	Empty
c	Empty	Mogroside V	Loganin	Loganic acid	Morrisonide	Pseudoginsenoside F11	Pseudoginsenoside RT5	Nomilin	(-)- α -Pinene	Gypenoside XVII	Escin IA	Empty
d	Empty	Escin IB	Isoescin IA	Isoescin IB	Kirenol	Lathyrol	5,15-Diacetyl-3-benzoylathyr	23-Hydroxybetulinic acid	Madecassoside	Madecassic acid	Demethylzeylasteral	Empty
e	Empty	Deapioplatyodin D	Dehydrocostus Lactone	Deacetylasperulosidic Acid	Panaxadiol	Panaxatriol	Ginsenoside F1	Ginsenoside F3	Ginsenoside Rf	Ginsenoside Rg2	20(S)-Ginsenoside Rg3	Empty
f	Empty	Ginsenoside Rh1	Ginsenoside Rh2	Ginsenoside Ro	α -Boswellic acid	Siamenoside I	Sauchinone	Notoginsenoside R1	Maslinic acid	Shanzhiside methyl ester	Cornuside	Empty
g	Empty	Esculentoside A	Monotropin	Jujuboside A	Jujuboside B	Aucubin	Specnuezhenide	Rubusoside	Stevioside	Pseudolaric Acid C	Pseudolaric Acid A	Empty
h	Empty	Dehydroandrographolide	Dehydroandrographolide succinate	Kalii Dehydrographolide	Retinyl acetate	Linderane	Crocin	Crocin II	Tenuifolin	Valepotriate	Neoandrographolide	Empty

Plate layout: CS-L056-4

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Oxy-paeoniflorin	Eupalinolide B	Eupalinolide A	8- β -O-Acetylharpagide	Barlerin	Isoalantolactone	Linderalactone	Ginkgolide B	Ginkgolide C	Ginkgolide J	Empty
b	Empty	Lupeol	(20S)-Protopanaxadiol	20(R)-Protopanaxadiol	Polygalacic acid	Tenuigenin	Myrcene	Alisol B 23-acetate	Alisol B	Camphor	Chikusetsusaponin Iva	Empty
c	Empty	Raddeanin A	Catalpol	Shionone	Pulsatilla saponin D	(20S)-Protopanaxadiol	Quillaic acid	Bruceantin	Bruceine A	Bevirimat	Epoxy-micheliolide	Empty
d	Empty	Micheliolide	Benzoylpaeoniflorin	Alisol A	Alisol A 24-acetate	Alisol F	Alisol C 23-acetate	Macranthoidin B	Ingenol	20-Deoxyingenol	Ingenol-5,20-acetonide	Empty
e	Empty	Ingenol-5,20-acetonide-3-O-angelate	Ingenol-3,4,5,20-diacetonide	Isosteviol	Isoastragaloside I	Isoastragaloside II	Tubeimoside I	Tubeimoside II	AKBA	Inulicin	Wilforine	Empty
f	Empty	Cimiracemoside D	Ginsenoside C-K	Ginsenoside Rk3	Ginsenoside Rg6	Ginsenoside Rg5	Notoginsenoside R2	Notoginsenoside Ft1	Rehmannioside D	Ajugol	Melittoside	Empty
g	Empty	Epoxyzadairadione	Kanshone C	Wilforgine	Uvaol	Taraxasterol	Squalene	Clinodioside A	(20R)-Ginsenoside Rg3	Asperuloside	Ambroxide	Empty
h	Empty	Tussilagone	10-Deacetylaxol	(20R)-Ginsenoside Rh1	20(R)-Ginsenoside Rh2	Sodium aescinate	Cucurbitacin I	Platycodin D	β -Caryophyllene	Glycocholic acid (sodium)	Phytolaccagin	Empty

Plate layout: CS-L056-5

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Gypsogenin-3-O-glucuronide	Ganoderic acid A	Betulonic acid	Atractylolide (potassium salt)	(-)- β - α -Terpineol	Kaurenic acid	Picfeltaarraenin IA	Gardenoside	Polygalic acid	7 β -Hydroxyathyrin	Empty
b	Empty	Cycloastragenol	Uronic acid	Oleanonic acid	14-Deoxy-11,12-didehydroand	Pulegone	Carboxyatractylolide (tripotassium)	Methyl deacetylasperuloside	Ecliptasaponin A	Ganoderic acid D	Ganoderic acid B	Empty
c	Empty	Ponicidin	Ajmalicine	Edpetiline	Bayogenin	Pristimerin	Ailanthone	Nerolidol	cis-Nerolidol	Miltirone	Gibberellic acid	Empty
d	Empty	Artemisic acid	Cucurbitacin D	Cucurbitacin Ib	Cucurbitacin Ia	Gypenoside XLIX	Platycodigenin	Ganoderic acid B	Verbenalin	Hastatoside	Arteannuin B	Empty
e	Empty	Maoecrystal A	Parishin	20(R)-Ginsenoside Rg2	(20R)-Protopanaxadiol	11- β -Keto- β -boswellic	Steviol	Lindenenol	Acevaltrate	Cedrol	3-Acetyl- β -boswellic acid	Empty
f	Empty	Handelin	L-Perillaldehyde	Genipin 1- β -D-gentiobioside	Cimigenoside	Onjisaponin B	6'-O- β -D-Glucosylgentiopicoside	Macranthoidin A	Glaucocalyxin A	Araloside A	Buddlejasaponin IVb	Empty
g	Empty	Phorbol	Rhodojaponin II	Rhodojaponin III	Mudanpioside C	Polygalasaponin V	Acetylshengmanol Arabinoside	3-Dehydrotrametenolic acid	Saikosaponin F	Furanodienone	Nootkatone	Empty
h	Empty	Pseudoginsenoside RT1	Esculentoside H	Picfeltaarraenin IB	Rotundic acid	Ganoderic acid A	Ganoderol B	Hosenkoside F	Hosenkoside K	Hosenkoside M	Hosenkoside A	Empty

Plate layout: CS-L056-6

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Hosenkoside B	Hosenkoside C	Curcumenol	Ipecoside	Gymnagenin	Zingiberen Newsaponin	Mogrol	Menthone	Rehmannioside C	Stearyl glycyrrhetinate	Empty
b	Empty	Erythrodiol	Sinigrin (hydrate)	Paederoside	Gypenoside A	Amarogentin	Convallatoxin	β-Elemonic acid	Mogroside IV-E	Ganoderic acid G	Medicagenic acid	Empty
c	Empty	Deoxyephedrin	Dehydrotumulosic acid	Ginsenoside Ra1	β-Boswellic acid	Ginsenoside Rk1	Agnuside	Carboxyatractyloside (dipotassium)	Notoginsenoside Fa	Notoginsenoside Fc	Gymnemic acid I	Empty
d	Empty	Tubeimoside III	Steviolbioside	Tirucalol	Rosamultin	Euscaphic acid	Lupenone	Ilexsaponin A	5α-Hydroxycostic acid	8-Epideoxyloganic acid	Ursolic acid acetate	Empty
e	Empty	Brevilin A	Dehydropachymic acid	Polyorenic acid C	3-O-Acetyl-16α-hydroxytrame	Poricoic acid A	Ganoderenic acid A	Ganoderic acid I	Isolinderactone	Britannin	Secoxyloganin	Empty
f	Empty	Bruceine D	Rupestonic acid	Soyasaponin Ab	3-O-Acetyl-α-boswellic acid	Phytol	Nodosin	Loganetin	Isopimaric acid	3-O-Beta-D-Glucopyranosylplatycodige	Caryophyllene oxide	Empty
g	Empty	Cauloside A	Curzerenone	Demethoxydeacetoxypseudolaric acid B	Platycodin D2	Pseudolaric acid A-O-β-D-glucopyranoside	Shanziside	Tsugaric acid A	Incensole	Incensole Acetate	Dihydroartemisinic acid	Empty
h	Empty	Isocurcumenol	Poricoic acid B	Dehydroeburicoic acid monoacetate	17-Hydroxyisolathyrol	Acanthopanaxoside B	Tormentic acid	Isopteropodine	Arnidiol	Dihydrocurbitacin B	Ginkgolide K	Empty

Plate layout: CS-L056-7

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Yadanzhiolide A	Isoastragaloside IV	11(α)-Methoxysaikosaponin F	Saikosaponin B4	Lucyoside B	Bisabolangelone	Saikogenin D	Bacopaside I	Methyl protogracillin	3-Epiursolic Acid	Empty
b	Empty	3-Epioleanolic acid	Arjungenin	Sarracenin	Bryodulcosigenin	14-Deoxyandrogapholide	Onjisaponin Z	Euphorbia Factor L2	Eurycomanone	Ilexoside D	Asiaticoside B	Empty
c	Empty	Bacoside A3	1αH,5αH-Guaia-6-ene-4β,10β-diol	(-)-Fenchone	Bacopaside X	α-Terpineol	Bacopasaponin C	Bacopaside II	Beta-Eudesmol	Darutoside	Ganoderic acid F	Empty
d	Empty	Kamebakaurin	(-)?-Maackiain	Soyasapogenol A	Soyasapogenol B	Specneuzhenide	Tenuifoliside A	Asperulosidic Acid	Gypenoside XLVI	Ilexgenin A	Cafestol	Empty
e	Empty	Kahweol	Cauloside F	Astragaloside VI	Pomolic acid	Valencene	Verbenone	(+)-Longifolene	β-?Apo-?8'-?carotenal	Penitrem A	Paxilline	Empty
f	Empty	T-2 Toxin	Diammonium Glycyrrhizinate	Rebaudioside B	Mogroside IIe	Isomogroside V	Rebaudioside M	Arnicolide D	Calenduloside E	Glycyrrhetic acid 3-O-β-D-glucuronide	Mogroside IIA1	Empty
g	Empty	Lucideric acid A	Dehydroabietic acid	GL3	Ligustrosidic acid	Oleuropeinic acid	Cauloside D	Gypenoside XIII	Tarasaponin VI	Linderene acetate	Continentalic acid	Empty
h	Empty	Pseudolaric Acid C2	Licorisapogenin H2	Mogroside II-?A	Cauloside C	11-Oxomogroside IIIe	Mogroside III-E	Pseudolaric acid B β-D-glucoside	Pseudolaric Acid B	Mogroside IV-A	Mogroside IV	Empty

Plate layout: CS-L056-8

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Mitraphylline	Lutein	Hederacolchiside A1	Guaiazulene	Geraniol	Levomenol	α-Humulene	Licoricesaponin G2	Baccatin III	Dulcoside A	Empty
b	Empty	Paederosidic acid	Perillyl alcohol	Eclalbasaponin I	Celosin I	11-Oxomogroside IIa	Fenchyl alcohol	1,4-Cineole	α-?Terpinyl acetate	3-O-Acetyl-11-hydroxy-beta-	Isolongifolene	Empty
c	Empty	(E)-β-Farnesene	Kauran-16,17-diol	all-trans-Anhydro Retinol	Protoescigenin	12-O-Methylcarnosic acid	Arjunetin	Beiwutine	Momordin IIc	Oleanolic acid-3-O-glucosyl(1-	Methyl oleanonate	Empty
d	Empty	Lactiflorin	Oleanolic acid 28-O-β-D-glucopyranoside	Deoxylimonin	Terminolic acid	Prosaikogenin G	Prosaikogenin D	Saikogenin F	3,29-O-Dibenzoyloxykaroundiol	Pristane	11-Deoxymogroside V	Empty
e	Empty	Astragenol	Echinocystic acid 28-O-β-D-glucoside	Euphorbia factor L7b	Euphorbia factor L7a	24-Methylenecycloartanyl	Nigaichigoside F1	Eupalinolide O	Ardisiacrispin B	Gypenoside LI	Gypenoside L	Empty
f	Empty	Lactupicrin	8-Epiloganic acid	Neophytadiene	Enfumafungin	β-Phellandrene	Cimicifugoside H-1	Amaroswerin	Granilin	Platyconic acid A	Andrograpanin	Empty
g	Empty	Betulin diacetate	Piperitone	Anisatin	β-D-glucopyranosyl-α-L-	Citronellol	γ-Terpinene	β-Cyclogeraniol	24,25-Dihydrolanosterol	(-)-Limonene	Empty	Empty
h	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty