

Phenols Library (96-well)

Product Details:

Catalog Number:	CS-L057
Formulation:	A collection of 1085 phenols supplied as pre-dissolved Solutions or Solid
Container:	96- or 384-well Plate with Peelable Foil Seal; 96-well Format Sample Storage Tube With Screw Cap and Optional 2D Barcode
Storage:	In solvent: -80°C 2 years, -20°C 1 year; Powder: -20°C 3 years, 4°C 2 years
Shipping:	Blue ice
Packaging:	Inert gas

Plate layout: CS-L057-1

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Flopropione	(-)-(S)-Equisol	(±)-Equisol	Urolithin A	Hispidin	Vanilpyruvic acid	Zearalenone	3-Methoxytyramine	3-Methoxytyramine	Capsaicin	Empty
b	Empty	Capsaicinoid	Secoisolaricresinol diglucoside	(2S)-6-Prenylnaringenin	Kaempferol 3-neoheperidoside	Garcinol	Harmol	4-Hydroxychalcone	N-Acetyl-5-hydroxytryptamine	Armillarisin A	Ononetin	Empty
c	Empty	γ-Tocotrienol	Masoprocol	Cirsiliol	3,7,4'-Trihydroxyflavone	1,2,3,6-Tetragalloylglucose	7-Methoxyrosmaronol	5,7-Dimethoxylut-eolin	Delta-Tocopherol	p-Hydroxymandelic acid	(rel)-β-Tocopherol	Empty
d	Empty	3-Hydroxyhippuric acid	Vanillylmandelic acid	Hydroxyphenylacetyl-glycine	Hydroxyphenyl-lactic acid	p-Synephrine	3-Nitro-L-tyrosine	2-Methoxyestronone	Homogentisic acid	Salicylic acid	m-Coumaric acid	Empty
e	Empty	DL-Dopa	3-O-Methyl-dopa	3,4-Dihydroxymandelic acid	Protosappanin A	Methyl mycophenolate	NSC 90469	Viridicatol	Tetrahydro-mangonol	5-Pentadecylresorcinol	Gentisein	Empty
f	Empty	N-Feruloylserotonin	Leucocyanidin	2-Hydroxychalcone	2-Methoxyestradiol	Gingerenone A	Purpurogallin	Chrysoeriol	Clovamide	Militarine	Malvidin (chloride)	Empty
g	Empty	Moracin M	Batatasin III	Yakuchinone A	Dihydrocapsiate	Vicenin-1	6-Hydroxykaempferol 3,6-	Rifamycin S	Berberrubine (chloride)	Gossypin	Cycloartenyl ferulate	Empty
h	Empty	Gnetol	(-)-Syringaresinol	Urolithin B	Petunidin (chloride)	Peonidin-3-O-galactoside (chloride)	FR179642	N-(p-Coumaroyl) Serotonin	Luteolinidin (chloride)	Cinnamtannin B-1	LC3-mHTT-IN-AN2	Empty

Plate layout: CS-L057-2

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Daunorubicin (hydrochloride)	Isobavachalcone	O-Desmethyl Galanthamine	5-Hydroxyferulic acid	Urolithin D	β-Tocopherol	Chamaechromone	Chrysoobutinin	Diacetoxy-6-gingerdiol	Gossypol	Empty
b	Empty	Urolithin C	Chrysophanol	Methyl carnosate	Etoposide	(-)-Epigallocatechin Gallate	Norepinephrine (hydrochloride)	Raloxifene (hydrochloride)	Topotecan (Hydrochloride)	Questin	Miquelianin	Empty
c	Empty	Emodin	Chrysin	Kaempferol	Tectochrysin	Biochanin A	Genistein	[6]-Gingerol	Shogaol	Paradol	Zingerone	Empty
d	Empty	Dieckol	Hispolon	Sinomenine	Sinomenine hydrochloride	Kaempferide	Estetrol	Lucidin	Butein	Resveratrol	cis-Resveratrol	Empty
e	Empty	Narciclasine	Vancomycin (hydrochloride)	4'-Demethylepipodophyllotoxin	Gossypol (acetic acid)	Nonivamide	Fidaxomicin	Ochromycione	Bisphenol A	L-Thyroxine	Rottlerin	Empty
f	Empty	5-Hydroxyflavone	Poly(4-vinylphenol)	Xanthotoxol	Mequinol	Eugenin	2'-Hydroxy-4'-methylacetophenone	2-(Aminomethyl)phenol	Methyl vanillate	2-Hydroxy-4-methoxybenzoic acid	3-Hydroxybenzaldehyde	Empty
g	Empty	Bergapton	5-Hydroxy-1-tetralone	KSD 2405	Liothyronine	Estradiol	Alpha-Estradiol	Salicylic acid	Sodium Salicylate	Ellagic acid	Ethinylestradiol	Empty
h	Empty	Estrone	Oxytetracycline	Oxytetracycline (hydrochloride)	Estrilol	Tetracycline (hydrochloride)	Octopamine (hydrochloride)	β-Estradiol 17-acetate	Salicylamide	Danthron	Lasalocid	Empty

Plate layout: CS-L057-3

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	Lasalocid (sodium)	Clofoctol	Chlortetracycline (hydrochloride)	Salicyl alcohol	Butylparaben	Deoxyarbutin	Benzyl salicylate	L-5-Hydroxytryptophan	(±)-Catechin	4-tert-Octylphenol	Empty
b	Empty	Tannic acid	Carubicin (hydrochloride)	γ-Oryzanol	Isovanillin	(-)-Epicatechin	(-)-Epicatechin gallate	Curcumin	Demethoxycurcumin	(E,E)-Bisdemethoxycurcumin	Bisdemethoxycurcumin	Empty
c	Empty	Orcinol glucoside	Baohuoside I	Glycitin	Vitexin	Icariin	Astragalin	Glycitein	Bergenin	Daidzin	Daidzein	Empty
d	Empty	Echinacoside	Verbascoside	Isoacteoside	Cistanoside A	Forsythiaside A	Forsythoside B	Plantamajoside	Poliumoside	Chlorogenic acid	Isochlorogenic acid A	Empty
e	Empty	3,4-Dicaffeoylquinic acid	4,5-Dicaffeoylquinic acid	Ferulic acid	Ferulic acid (sodium)	(E)-Ferulic acid	Ethyl ferulate	Angoroside C	Punicalagin	Macelignan	Brazilin	Empty
f	Empty	Ginkgolic Acid	Ginkgolic Acid (C13:0)	Apocynin	(S)-10-Hydroxycampothecin	Vanillin	Neohesperidin	Isoliquiritigenin	Danshensu (sodium salt)	Salidroside	Dihydromyricetin	Empty
g	Empty	Hordenine	Gastrodin	Naringin Dihydrochalcone	(E/Z)-Polydatin	Polydatin	5-Hydroxytryptophan	Aloin	Xanthone	Synephrine	Synephrine (hydrochloride)	Empty
h	Empty	Taxifolin	(±)-Taxifolin	Troxeutin	Phloretin	Phlorizin	Puerarin	Quercetin (dihydrate)	Rutin	Rutin (hydrate)	Myricitrin	Empty

Plate layout: CS-L057-4

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Neohesperidin dihydrochalcone	Paeonol	Luteolin	Magnolol	Methyl-Hesperidin	(Rac)-Hesperetin	Caffeic acid	Fisetin	4-Methylumbelliferone	Esculin	Empty
b	Empty	Aloe emodin	Arbutin	Baicalein	Nordihydroguaiaretic acid	Kaempferol-3-O-glucorhamno	Dauricine	Daurisoline	Avicularin	(-)-Epigallocatechin	Bavachalcone	Empty
c	Empty	Psoralidin	Bavachin	Bavachinin	Bakuchiol	Corylin	Herbacetin	Rhodiumin	Theaflavin	Theaflavin-3'-gallate	Theaflavin-3-gallate	Empty
d	Empty	Epimedin A	Epimedin A1	Epimedin B	Epimedin C	Aurantio-obtusin	Echinatin	Caffeic acid phenethyl ester	(±)-10-Hydroxycampothecin	Cardamonin	Daphnetin	Empty
e	Empty	Esculetin	Mangiferin	Oleuropein	Protocatechuic acid	Protocatechualdehyde	Emodin-8-glucoside	Pectolarin	Mollugin	Salvianolic acid A	Salvianolic acid C	Empty
f	Empty	Caftaric acid	alpha-Mangostin	(+)-Magnoflorine (iodide)	Eugenol	(-)-Syringaresinol-4-O-β-D-	Syringic acid	Scopoletin	Farrerol	Methyl Paraben	p-Coumaric acid	Empty
g	Empty	(-)-Catechin gallate	1,4-Dicaffeoylquinic acid	Dihydrocapsaicin	Liquiritin	Liquiritigenin	Maackiain	Galangin	Homovanillic acid	Gomisin J	Glabridin	Empty
h	Empty	Wogonoside	Wogonin	Orientin	Picoside III	Quercitrin	Sophoricoside	Engeletin	Neferine	Rubiadin	2-Hydroxy-4-methoxybenzaldehyde	Empty

Plate layout: CS-L057-5

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	8-Gingerol	10-Gingerol	Nordihydrocapsaicin	Sinapine (thiocyanate)	Acacetin	Hyperoside	Hypericin	Chicoric acid	L-Chicoric Acid	1-Caffeoylquinic acid	Empty
b	Empty	Corilagin	Geraniin	Tyrosol	Triptophenolide	Phillygenin	Liensinine	Liensinine (Diperchlorate)	Pectolarin	Cyanidin (Chloride)	Astilbin	Empty
c	Empty	Erianin	Calycosin	Calycosin-7-O-β-D-glucoside	(-)-Gallocatechin	(+)-Gallocatechin	(-)-Gallocatechin gallate	Gallic acid	Gallic acid (hydrate)	Propyl gallate	Ethyl gallate	Empty
d	Empty	2"-O-Galloylhyperin	Pentagalloylglucose	4"-O-Glucosylvitexin	Vitexin-2"-O-rhamnoside	(+)-Magnoflorine (chloride)	Calceolarioside B	Cynaroside	Ligustroflavone	Wedelolactone	Oroxilin A	Empty
e	Empty	Hydroxysafflor yellow A	Hydroxytyrosol	Purpurin	Umbelliferone	Pinocembrin	Apiin	Apigenin 7-glucoside	Fraxin	Qingyangshengenin A	Norisoboldine	Empty
f	Empty	Dehydrodiisoeugenol	Demethyleneberberine (chloride)	Genistin	Myrislignan	Sanggenon C	Mulberroside A	Mulberroside C	Morin	Morusin	Alpinetin	Empty
g	Empty	Kaempferitrin	Cornuside	Eriocitrin	Eriodictyol	Punicalin	Kuromanin (chloride)	Silydianin	Silychristin	Narcissin	Spinosin	Empty
h	Empty	2,3,5,4'-Tetrahydroxystilbene 2-O-	Corypalmine	Usnic acid	Amentoflavone	Specnuezhenide	Rhapontin	Icaritin	α-Vitamin E	rel-α-Vitamin E	Daphnoretin	Empty

Plate layout: CS-L057-6

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Agrimol B	Curculigoside	Vanillic acid	Carvacrol	Typhaneoside	Diosmetin-7-O-β-D-glucopyranoside	Berbamine	Berbamine (dihydrochloride)	Neobavaisoflavone	Neochlorogenic acid	Empty
b	Empty	Neomangiferin	Dracorhodin perchlorate	Genkwanin	Phellodendrin (chloride)	Jatrorrhizine (chloride)	Leonurine	Leonurine (hydrochloride)	Oxypaeoniflorin	Jatrorrhizine (hydroxide)	Scutellarin	Empty
c	Empty	Scutellarein	Bornyl acetate	Isoferulic acid	Isobavachin	Isoliquiritin	Isorientin	Isoquercitrin	Isoliensinine	Isomangiferin	Isofraxidin	Empty
d	Empty	Isorhamnetin	Isorhamnetin-3-O-glucoside	Isorhamnetin-3-O-neohesperidos	Isosilybin	Silybin	Cryptochlorogenic acid	Procyanidin B1	Procyanidin B2	Protosappanin B	Narirutin	Empty
e	Empty	Sweroside	Swertiamarin	Lithospermic acid	Pterostilbene	Jaceosidin	Schisanhenol	Sagittatoside A	Aloin B	Ginkgetin	Tetrahydrocurcumin	Empty
f	Empty	Octahydrocurcumin	Corylifol A	Catechin	(-)-Catechin	(-)-Isocorypalmine	Hexahydrocurcumin	β-Mangostin	7-Methoxy-4-methylcoumarin-8-ol	Drupanin	Xanthoxylin	Empty
g	Empty	Xanthohumol	Velutin	Tricin	Torachryson-8-O-β-D-glucoside	Tamarixetin	Sulfuretin	Apigenin	Sophoraflavone G	Sinapaldehyde	Salvigenin	Empty
h	Empty	Robustine	Robinetin	Rhamnocitrin	Isoscopoletin	(R)-Fangchinoline	Fangchinoline	Qingyangshengenin	Nevadensin	(E)-Cardamonin	Guaiaicol	Empty

Plate layout: CS-L057-7

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Syringaldehyde	Polygalaxanthone III	1,3-Dicaffeoylquinic acid	Noricaritin	(E)-3',6-Disinapoylsucrose	Sesamol	Vaccarin	Tiliroside	Raspberry ketone	Oxyresveratrol	Empty
b	Empty	Methyl p-coumarate	Oroxin B	Hydroxygenkwanin	Afzelin	Complanatuside	Isoquercetin	Vincetoxicoside B	Hypocrellin B	Apigenin-7-glucuronide	Chryso-splenin	Empty
c	Empty	Isoschaftoside	Dihydrodaidzein	Luteolin 7-O-glucuronide	Plantagoside	Liquiritin apioside	Nicotiflorin	Plumbagin	Loureirin B	Loureirin A	Prudomestin	Empty
d	Empty	Prunin	Pyrogallol	2,5-Dihydroxybenzaldehyde	2'-O-Methylisoliquiritigenin	(2S)-2'-Methoxykurarinone	3-(2,4-Dihydroxyphenyl)propanoic	3',4'-Dihydroxyacetophenone	3,4-Dimethoxyphenol	Kaempferol-7,4'-dimethyl ether	4',5-Dihydroxyflavone	Empty
e	Empty	4',7'-Di-O-methylnaringenin	4-Allylcatechol	4-Hydroxyphenylacetic acid	4'-O-Methylbavachalcone	Danshensu	Coniferyl ferulate	Tea polyphenol	Icariside I	Homoplantagin	Hispidulin	Empty
f	Empty	Isoeugenol	Rubiadin-1-methyl ether	γ-Mangostin	(E)-Osmundacetone	Quercetin-3-O-β-D-glucose-7-O-	5,7-Dihydroxychromone	3'-Methoxypteruarin	4'-Methoxypteruarin	3'-Hydroxypteruarin	Theaflavin 3,3'-digallate	Empty
g	Empty	Chebulagic acid	Bellidifolin	3-O-Methylgallic acid	Methyl gallate	Octyl gallate	Anacardic Acid	Propylparaben	Demethylwedelolactone	Moslosooflavone	Mosloflavone	Empty
h	Empty	Higenamine (hydrochloride)	Kaempferol 3-O-sophoroside	12-Ethyl-9-hydroxycampthecin	Vanillyl alcohol	Didymin	Obtusifolin	Ginkgolic acid C17:1	Isoginkgetin	Bilobetin	Sciadopitysin	Empty

Plate layout: CS-L057-8

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Dichotomitin	Neoisoliquiritin	Neoliquiritin	Parishin B	Parishin C	Parishin E	Flavokawain B	Mirificin	Puerarin 6"-O-Xyloside	7,4'-Di-O-methylapigenin	Empty
b	Empty	Combretastatin A4	Cytosporone B	Apigenin-7-O-(2G-rhamnosyl)ge	Tubuloside A	Lancerin	6"-Feruloylsipinosin	Apiopaeonoside	Mudanpioside C	Vicenin 2	Sibiricoside A5	Empty
c	Empty	Pinoresinol 4-O-β-D-glucopyranoside	Sibiricaxanthone B	Forsythoside E	Acetylshikonicin	Episyringaresinol 4'-O-β-D-glucopyranoside	Baimaside	Leucoside	Beta-Acetoxyisovalerylshikonicin	Swertianolin	4-Hydroxylonchocarpin	Empty
d	Empty	Isobavachromene	Aloeresin D	Jionoside B1	Guajaverin	(-)-Epigallocatechin-3-(3"-O-	Rhapontigenin	N-p-trans-Coumaroyltyramine	N-trans-p-coumaroyltyramine	?Feruloyloctopamine	Piceatannol 3'-O-glucoside	Empty
e	Empty	Schisandrone	Guaiaicin	Licarin A	Poncirin	Cephaeline (dihydrochloride)	Ipecoside	Kushenol A	Kurarinone	Leachianone A	Kushenol I	Empty
f	Empty	2"-O-Rhamnosylcirsindiol II	Morusinol	Kuwanon A	Pleuromutilin	Lirinidine	Podocarpic acid	4'-Demethylpodophyllotoxin	Coumestrol	Procyanidin C1	Procyanidin A2	Empty
g	Empty	Procyanidin A1	Procyanidin B3	Cynaropicrin	Lauroilsine (hydrochloride)	Hinokiflavone	Fraxinol	Palmaturbine	Palmaturbine (hydroxide)	Eupatorin	Chrysin-7-O-glucuronide	Empty
h	Empty	Pinosylvin	p-Hydroxycinnamic acid	Kukoamine A	Kukoamine B	Emodin-1-O-β-D-glucopyranoside	Chrysofanol 8-O-glucoside	9"-Methyl salvanolate B	Diffraaic acid	Dihydrocaffeic acid	Delphinidin (chloride)	Empty

Plate layout: CS-L057-9

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	N-trans-Feruloyltyramine	Irisolidone	Flavokawain A	7,2'-Dihydroxy-3',4'	Rhodosin	[10]-Shogaol	[8]-Shogaol	Methylphiopogonanone A	Methylphiopogonanone B	Methylphiopogonanone A	Empty
b	Empty	Methylphiopogonanone B	Tribuloside	Flavokawain C	Kakuol	Amarogentin	Aloe-emodin-8-O-β-D-glucopyranoside	Oroxilin A-7-O-glucuronide	Methylinissolin	4'-Methoxyresveratrol	Desoxyrhaponticin	Empty
c	Empty	Demethylsuberosin	(E)-Methyl 4-coumarate	Isomucronulatol	Apigenin 7-O-malonylglucoside	Isoliquiritin apioside	Iristectorigenin A	Iristectorigenin B	Agnuside	Tetramethylurcumin	Camelliaside A	Empty
d	Empty	Diphyllin	Coniferaldehyde	(±)-Pinocembrin	Osthenol	Tilianin	Norwogonin	Nepetin	Hypocrellin A	(2S)-Isoxanthohumol	Tenuifoliside C	Empty
e	Empty	Irigenin	Isocorydine	Isobutylshikonin	Isorhapontiginin	Isoforsythiaside	Prunetin	Kuwanon H	Loureirin C	Camelliaside B	7,4'-Dihydroxyflavone	Empty
f	Empty	Vomicine	Alloimperatoriin	Harmalol (hydrochloride)	Acanthoside B	α-Viniferin	Alpinumisoflavone	Dihydrokaempferol	Atranorin	Atracic acid	β-Amyrin	Empty
g	Empty	Broussonin E	α-Arbutin	Naringenin chalcone	Iridin	Artemitin	Noreugenin	Grosvenorin	Pinostrobin chalcone	Pinostilbene	Pinobanksin	Empty
h	Empty	p-Hydroxyphenethyl trans-	p-Coumaric Acid Ethyl Ester	Pachypodol	Orsellinic acid	Ombuoside	Ombuin	Mulberrofuran G	Moracin P	Moracin O	Moracin C	Empty

Plate layout: CS-L057-10

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Methyl rosmarinat	Methyl 3-hydroxy-4,5-dimethoxyben	Medicarpin	Matairesinol	Macurin	Luteone	Licoisoflavone B	Licoisoflavone A	Lecanoric acid	Kaempferol-7-O-rhamnoside	Empty
b	Empty	Kaempferol 3,7,4'-trimethyl	Mulberrin	Oxyresveratrol 12-O-β-D-glucopyranoside	Cleomiscosin A	Dihydropinosylvin	Dihydroresveratrol	Eriodictyol-7-O-glucoside	Fraxidin	Neoglycyrol	Glycyrrhisoflavone	Empty
c	Empty	Isoastilbin	Iriflophenone 3-C-glucoside	Iriflophenone	Maohuoside A	Helichrysetin	6"-O-Acetylglucytin	O-Desmethylanogolensin	Thonningianin A	Vitexin 4'-glucoside	Quercetin 3-gentiobioside	Empty
d	Empty	Vicenin 3	Astringin	Morellic acid	Brevifolincarboxylic acid	Luteolin-3-O-beta-D-glucuronide	5,7-Dihydroxy-4-methylcoumar	Wushanicaritin	Glycycoumarin	Neoeriocitrin	Neodiosmin	Empty
e	Empty	Orcinol gentiobioside	3'-Demethylnobiletin	Lonicerin	Cyanidin-3-O-galactoside (chloride)	Quercetagetin	Quercetagitrin	3-O-Methylgalangin	3-O-Caffeoylquinic acid methyl	Chebolic acid	Rubrofusarin gentiobioside	Empty
f	Empty	Aurantio-obtusin β-D-glucoside	Licoflavone B	Licoflavone A	Licochalcone D	Toringin	Glabrol	S-Dihydrodaidzein	β-Hydroxyisovalerylshikonin	Isopropyl ferulate	Kuwanon G	Empty
g	Empty	Panasenoside	Tenuifoliside B	Nortracheloside	Coniferyl alcohol	Negletein	4-Methylaphnetin	Nordalbergin	4-Methylesculetin	Isosakuranin	Baicalin methyl ester	Empty
h	Empty	Laetanin	Lotusine (hydroxide)	Taxifolin 7-O-rhamnoside	Nepitrin	Liensinine (perchlorate)	Rosmanol	Nepodin	Gambogenic acid	Forsythoside I	Galloylpaeoniflorin	Empty

Plate layout: CS-L057-11

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Dehydroeffusol	Plantainoside D	Depressine	Vitexin-4"-O-glucoside	Sinapine	Homodihydrocapsaicin I	Saponarin	Pinoembrin 7-O-[3"-O-galloyl-4",6"-	Physcion 8-O-β-D-glucopyranoside	N-Vanillyldecamide	Empty
b	Empty	(E)-Flavokawain A	(Rac)-Arnebin 1	β,β-Dimethylacrylshikonin	Isovitexin 2"-O-arabinoside	Neosmitilbin	Neoisostilbin	Kaempferol-3-O-(2"-O-β-D-glucopyl)-	Meloside A	2-Hydroxy-1-methoxyanthraquinone	Effusol	Empty
c	Empty	3'-Hydroxypterostilbene	Methyl caffeate	Chrysoptenol D	8-Deoxygartanin	8-Hydroxybergapten	Aloin (mixture of A&B)	(-)-Butin	(+)-Butin	Butin	Gardenin B	Empty
d	Empty	Gartanin	Hydroxytyrosol acetate	(-)?-Maackiain	Ophiopogonone A	(+)-Peusedanol	Secoisolaricresinol	Specneuzhenide	Tenuifoliside A	Rhein 8-Glucoside	Dihydroguaiaretic acid	Empty
e	Empty	Fuscaxanthone C	Isomucronulatol 7-O-glucoside	Pinoresinol	Moluccanin	5,7,7',3'-Trihydroxy-26,24',25'-	7-Hydroxy-4H-chromen-4-one	3'-Methoxyapiin	4-Feruloylquinic acid	3-Feruloylquinic acid	Norswertianolin	Empty
f	Empty	Skullcapflavone II	Luteolin-7-rutinoside	6-Hydroxycoumarin	Methyl 3-O-methylgallate	Okanin	Zearalanone	Beta-Zearalanol	β-Zearalenol	Polygalaxanthone XI	Thymol	Empty
g	Empty	Iristectorin B	Iristectorin A	Retusin	3-Isomangostin	Armepavine	Isovanillic acid	Groenlandicin e	Ligustrosidic acid	Oleuropeinic acid	Diosmetin 7-O-β-D-Glucuronide	Empty

h	Empty	Hamaudol	3'-?O-Acetylhamaudol	Violanthin	Isoviolanthin	Sennidin B	Angelica	Garcinone C	Choerospondin	Quercetin 3-O-β-D-(6"-p-coumaroyl)glu	Ethyl Caffeate	Empty
---	-------	----------	----------------------	------------	---------------	------------	----------	-------------	---------------	---------------------------------------	----------------	-------

Plate layout: CS-L057-12

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Boldine	Liquiritigenin-7-O-β-D-glucopyranos	Licraside	Clitorin	7,3',4'-Tri-O-methyluteolin	Quercetin 3-O-(6"-galloyl)-β-D-	Rhamnetin	Isosilybin A	4'-Hydroxychalcone	Dihydroferulic acid	Empty
b	Empty	6-Hydroxyflavone	Thymopentin	Thymopentin (acetate)	(E)-m-Coumaric acid	DL-Norepinephrine	γ-Tocopherol	Kaempferol 3-O-β-D-glucuronide	(Rac)-Hydrocarpin	N-Caffeoyl O-methyltyramine	4-Hydroxyderricin	Empty
c	Empty	Daphnin	Luteolin 7-diglucuronide	Hibifolin	Phaseoloidin	N-acetyltopamine	Isoformononetin	2,3-Dihydroxy-4-methoxyacetate	12-O-Methylcarnosic acid	Homovanillyl alcohol	4'-Hydroxy-2,4-dimethoxychalcone	Empty
d	Empty	Acetylalkannin	Toralactone	Regaloside C	Cassiaside C	5-Desmethylsinensetin	Tectol	Persicogenin	Tubuloside B	3',4',7'-Trimethoxyquercetin	Curculigoside B	Empty
e	Empty	Azaleatin	Flavanomarein	Marein	Isookanin	Taxifolin 7-O-β-D-glucoside	Regaloside B	Petunidin-3-O-glucoside (chloride)	Cassiaside	Complanatolide B	5-Feruloylquinic acid	Empty
f	Empty	Regaloside A	(E/Z)-Ginkgolic acid C17:2	Quercetin 3-O-neohesperido	Matairesinolide	Colutehydroquinone	Glychionide A	Bancroftinone	S-(4-Hydroxybenzyl)glutathione	24-Methylenecycloartanyl	Emodin 6-O-β-D-glucoside	Empty
g	Empty	Regaloside H	(+)-Secoisolaricresinol	3'-O-Methylbatatasin III	Brassicin	Sibiricose A1	Homoeriodictyol	N-trans-Caffeoyltyramine	Obovatol	Lactupicrin	5-O-Caffeoylshikimic acid	Empty
h	Empty	Capsiate	3,6-Dihydroxyflavone	4'-Hydroxyflavone	Malabaricone B	Malabaricone C	Cichoriin	Syringetin	Poriol	Amaroswerin	Tellimagrandin II	Empty

Plate layout: CS-L057-13

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Quercetin 3-O-(6"-O-malonyl)-β-D-	Norbergenin	Oxyphyllacinol	Aureusidin	Lysipressin	Dermorphin	[Leu5]-Enkephalin	Kinetensin	Maculosin	4-O-Methyl honokiol	Empty
b	Empty	Ethyl Orsellinate	1-Hydroxyanthraquinone	3,4-Dihydroxybenzeneacetic	3-Hydroxyphenylacetic acid	Methyl 4-hydroxyphenylacetate	3,5-Dimethoxyphenol	Methyl 2,6-dihydroxybenzoate	5-Hydroxyindole	3-Hydroxyanthranilic acid	2,5-Dihydroxyacetophenone	Empty
c	Empty	2,5-Dihydroxybenzoic acid	2-Amino-4-methoxyphenol	5-Hydroxyoxindole	4'-Hydroxy-3'-methylacetophenone	DL-m-Tyrosine	Isohomovanillic acid	Methyl syringate	3-Hydroxy-4-methoxyacetophenone	4-Hydroxy-3-methylbenzoic acid	Methyl isovanillate	Empty
d	Empty	3-Hydroxybenzoic acid	4-Hydroxybenzylamine	2,6-Dimethylhydroquinone	2,4,6-Trihydroxybenzaldehyde	3-(3-Hydroxyphenyl)propionic	2-Hydroxymethyl-5-	2,4-Dihydroxybenzaldehyde	Tyramine	H-Tyr-OMe	5-Methoxysalicylic acid	Empty
e	Empty	Phloracetophenone	5-Hydroxyindole-3-acetic	Olivetol	(S)-2-Amino-3-(4-hydroxy-3,5-	H-Tyr(3-1)-OH	4-Hydroxymephenytoin	Normetanephrine (hydrochlorid)	Tetrac	Phenethyl ferulate	H-Val-Tyr-OH	Empty
f	Empty	Glycyl-L-tyrosine	Sinapinic acid	Acetosyringone	4-(1,2-Dihydroxyphenyl)pyruvic	3-Amino-4-hydroxybenzoic acid	4'-Hydroxy-2'-methylacetophenone	1,2,4-Trihydroxybenzene	5-Hydroxytryptamine	Pelargonidin (chloride)	Empty	
g	Empty	(±)-Naringenin	6-Hydroxymelatonin	2-Hydroxyanthraquinone	N-Acetyl-L-tyrosine	2-Hydroxycinnamic acid	2,4-Dihydroxybenzoic acid	Methylcatechol	Methylcatechol	4-Ethylphenol	7,8-Dihydroxyflavone	Empty
h	Empty	1-Hydroxypyrene	Vanillyl butyl ether	2,4-Di-tert-butylphenol	Xanthurenic acid	3-Hydroxymandelic Acid	Desaminotyrosine	3,5-Dihydroxybenzoic acid	2-Hydroxyphenylacetic acid	4-Ethylresorcinol	4-Hydroxybenzyl cyanide	Empty

Plate layout: CS-L057-14

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	1-Hydroxy-2-naphthoic acid	Antiarol	Dihydroconiferyl alcohol	Ethyl 3,4-dihydroxybenzoate	Tyramine (hydrochloride)	2-Undecanone	2,3,4-Trihydroxybenzoic acid	2-Hydroxy-6-methoxybenzoic acid	Melilotic acid	Ferulic acid methyl ester	Empty
b	Empty	2-Methoxy-4-vinylphenol	DL-alpha-Tocopherol	3-Demethylcolchicine	Dihydrosinapyl alcohol	2,4,6-Trimethylphenol	Callistephin (chloride)	Creosol	5-Hydroxytryptophol	3,5-Di-tert-butylphenol	3-Chloro-L-tyrosine	Empty
c	Empty	N,N,O-Tridesmethylv enlafaxine	4-Nitrocatechol	5,7-Dihydroxycoumarin	2,4,6-Trihydroxybenzoic acid	2-Ethyl-6-methylphenol	4-Hydroxy-1H-indole-3-carbaldehyde	Vanillylamine	Methyl 2,4,6-trihydroxybenzoate	4-Vinylsyringol	3-Hydroxypicolinic acid	Empty
d	Empty	4-Hydroxyacetophenone	2,6-Dihydroxyacetophenone	2-Naphthol	Methyl Salicylate	Pyrocatechuic acid	4-Hydroxybenzoic acid	p-Hydroxybenzaldehyde	3-Hydroxyacetophenone	2',4'-Dihydroxyacetophenone	2,6-Dihydroxybenzoic acid	Empty
e	Empty	4-Hydroxybenzyl alcohol	1-Naphthol	2'-Hydroxyacetophenone	2,6-Dibromophenol	Methyl 3,4-dihydroxybenzoate	Empty	Empty	Empty	Empty	Empty	Empty
f	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty

<i>g</i>	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
<i>h</i>	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty