

Traditional Chinese Medicine Active Compound Library (96-well)

Product Details:

Catalog Number:	CS-L065
Formulation:	A collection of 2712 active compounds of Traditional Chinese Medicine supplied as pre-dissolved Solutions or Solid
Container:	96- or 384-well Plate with Peelable Foil Seal; 96-well Format Sample Storage Tube With Screw Cap and Optional 2D Barcode
Storage:	In solvent: -80°C 2 years, -20°C 1 year; Powder: -20°C 3 years, 4°C 2 years
Shipping:	Blue ice
Packaging:	Inert gas

Plate layout: CS-L065-1

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	9-Aminocamptothecin	meso-Erythritol	Abscisic acid	Flopropione	Asaraldehyde	Ribitol	(-)-(S)-Equol	D-Glutamine	Urolithin A	Kynurenic acid	Empty
b	Empty	Guvacine hydrochloride	Spiramide	Choline (bitartrate)	Sarcosine	D-erythro-Sphingosine	Harmane	Nicotinamide N-oxide	4-Acetamidobutanoic acid	Coenzyme Q9	Uridine 5'-monophosphate	Empty
c	Empty	Monomethyl fumarate	Litorin	Methylmalonic acid	Zearalenone	Capsaicin	Capsaicinoid	Betulinic acid	Smilagenin	(2S)-6-Prenylnaringenin	Kaempferol 3-neohesperidoside	Empty
d	Empty	Raddeanoside R8	Segetalin B	Imperialine 3-β-D-glucoside	Ebeiedinone	Officinalisinin I	β-Elemene	Deserpidine	Benzo[a]pyrene	Conessine	Guggulsterone	Empty
e	Empty	Picrotin	Breviscapine	Harmol	5α-Cholestan-3β-ol	D-Melibiose	Flavonol	Methyl cholate	DL-Mevalonolactone	Veratryl alcohol	Isoindigo	Empty
f	Empty	Armillarisin A	Delphinidin 3-glucoside (chloride)	Ginsenoside F5	Trithiozine	γ-Tocotrienol	Sabinene	Masoprocol	Arachidonic acid	Pregnenolone monosulfate (sodium)	Dehydroascorbic acid	Empty
g	Empty	5,6,7-Trimethoxyflavone	Cirsiliol	Pyocyanin	1-Linoleoyl Glycerol	(R)-(+)-Citronellal	3,7,4'-Trihydroxyflavone	1,2,3,6-Tetragalloylglucose	7-Methoxyrosmanol	1,2-Dioleoyl-sn-glycero-3-phosphate	6-(γ,γ-Dimethylallylamino)purine	Empty
h	Empty	9-Methoxycanthin-6-one	Adenosylcobalamine	Urocanic acid	Maltotriose	Elaidic acid	Delta-Tocopherol	1,5-Anhydrosorbitol	Eicosadienoic acid	Desmosterol	p-Syneprine	Empty

Plate layout: CS-L065-2

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	7-Dehydrocholesterol	Homogentisic acid	4-Guanidinobutanoic acid	Brassicasterol	Etiocolanone	Amino adipic acid	Myristoleic acid	Turanose	Anserine	m-Coumaric acid	Empty
b	Empty	Petroselinic acid	Cholestenone	2-Methylcitric acid	3-Hydroxybutyric acid	N-Methylhydantoin	DL-Dopa	3-Hydroxyisovaleric acid	Deoxycorticosterone	trans-Vaccenic acid	Cyclic GMP (sodium)	Empty
c	Empty	Melanin	Lathosterol	Stigmastanol	Stachyose (tetrahydrate)	Protosappanin A	Se-Methylselenocysteine	Strophanthidin	Encocyanin	2-Hydroxymethyltetrahydropyridine	Curcumenone	Empty
d	Empty	Lumichrome	(2R/S)-6-PNG	2-Undecanol	(S)-(?)-Perillyl alcohol	Tetrahydromagnolol	13(E)-Docosenoic acid	5-Pentadecylresorcinol	Diallyl Trisulfide	Gentisein	N-Feruloylserotonin	Empty
e	Empty	Traumatic Acid	9-Ethyladenine	Leucocyanidin	Xanthopterin (hydrate)	Neocryptotanshinone	Anthragallol	2-Hydroxychalcone	Ganoderic acid DM	Chelerythrine (chloride)	Vinorelbine (ditartrate)	Empty
f	Empty	Gingerenone A	Anagyrene	Chalcone	Chrysenone	Coronaridine	α-Bisabolol	Evernic Acid	Gypsogenin	(?)-Myrtenal	Heneicosanoic acid	Empty
g	Empty	Chrysoeriol	α-Thujone	Yibeissine	Roemerine	Lignoceric acid	Militarine	Scopoline	DL-Laudanosine	Malvidin (chloride)	Artemisitene	Empty
h	Empty	(-)-Camphoric acid	Moracin M	Eburicoic acid	Batatasin III	Linamarin	Yakuchinone A	Lobetyolinin	N-Methylnicotinamide	Isopropyl myristate	(R)-Citronellol	Empty

Plate layout: CS-L065-3

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	Pentacosanoic acid	1beta-Hydroxyalantolactone	7,3',4'-Trihydroxyisoflavone	Vicenin-1	Kansuiphorin C	Ganosporic acid A	Dactylorhin A	Glycodeoxycholic Acid	13-Methylberberine (chloride)	Ginsenoside F2	Empty
b	Empty	Berberubine (chloride)	Gossypin	Quisqualic acid	(R,S)-Anatabine	Gnetol	Lupeol acetate	Urolithin B	Petunidin (chloride)	Magnesium Lithospermate B	Piperlongumine	Empty
c	Empty	Trilaurin	Azadirachtin	Tristearin	Sterculic acid	Yohimbine	3',4'-Dihydroxyflavone	3-Hydroxycoumarin	2-Methylhexanoic acid	2,3-Butanediol	Trilinolein	Empty
d	Empty	4-Phenyl-7,8-dihydroxycoumarin	alpha-D-glucose	Trans-?-Hexenal	Allyl methyl sulfide	Dimethyl trisulfide	D-Allose	Monoolein	Pyropheophorbide-a	N-(p-Coumaroyl) Serotonin	Withanolide B	Empty
e	Empty	Ferulenoil	Ethyl nonanoate	Luteolinidin (chloride)	Fagomine	LC3-mHTT-IN-AN2	Isobavachalcone	Celastrol	Cyclo(Tyr-Leu)	13-Methyltetradecanoic acid	Vinpocetine	Empty
f	Empty	5-Hydroxyferulic acid	7-Ethoxycoumarin	beta-Tocopherol	Chrysoobstin	Gossypol	Deguelin	Aloperine	Piceatannol	(-)-Cedrene	(+)-Neomenthol	Empty
g	Empty	beta-Lapachone	Chrysophanol	4,4'-Dimethoxychalcone	Etoposide	(-)-Epigallocatechin Gallate	beta-Bisabolene	SN-38	Norepinephrine (hydrochlorid)	Oleandrin	Ingenol 3,20-dibenzoate	Empty
h	Empty	Raloxifene	Silybin A	(R)-Sulforaphane	Tetrandrine	Topotecan (Hydrochloride)	Vinblastine (sulfate)	Questin	Miquelianin	Oleyl alcohol	Emodin	Empty

Plate layout: CS-L065-4

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Chrysin	Kaempferol	Tectochrysin	Biochanin A	Genistein	L-Glutamic acid	L-Glutamic acid (monosodium)	[6]-Gingerol	Shogaol	Paradol	Empty
b	Empty	alpha-Farnesene	Zingerone	Retinoic acid	Dieckol	1-Deoxynojirimycin	1-Deoxynojirimycin	Homoharringtonine	Myricetin	L-Theanine	Sinomenine	Empty
c	Empty	Sinomenine hydrochloride	Doxorubicin (hydrochloride)	Dimethylcurcumin	Hesperidin	Kaempferide	Cabazitaxel	Picropodophyllin	Podofilox	Lucidin	Ellipticine	Empty
d	Empty	Ellipticine (hydrochloride)	3,3'-Diindolylmethane	Crocetin (disodium)	Butein	Camptothecin	Resveratrol	10-Deacetylbaicalin III	Colchicine	Brefeldin A	Folic acid	Empty
e	Empty	5-Methylthioadenosine	Cyclopamine	(-)-Huperzine A	(±)-Huperzine A	Genipin	Limonin	4'-Demethylepipodophyllotoxin	Embelin	Gossypol (acetic acid)	Folinic acid	Empty
f	Empty	Nonivamide	Berberine (chloride hydrate)	Quercetin	Berberine (chloride)	3-Indoleacetic acid	Phorbol 12-myristate 13-acetate	Rottlerin	Decursin	Brusatol	trans-Zeatin	Empty
g	Empty	D-(+)-Malic acid	10-Deacetyl-7-xylosyl paclitaxel	3-Furanoic acid	Methyl linolenate	5-Hydroxyflavone	2-Phenylethyl isothiocyanate	Poly(4-vinylphenol)	Methoxsalen	Xanthotoxol	Mequinol	Empty
h	Empty	N-Phenethylbenzamide	Triptolide	Triptonide	1,2,3,4-Tetrahydro-beta-carboline-1-	Eugenin	2'-Hydroxy-4'-methylacetophenone	2-(Aminomethyl)phenol	Purine	2,5-Dimethylpyrazine	D-Ornithine (hydrochloride)	Empty

Plate layout: CS-L065-5

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	L-Hydroxyproline, BioReagent	cis-4-Hydroxy-L-proline	Indole-3-carboxylic acid	Piperonylic acid	2,3-Dimethoxybenzaldehyde	Octanoic acid	D-Alanine	Crocetin (meglumine)	(R)-pyrrolidine-2-carboxylic	(-)-Menthol	Empty
b	Empty	Coumaran	Azetidino-2-carboxylic acid	Methyl vanillate	2-Hydroxy-4-methoxybenzoic acid	3-Hydroxybenzaldehyde	trans-4-Hydroxycyclohexanecarboxylic acid	3-Furaldehyde	Ammonium glycyrrhizinate	Galanthamine	Bergapton	Empty
c	Empty	2,6-Dimethoxybenzoic acid	p-Toluic acid	Methyl N-methylanthranilate	Chenodeoxycholic Acid	9-Dihydro-13-acetylbaicalin III	1,3-Butanediol	Cephalomannine	7-Epi 10-desacetyl paclitaxel	Cysteamine (hydrochloride)	Benzyl isothiocyanate	Empty
d	Empty	Pyrrrole-2-carboxaldehyde	2-Methoxybenzaldehyde	m-Tolualdehyde	Methyl indole-3-carboxylate	Galanthamine (hydrobromide)	Thiamine monochloride	Histamine (phosphate)	Deslanoside	Adenosine monophosphate	Adenosine 5'-monophosphate	Empty
e	Empty	Docetaxel	Paclitaxel	Azulene	Melatonin	Artemisinin	Diphylline	Estradiol	Niacin	Nicotinamide	Pregnenolone	Empty
f	Empty	Adenine	Adenine (hydrochloride)	Adenine (hemisulfate)	Cytidine	L-Ascorbic acid	L-Ascorbic acid (sodium salt)	Salicylic acid	Sodium Salicylate	Ellagic acid	Acetylcysteine	Empty
g	Empty	Ethinylestradiol	Erythromycin	1-Docosanol	Adenosine	Estrone	Guaifenesin	Vidarabine	Vitamin B12	Menadione	Taurine	Empty
h	Empty	Ginkgolide A	Ciprofloxacin	Atropine (sulfate monohydrate)	Nalidixic acid	L-Carnitine	D-Sorbitol	Estriol	Novobiocin	Novobiocin (sodium)	D-Pantothenic acid	Empty

Plate layout: CS-L065-6

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	D-Pantothenic acid (sodium)	Riboflavin	Scopine	Scopine (hydrochloride)	Medroxyprogesterone acetate	Creatinine	Biotin	Octopamine (hydrochloride)	Ouabain (Octahydrate)	Propranolol (hydrochloride)	Empty
b	Empty	Propranolol	Hyaluronic acid	Butylphthalide	Eicosapentaenoic Acid	Azelaic acid	Histamine (dihydrochloride)	Artemotil	Terbutaline	Theophylline	Benzyl alcohol	Empty
c	Empty	Triacetin	Anethole	10-Undecenoic acid	Danthron	Ethylparaben	Benzyl benzoate	Hydroquinidine	4-Aminobenzoic acid	Vincamine	Lanatoside C	Empty
d	Empty	Terpin (hydrate)	DL-Xylose	Gluconate (sodium)	Glucosamine	Taurocholic acid (sodium salt hydrate)	Trioxsalen	Ajmaline	(+)-Camphor	Vinburnine	Histamine	Empty
e	Empty	Atropine	Urethane	Protoporphyrin IX	Physostigmine (salicylate)	D- α -Tocopherol acetate	2-Phenylethanol	Lithium citrate (tetrahydrate)	Quinidine hydrochloride monohydrate	Pyridoxine	Choline (chloride)	Empty
f	Empty	L-Ornithine	Oxyphenbutazone	Digitoxin	Khellin	i-Inositol	Salicyl alcohol	Uridine	(\pm)-Carnitine (chloride)	Deoxyarbutin	1-Hexadecanol	Empty
g	Empty	2,2,2-Trichloroethanol	Acefylline	Cyclic AMP	Citric acid (triammonium)	Benzyl salicylate	L-Canavanine (sulfate)	Sodium citrate (dihydrate)	Corticosterone	(+)-Kavain	Methyl nicotinate	Empty
h	Empty	Phenanthrene	Pregnenolone monosulfate	Quinidine (15% dihydroquinidine)	Rotenone	Santonin	Spermidine	Spermidine (hydrochloride)	Spermine	Spermine (tetrahydrochloride)	Taurocholic acid	Empty

Plate layout: CS-L065-7

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	1,2-Dimethoxybenzene	D-Galacturonic acid (hydrate)	(\pm)-Catechin	Taurodeoxycholic acid	Taurodeoxycholic acid (sodium)	Methyl stearate	DEHP	Butachlor	Escin	Lactose	Empty
b	Empty	Uric acid	Uric acid (sodium)	Casanthranol	Tannic acid	Vitamin K	Citric acid (trisodium)	Stearic acid	Thiamine nitrate	Lactate	Hinokitiol	Empty
c	Empty	Lecithin	Quinine	2'-Deoxyuridine	Tartaric acid (disodium dihydrate)	Phosphocreatine (disodium)	Cytosine	Isovanillin	Uracil	(-)-Epicatechin	(-)-Epicatechin gallate	Empty
d	Empty	Honokiol	Oridonin	Curcumin	Demethoxycurcumin	(E,E)-Bisdemethoxycurcumin	Bisdemethoxycurcumin	Orcinol glucoside	Geniposide	Geniposidic acid	Baohuoside I	Empty
e	Empty	Glycitin	Vitexin	Icariin	Astragalgin	Glycitein	Bergenin	Daidzin	Daidzein	Echinacoside	Verbascoside	Empty
f	Empty	Isoacteoside	Cistanoside A	2'-Acetylacteoside	Forsythiaside A	Forsythoside B	Plantamajoside	Poliumoside	Arctiin	Arctigenin	Costunolide	Empty
g	Empty	Albiflorin	Alantolactone	Ginsenoside Rb1	Ginsenoside Rb2	Ginsenoside Rb3	Ginsenoside Rc	Ginsenoside Rd	Ginsenoside Re	Ginsenoside Rg1	Notoginsenoside Fe	Empty
h	Empty	Polyphyllin I	Nuciferine	Allomatrine	Sanguinarine (chloride)	Psoralen	Osthole	Chlorogenic acid	Isochlorogenic acid A	3,4-Dicaffeoylquinic acid	4,5-Dicaffeoylquinic acid	Empty

Plate layout: CS-L065-8

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	D-arabinose	Ferulic acid	Ferulic acid (sodium)	(E)-Ferulic acid	Ethyl ferulate	Angoroside C	Punicalagin	Macelignan	γ -Aminobutyric acid	Solasodine	Empty
b	Empty	Solamargine	Solasonine	Crotonoside	Brazilin	Sarsasapogenin	Byakangelicol	(Rac)-Byakangelicin	Bilobalide	Ginkgolic Acid	Ginkgolic Acid (C13:0)	Empty
c	Empty	Praeruptorin C	(\pm)-Praeruptorin A	Praeruptorin B	Betulin	Betulinolaldehyde	Dimethylfraxetin	Gambogic Acid	Apocynin	Schisandrin B	Hypoxanthine	Empty
d	Empty	Inosine	(S)-10-Hydroxycampothecin	Rotundine	Guanosine	Vanillin	Neohesperidin	Isoliquiritigenin	Sophocarpine	Sophocarpine (monohydrate)	Curcumol	Empty
e	Empty	Danshensu (sodium salt)	Salidroside	Palmatine (chloride)	Palmatine (hydroxide)	Dihydromyricetin	Hordein	Evodiamine	Gastrodin	Indirubin	Naringin Dihydrochalcone	Empty
f	Empty	(E/Z)-Polydatin	Polydatin	Sesamin	5-Hydroxytryptophan	Aloin	Dioscin	Diosmetin	Xanthone	Sclareol	Sclareolide	Empty
g	Empty	Shikimic acid	Synephrine	Synephrine (hydrochloride)	Tangeretin	Tanshinone I	Taxifolin	Tetrahydropaverine (hydrochloride)	Troxerutin	Ursolic acid	Parthenolide	Empty
h	Empty	Phloretin	Phlorizin	Piperine	Puerarin	Quercetin (dihydrate)	Rutaecarpine	Rutin	Rutin (hydrate)	Salicin	Myricitrin	Empty

Plate layout: CS-L065-9

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Naringin	Neohesperidin dihydrochalcone	Nobiletin	Oleanolic Acid	Oxymatrine	Paeonol	Kinetin	Luteolin	Magnolol	Matrine	Empty
b	Empty	Methyl-Hesperidin	Gramine	Gynostemma Extract	Hesperetin	(Rac)-Hesperetin	Hydroxycholeic acid	Beta-Sitosterol (purity>98%)	Caffeic acid	Cinchonidine	Cryptotanshinone	Empty
c	Empty	Cytisinicline	Dihydroartemisinin	Diosgenin	Diosmin	18β-Glycyrrhetic acid	Ergosterol	Fisetin	Formononetin	Glycyrrhizic acid	Dipotassium glycyrrhizinate	Empty
d	Empty	4-Methylumbelliferone	Esculin	Aloe emodin	Amygdalin	Andrographolide	Arbutin	Artesunate	Asiatic acid	Baicalein	Baicalin	Empty
e	Empty	Nordihydroguaiaretic acid	Atractylenolide I	Atractylenolide II	Atractylenolide III	Pulchinoside A	Pulchinoside C	Ardisiacrispin A	Patchouli alcohol	Kaempferol-3-O-glucorhamno	Cyasterone	Empty
f	Empty	Peimine	Peiminine	Peimisine	L-Phenylalanine	Benzoic acid	Benzoylconine	Benzoylmesaconine	Bicuculline	Dauricine	Daurisolone	Empty
g	Empty	Avicularin	Epigoitrin	(-)-Epigallocatechin	Epiberberine (chloride)	7-epi-Taxol	Scoparone	L-Alanine	β-Alanine	Bavachalcone	Psoralidin	Empty
h	Empty	Bavachin	Bavachinin	Bakuchiol	Corylin	Atractyloside A	Atractylodin	Herbacetin	Rhodonin	Fraxinellone	Theaflavin	Empty

Plate layout: CS-L065-10

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Saikosaponin A	Saikosaponin B1	Saikosaponin B2	Saikosaponin C	Saikosaponin D	Catharanthine	Catharanthine (Tartrate)	Hederacoside C	Hederacoside D	alpha-Hederin	Empty
b	Empty	Hederagenin	Epimedin A	Epimedin A1	Epimedin B	Epimedin C	Aurantio-obtusin	Cordycepin	Toosendanin	Ligustrazine	Asperosaponin VI	Empty
c	Empty	Dipsacoside B	Hypaconitine	Irisfloreantin	Echinatin	Ononin	Echinocystic acid	Eleutheroside E	Brassinolide	Caffeic acid phenethyl ester	(±)-10-Hydroxycampothecin	Empty
d	Empty	Flaconitine	Aconine	Corosolic acid	Daphnetin	Colcemid	Diacerein	Esculetin	Imperatorin	Isoimperatorin	Lycorine	Empty
e	Empty	Lycorine (hydrochloride)	Mangiferin	Oleuropein	Paeoniflorin	Protocatechuic acid	Protocatechualdehyde	Sinensetin	Stachydrine	Tetrahydropalmitine	Tetrahydropalmitine (hydrochloride)	Empty
f	Empty	Thiocolchicoside	Hederasaponin B	Ciwujianoside B	Octyl acetate	Soyasaponin Ba	Soyasaponin Bb	Emodin-8-glucoside	Euphol	Pectolarin	Allicin	Empty
g	Empty	Mollugin	Salvianolic acid A	Salvianolic acid C	Caftaric acid	Cholesterol	Cholic acid	Cholic acid (sodium)	DL-Methionine	L-Methionine	Lobetyolin	Empty
h	Empty	alpha-Mangostin	Deltaline	Momordin Ic	Ziyuglycoside I	Ziyuglycoside II	Yunaconitine	(+)-Magnoflorine (iodide)	3-Butyridenephtalide	Eugenol	(-)-Syringaresnol-4-O-β-D-	Empty

Plate layout: CS-L065-11

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Syringic acid	Scopolin	Scopoletin	Helicid	Farrerol	(E)-Ethyl p-methoxycinnamate	Methyl Paraben	p-Coumaric acid	Tuberostemone	Curdione	Empty
b	Empty	Anthraquinone	(+)-Catechin hydrate	(-)-Catechin gallate	3,29-Dibenzoylarounitriol	1,4-Dicaffeoylquinic acid	Dihydrotanshinone I	Dihydrocapsaicin	Columbianadin	(+)-Columbianetin	(+)-Columbianetin acetate	Empty
c	Empty	Falcarindiol	Sennoside A	Trans-Anethole	Linalool	Bergapten	Pachymic acid	Licochalcone B	Licochalcone C	18α-Glycyrrhetic acid	Liquiritin	Empty
d	Empty	Liquiritigenin	(±)-Liquiritigenin	D-Mannitol	D-Mannose	Nardosinone	Maackiain	Galangin	Homovanillic acid	Gomisin J	Griffonilide	Empty
e	Empty	Rhynchophyllin	Gelsemine	Columbin	L-Glutamine	L-Citrulline	Polygalasaponin F	Glabridin	Fructose	Harpagoside	Harpagide	Empty
f	Empty	Sec-O-Glucosylhamaudol	Wogonoside	Wogonin	Artemether	Sinigrin	Orientin	2"-O-beta-L-galactopyranosylorientin	Picroside I	Picroside II	Picroside III	Empty
g	Empty	Daucosterol	Sesamoside	Hupehenine	Trigonelline	Trigonelline (chloride)	Cucurbitacin B	Cucurbitacin E	Quercitrin	Quercimeritrin	Succinic acid	Empty

h	Empty	Cinobufagin	Sophoricoside	Cyclogalegenin	Alismoxide	Obacunone	Diosbulbin B	Coptisine (Sulfate)	Astragaloside IV	Astragaloside I	Astragaloside II	Empty
---	-------	-------------	---------------	----------------	------------	-----------	--------------	---------------------	------------------	-----------------	------------------	-------

Plate layout: CS-L065-12

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Astragaloside III	Engeletin	Progesterone	Pimpinellin	Asiaticoside	Germacrone	Neferine	5-O-Methylvisamioside	N-Methylcytisine	Rubiadin	Empty
b	Empty	2-Hydroxy-4-methoxybenzaldehyde	8-Gingerol	10-Gingerol	Nordihydrocapsaicin	Sinapine (thiocyanate)	Acacetin	Hyperoside	Hypericin	DL-Arginine	L-Arginine	Empty
c	Empty	L-Arginine (hydrochloride)	Chicoric acid	L-Chicoric Acid	Pedunculoside	3,5-O-Dicaffeoylquinic acid	1-Caffeoylquinic acid	Corilagin	Blinin	D-(-)-Quinic acid	Rebaudioside A	Empty
d	Empty	Rebaudioside C	Rebaudioside D	L-Lysine	L-Lysine hydrochloride	L-Hyoscyamine	L-Hyoscyamine (sulfate)	Geraniin	L-Tyrosine	Tyrosol	Triptophenolide	Empty
e	Empty	Wilforide A	Neoline	Licarin B	Reserpine	Reserpine (hydrochloride)	Roburic acid	Phillyrin	Phillygenin	Liensinine	Liensinine (Diperchlorate)	Empty
f	Empty	L-Leucine	Vincristine (sulfate)	α -Lipoic Acid	Pectolarinigenin	Gentiopicroside	Ruscogenin	Nitidine (chloride)	Cyanidin (Chloride)	Mogroside III	11-oxo-mogroside V	Empty
g	Empty	Mogroside V	Rosarin	Rosavin	Rosin	Astilbin	Aristolochic acid A	Aristolochic acid B	Loganin	Loganic acid	Ophiopogonin D	Empty
h	Empty	Casticin	Erianin	Toddalolactone	Calycosin	Calycosin-7-O- β -D-glucoside	(-)-Gallocatechin	(+)-Gallocatechin	(-)-Gallocatechin gallate	Gallic acid	Gallic acid (hydrate)	Empty

Plate layout: CS-L065-13

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Propyl gallate	Ethyl gallate	2"-O-Galloylhyperin	Pentagalloylglucose	Linarin	Rosmarinic acid	Morrinoside	4"-O-Glucosylvitexin	Vitexin-2"-O-rhamnoside	(+)-Magnoflorine (chloride)	Empty
b	Empty	Xylose	Xylitol	Calceolarioside B	Cynaroside	Pseudoginsenoside F11	Pseudoginsenoside RT5	Allantoin	Taurocholic acid (sodium)	Ligustroflavone	Nomilin	Empty
c	Empty	α -Angelicalactone	(-)- α -Pinene	β -Pinene	Wedelolactone	Gypenoside XVII	Escin IA	Escin IB	Isoescin IA	Alnustone	Kirenol	Empty
d	Empty	Oroxylin A	Lathyrol	5,15-Diacetyl-3-benzoylathyr	Notopterin	23-Hydroxybetulinic acid	Hydroxysafflor yellow A	Madecassoside	Madecassic acid	Hydroxytyrosol	Purpurin	Empty
e	Empty	Umbelliferone	Pinocembrin	Solanosol	Apiin	Apigenin 7-glucoside	Fraxin	Fraxetin	Norisoboldine	Deapioplatyodin D	Dehydrodiisoeugenol	Empty
f	Empty	Corynoxene	Dehydrocostus Lactone	Deoxycholic acid	Deoxycholic acid sodium salt	Deacetylasperulosidic Acid	Genistin	Panaxadiol	Panaxatriol	Ginsenoside F1	Ginsenoside F3	Empty
g	Empty	Ginsenoside Rf	Ginsenoside Rg2	20(S)-Ginsenoside Rg3	Ginsenoside Rh1	Ginsenoside Rh2	Ginsenoside Ro	Myrisignan	trans-Cinnamic acid	Cinnamic acid	α -Boswellic acid	Empty
h	Empty	Siamenoside I	Sauchinone	Notoginsenoside R1	Trifolirhizin	Sangganon C	Mulberroside A	Mulberroside C	Morin	Morusin	L-Tryptophan	Empty

Plate layout: CS-L065-14

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Alpinetin	Sorbic acid	Kaempferitrin	Maslinic acid	Shanzhiside methyl ester	Cornuside	Esculentoside A	Muscone	Cimifugin	Prim-O-glucosylcimifugin	Empty
b	Empty	Eriocitrin	Eriodictyol	Dendrobine	Punicalin	Kuromanin (chloride)	α -L-Rhamnose monohydrate	Silydianin	Silychristin	Monotropein	Narcissin	Empty
c	Empty	L-Serine	Spinisin	2,3,5,4'-Tetrahydroxy stilbene 2-O-	Corypalmine	D-Pinitol	Usnic acid	(+)-Usnic acid	Pinoresinol Diglucoside	L-Threonine	Jujuboside A	Empty
d	Empty	Jujuboside B	Alliin	Amentoflavone	Talatisamine	Aucubin	Specnuezhenide	L-Aspartic acid	L-Asparagine	Rubusoside	Stevioside	Empty
e	Empty	Tenacissoside H	Rhapontin	Pseudolaric Acid C	Pseudolaric Acid A	Dehydrocorydalone	Dehydrocorydalone (chloride)	Dehydroandrographolide	Dehydroandrographolide succinate	Icaritin	Thiamine (hydrochloride)	Empty
f	Empty	D-Pantothenic acid	Pyridoxine (hydrochloride)	α -Vitamin E	Vitamin K1	Pseudoprotodioscin	Vindoline	Linderane	Schisandrin C	Schisandrin	Schisandrol B	Empty

g	Empty	Schisandrin A	Schisantherin A	Schisantherin B	Sipeimine	Crocin	Crocin II	Daphnoretin	alpha-Asarone	(-)-Asarinin	Tenuifolin	Empty
h	Empty	Schaftoside	Agrimol B	Curculigoside	Gracillin	Vanillic acid	Coumarin	Carvacrol	Typhaneoside	Diosmetin-7-O-β-D-glucopyranoside	Berbamine	Empty

Plate layout: CS-L065-15

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Berbamine (dihydrochloride)	Berberine (sulfate)	L-Valine	Valepotriate	Fargesin	Neobavaisoflavone	Neoandrographolide	Neochlorogenic acid	Neomangiferin	Mesaconitine	Empty
b	Empty	Dracorhodin perchlorate	α-Linolenic acid	Diosgenin glucoside	Genkwanin	Phellodendrine (chloride)	Coptisine (chloride)	Harmine (hydrochloride)	Harmine	Stachydrine hydrochloride	Jatrorrhizine (chloride)	Empty
c	Empty	Leonurine	Leonurine (hydrochloride)	Senkyunolide A	Senkyunolide H	Senkyunolide I	Oxysophocarpine	Oxypeucedanin	Oxypaeoniflorin	Jatrorrhizine (hydroxide)	Monocrotaline	Empty
d	Empty	Scutellarin	Scutellarein	Eupalinolide B	Eupalinolide A	Rhoifolin	Bornyl acetate	(-)-Bornyl acetate	8-?O-?Acetylharpagide	Barlerin	Acetylcorynoline	Empty
e	Empty	Isoferulic acid	trans-Isoferulic acid	Isobavachin	Angelicin	Isobergaptin	Isoliquiritin	Isorhynchophylline	Isoorientin	Isoquercitrin	Isopimpinellin	Empty
f	Empty	Isoliensinine	L-Isoleucine	Isomangiferin	Isovitexin	Isofraxidin	Isocorynoxine	Isorhamnetin	Isorhamnetin-3-O-glucoside	Isorhamnetin-3-O-neohesperidos	Isosilybin	Empty
g	Empty	Silybin	Isoalantolactone	Linderalactone	Eupatilin	Ginkgolide B	Ginkgolide C	Ginkgolide J	Cryptochlorogenic acid	Delsoline	Lupeol	Empty
h	Empty	Tectoridin	Tectorigenin	Protopine	Procyanidin B1	Procyanidin B2	(20S)-Protopanaxadiol	20(R)-Protopanaxatriol	Protodioscin	Protosappanin B	Polygalacic acid	Empty

Plate layout: CS-L065-16

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Tenuigenin	Myrcene	Narirutin	Alisol B 23-acetate	Alisol B	Sweroside	Swertiamarin	Camphor	Sesamol	Timosaponin AIII	Empty
b	Empty	Timosaponin BII	Anemarsaponin E	Phytic acid (dodecasodium hydrate)	Resibufogenin	Polyphyllin VI	Chikusetsusaponin Iva	Raddeanin A	Catalpol	Lithospermoxide	Shikonin	Empty
c	Empty	Lithospermic acid	Syringin	Nodakenin	Corynoline	Pterostilbene	Shionone	Jaceosidin	L-Histidine	Pulsatilla saponin D	(20S)-Protopanaxatriol	Empty
d	Empty	Jervine	Veratramine	Cephalotaxine	Quillaic acid	Bruceantin	Bruceine A	Bevirimat	Micheliolide	Epibrassinolide	Dictamine	Empty
e	Empty	Benzoylhypaconine	Benzoylpaeoniflorin	Alisol A	Alisol A 24-acetate	Alisol F	Alisol C 23-acetate	Gomisin G	Schisanhenol	Harringtonine	Methyl protodioscin	Empty
f	Empty	Macranthoidin B	Ingenol	20-Deoxyingenol	Isosteviol	Sagittatoside A	Ikarisoside A	Arenobufagin	Bufalin	Bufotalin	Gamabufotalin	Empty
g	Empty	Telocinobufagin	Aloin B	Isoastragaloside I	Isoastragaloside II	Ginkgetin	Tubeimoside I	Tubeimoside II	AKBA	Tetrahydrocurcumin	Octahydrocurcumin	Empty
h	Empty	Inulicin	Corylifol A	Catechin	(-)-Catechin	Wilforine	Corynoxine	Corynoxine B	Dihydrosanguinarine	Dihydrochelythrine	Ginsenoside C-K	Empty

Plate layout: CS-L065-17

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Ginsenoside Rk3	Ginsenoside Rg6	Ginsenoside Rg5	Notoginsenoside R2	Notoginsenoside Ft1	Rehmannioside D	Manninotriose	Ajugol	Melittoside	Desmethoxyangonin	Empty
b	Empty	Yangonin	Dihydrokavain	Dihydromethysticin	Corydaline	(±)-Stylopine	(±)-Stylopine (hydrochloride)	Tetrahydroberberine	(-)-Isocorypalmine	Mimosine	Hexahydrocurcumin	Empty
c	Empty	Galegine (hydrochloride)	Ligustrazine (hydrochloride)	Coixol	beta-Mangostin	(-)-Anomalin	β-Damascone	Progoitrin	Manool	Hinokinin	Xanthoxylin	Empty
d	Empty	Xanthohumol	Wilforgine	Wighteone	Visnagin	Viscidulin III	Vincosamide	Veratraldehyde	Velutin	Vasicine (hydrochloride)	Uvaol	Empty
e	Empty	Tricin	D-(+)-Trehalose	Torachryson-8-O-β-D-glucoside	Thymidine	Taraxasterol	Tamarixetin	Sulfuretin	Suberosin	Strictosamide	Apigenin	Empty

f	Empty	Squalene	Sophoraflavone G	Smyrindioloside	Sinapaldehyde	Salvigenin	Robustine	Robinin	Robinetin	Rhamnocitrin	Reynoutrin	Empty
g	Empty	Isoscapoletin	Herniarin	Menthol	(R)-Fangchinoline	Fangchinoline	Sophoridine	Magnolin	Qingyangshengenin	(20R)-Ginsenoside Rg3	Nevadensin	Empty
h	Empty	(E)-Cardamonin	Guaiacol	Periplocin	Asperuloside	2-Methoxycinnamic acid	4-Methoxycinnamic acid	Tussilagone	Syringaldehyde	10-Deacetylaxol	2-Methoxybenzoic acid	Empty

Plate layout: CS-L065-18

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	p-Anisic acid	Androsin	(20R)-Ginsenoside Rh1	20(R)-Ginsenoside Rh2	Oxysophoridine	Tigogenin	Sodium aescinate	Polygalaxanthone III	trans-Trimethoxyresveratrol	Triacetylsveratrol	Empty
b	Empty	Platycodin D	1,3-Dicaffeoylquinic acid	Noricaritin	(E)-3',6'-Disinapoylsucrose	β -Caryophyllene	Pogostone	Sesamol	Vaccarin	Rhamnose	Rhamnose (monohydrate)	Empty
c	Empty	Glycocholic acid	Glycocholic acid (sodium)	Tiliroside	Raspberry ketone	Glycodeoxycholate (Sodium)	Glycodeoxycholic acid (monohydrate)	Citric acid	Citric acid (monohydrate)	Oxyresveratrol	Tabersonine	Empty
d	Empty	Phytolaccagenin	Methyl p-coumarate	Oroxin B	L-(+)-Abrine	Hydroxygenkwanin	Gypsogenin-3-O-glucuronide	Koumine	Afzelin	Complanatuside	Isoquercetin	Empty
e	Empty	Oleic acid	Sodium oleate	Ganoderic acid A	Vincetoxicoside B	Betulonic acid	Hypocrellin B	Apigenin-7-glucuronide	Chrysosplenin	Isoschaftoside	Campesterol	Empty
f	Empty	Attractyliside (potassium salt)	Luteolin 7-O-glucuronide	Aristolone	(-)?- α -Terpineol	Agarotretol	Kaurenic acid	Plantagoside	Liquiritin apioside	Levistolide A	Picfeltaarraenin IA	Empty
g	Empty	Nicotiflorin	Heterophyllin B	Gardenoside	Polygalic acid	(-)-Fucose	Methyl linoleate	Methyl palmitate	Guanfu base A	⁷ β -Hydroxyalthayrol	Cycloastragenol	Empty
h	Empty	Ursonic acid	Oleanonic acid	14-Deoxy-11,12-didehydroand	Plumbagin	Nystose	Pulegone	Beta-asarone	Carboxyatractyliside (tripotassium)	Methyl deacetylasperuloside	Loureirin B	Empty

Plate layout: CS-L065-19

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Loureirin A	Tracheloside	Ecliptasaponin A	Ganoderic acid D	Ponicidin	Prunin	Pterisin B	Pyrogallol	2,6-Dimethoxy-1,4-	2'-O-Methylisoliquiritigenin	Empty
b	Empty	(2S)-2'-Methoxykurarinone	3-(2,4-Dihydroxyphenyl)propanoic	3-(4-Hydroxyphenyl)-1-propanol	3',4'-Dihydroxyacetophenone	3,4-Dimethoxycinnamic acid	(E)-3,4-Dimethoxycinnamic acid	3,4-Dimethoxyphenol	Kaempferol-7,4'-dimethyl ether	3-O-Methylquercetin	4',5-Dihydroxyflavone	Empty
c	Empty	4,5-Dimethoxycanthin-6-one	4',7',7'-Di-O-methylnaringenin	4-Allylcatechol	4-Hydroxyphenylacetic acid	4'-O-Methylbavachalcone	Danshensu	Coniferyl ferulate	Alpha-Solamarine	Ajmalicine	Crassicauline A	Empty
d	Empty	Dihydrocoumarin	Allocryptopine	Pristimerin	D(+)-Raffinose (pentahydrate)	Icariside I	β -Anhydrocaritin	Isosinensetin	5-O-Demethylnobletin	Ailanthone	Nerolidol	Empty
e	Empty	Homoplantagin	Hispidulin	Miltirone	Isoeugenol	Protostemotinine	Rubiadin-1-methyl ether	Gamma-Mangostin	Syringaresinol diglucoside	Gibberellic acid	(E)-Osmundacetone	Empty
f	Empty	Quercetin-3-O- β -D-glucose-7-O-	5,7-Dihydroxychromone	Fuziline	(+)-(3R,8S)-Falcarindiol	Podophyllotoxin glucoside	3'-Methoxypuerarin	4'-Methoxypuerarin	3'-Hydroxypuerarin	Triolein	Artemisic acid	Empty
g	Empty	Cucurbitacin D	Cucurbitacin IIb	Cucurbitacin IIa	Gypenoside XLIX	Platicodigenin	Theaflavin 3,3'-digallate	5-Methyl-7-methoxyisoflavone	Chebulagic acid	Pyromeconic acid	Bellidifolin	Empty
h	Empty	D-Tetrahydropalmatine	Isoborneol	Cycleanine	Ganoderic acid B	Veratric acid	Luteolin 5-O-glucoside	3-O-Methylgallic acid	Methyl gallate	Octyl gallate	Aristolactam I	Empty

Plate layout: CS-L065-20

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Verbenalin	Hastatoside	Arteannuin B	Anacardic Acid	Maltose	Maltose monohydrate	Oroxin A	Propylparaben	Demethylwedolactone	Parishin	Empty
b	Empty	Moslosooflavone	Moslooflavone	Higenamine (hydrochloride)	3,7,5,26,27,28,23',24'- β Heptemthox	20(R)-Ginsenoside Rg2	(20R)-Protopanaxadiol	Myristic acid	Huperzine B	Methyl 3,4,5-trimethoxybenzoate	2,2':5',2''-Terthiophene	Empty
c	Empty	Kaempferol 3-O-sophoroside	11'-Keto- β -boswellic	Steviol	Evocarpine	Lindenenol	Racanisodamine	Withaferin A	Vanillyl alcohol	Didymin	Acevaltrate	Empty
d	Empty	Cedrol	Ethyl linolenate	3-Acetyl- β -boswellic acid	Heteroclitin D	(-)-Securinine	Songorine	Skimmianine	Handelin	Perillartine	L-Perillaldehyde	Empty

e	Empty	Ethyl palmitate	Vicine	Genipin 1-β-D-gentiobioside	Kavain	Cimigenoside	Obtusifolin	Onjisaponin B	6'-O-beta-D-Glucosylgentiopicroside	Tenacissoside I	Tenacissoside G	Empty
f	Empty	7-Ethylcamptothecin	Macranthoidin A	Phellopterin	Sedanolid	Araloside A	Ginkgolic acid C17:1	Isoginkgetin	Bilobetin	Sciadopitysin	Dichotomitin	Empty
g	Empty	Neoisoliquiritin	Neoliquiritin	Parishin B	Parishin C	Parishin E	N-Nornuciferine	Isosakuranetin	Flavokawain B	Mirificin	Puerarin 6"-O-Xyloside	Empty
h	Empty	Buddlejasaponin IVb	7,4'-Di-O-methylapigenin	4',7-Dimethoxyisoflavone	Phorbol	Tomatidine	Tomatidine (hydrochloride)	Rhodojaponin II	Rhodojaponin III	Tubuloside A	Paeonolid	Empty

Plate layout: CS-L065-21

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Pteryxin	Lancerin	6"-Feruloylspinolisin	Apiopaenoside	12-Epinapelline	Mudanpioside C	3-Deoxyaconitine	Vicenin 2	Tomatine	Sibiricoside A5	Empty
b	Empty	Pinoresinol 4-O-β-D-glucopyranoside	Polygalasaponin V	Acetylshengmagnol Arabinoside	Sibiricaxanthone B	Forsythoside E	S-(-)-Marmesin	3-Dehydrotrametenolic acid	Saikosaponin F	Hypaphorine	Pinoresinol dimethyl ether	Empty
c	Empty	Acetylshikonin	Episyringaresinol 4'-O-β-D-glucopyranoside	Baimaside	Furanodienone	(5R,6E)-5-Hydroxy-1,7-diphenyl-6-	Leucoside	Deoxyshikonin	Beta-Acetoxyisovalerylshikonin	Swertianolin	Bergamottin	Empty
d	Empty	Nootkatone	Pseudoginsenoside RT1	Esculentoside H	rel-(8R,8'R)-Dimethyl-(7S,7'R)-	4-Hydroxylophonocarpin	Isobavachromene	Angeloylgomisin H	Picfeltaaraenin IB	Aloeresin D	Rotundic acid	Empty
e	Empty	Jionoside B1	Ganoderal A	Ganoderol B	Guajiverin	Rhapontigenin	N-p-trans-Coumaroyltyramine	N-trans-p-coumaroylctopamine	?Feruloylctopamine	Gomisin O	Piceatannol 3'-O-glucoside	Empty
f	Empty	Hosenkoside K	Hosenkoside A	Licarin A	Neoruscogenin	(-)-Oxypeucedanin hydrate	Crebanine	Poncirin	Curcumenol	8-Geranyloxyporalen	Skimmin	Empty
g	Empty	Gymnemaenin	Nodakenetin	Kushenol A	Kurarinone	Leachianone A	Deltonin	Kushenol I	Kinsenoside	Morusinol	Kuwanon A	Empty
h	Empty	Fucoxanthin	Lirinidine	Kainic acid	Mogrol	Khasianine	4'-Demethylpodophyllotoxin	Paulownin	D-(+)-Cellobiose	Piperlongumine	Proscillaridin A	Empty

Plate layout: CS-L065-22

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Coumestrol	Procyanidin C1	Procyanidin A2	Procyanidin A1	Procyanidin B3	Cynaropicrin	Lauroitsine (hydrochloride)	Arabinose	Eudesmin	Hinokiflavone	Empty
b	Empty	DL-Alanine	N-Benzylpalmitamide	Arecaidine	Arecaidine (hydrochloride)	Chelidonine	Fraxinol	Palmaturbine	Palmaturbine (hydroxide)	Eupatorin	L-Quebrachitol	Empty
c	Empty	Chrysin-7-O-glucuronide	Menthone	Febrifugine	Pinosylvin	Auraptene	Formosanin C	p-Hydroxycinnamic acid	Kukoamine A	Kukoamine B	Emodin-1-O-β-D-glucopyranoside	Empty
d	Empty	Chrysophanol 8-O-glucoside	9"-Methylsalvianolate B	Diffractic acid	Rehmannioside C	Dihydrolycorine	Dihydrocaffeic acid	Delphinidin (chloride)	N-trans-Feruloyltyramine	Geissoschizine methyl ether	Irisolidone	Empty
e	Empty	Gomisin D	Periplogenin	Podophyllotoxin	Stearylglycyrrhetinate	Erythrodol	Flavokawain A	Sequoyitol	7,2'-Dihydroxy-3',4'-	Flavone	Clerodendrin	Empty
f	Empty	Adamantane	Sphondin	Paederoside	[10]-Shogaol	[8]-Shogaol	Methylpiperogonanone A	Methylpiperogonanone B	Methyl isoeugenol	Methylpiperogonanone A	Methylpiperogonanone B	Empty
g	Empty	Tribuloside	Flavokawain C	Kakuol	Amarogentin	Sulforaphene	Aloe-emodin-8-O-β-D-glucopyranoside	Convallatoxin	β-Elemonic acid	Ganoderic acid G	Maltotetraose	Empty
h	Empty	Methylsticin	Medicagenic acid	Methylnisosolin 3-O-glucoside	Oroxilin A-7-O-glucuronide	Methylnisosolin	4'-Methoxyresveratrol	Desoxyrhaponticin	Demethylsuberosin	Deoxyephedrin	(E)-Methyl 4-coumarate	Empty

Plate layout: CS-L065-23

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Lawson	Isomucronolol	Isoliquiritin apioside	Glomeratose A	Dehydrotumulosic acid	Deoxypodophyllotoxin	Iristectorigenin A	Ginsenoside Ra1	Iristectorigenin B	Myristicin	Empty
b	Empty	1-Monomyrustin	β-Boswellic acid	α-Lactose	Dihydroevocarpine	Agnuside	Carboxyatractylolide (dipotassium)	Nervonic acid	Notoginsenoside Fa	Notoginsenoside Fc	Diphyllin	Empty
c	Empty	Karanjin	Coniferaldehyde	(±)-Pinocembrin	Tubeimoside III	Damascenone	Steviolbioside	(±)-Abscisic acid	Osthenol	Tilianin	Tirucalol	Empty

d	Empty	Murrayone	Maltohexaose	Senecionine	Norwogonin	Rosamultin	Euscaphic acid	(±)-Decursinol	Nepetin	Gitogenin	Hypocrellin A	Empty
e	Empty	1F-Fructofuranosylfructose	1-Kestose	Zinc Phytate	(2S)-Isoxanthohumol	Isoxanthohumol	Tenuifoliside C	Irigenin	Lupenone	Isocorydine	Isorhapontigenin	Empty
f	Empty	Isoforsythiaside	Prunetin	Methyl oleate	Kuwanon H	Loureirin C	7,4'-Dihydroxyflavone	Vomicine	Oxypeucedanin hydrate	Alloimperatorin	Harmalol (hydrochloride)	Empty
g	Empty	8-Epideoxyloganic acid	Acanthoside B	Ursolic acid acetate	Allitol	α-Lapachone	Alpinumisoflavone	Dihydrokaempferol	Aurantiamide acetate	Atranorin	Atraric acid	Empty
h	Empty	Aurantiamide	β-Amyrin	Brevilin A	Broussonin E	Dehydropachymic acid	Polyporenic acid C	Poricoic acid A	Ganoderenic acid A	Ganoderic acid I	Isolinderactone	Empty

Plate layout: CS-L065-24

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	α-Arbutin	Britannin	Sakuranetin	Naringenin chalcone	Secoxylonganin	Iridin	Bruceine D	Artemitin	Isomaltose	Taccalonolide B	Empty
b	Empty	Grosvenorine	Tetrahydroepiberberine	3-O-Acetyl-α-boswellic acid	Pinostrobin chalcone	Pinostilbene	Hexahydrofarnesyl acetone	Phytol	p-Hydroxyphenethyl trans-	p-Coumaric Acid Ethyl Ester	Pachypodol	Empty
c	Empty	Ombuoside	Ombuin	N-Methylflindersine	Neotuberostemonine	Mulberrofuran G	Moracin O	Moracin C	Methyl rosmarinat	Meranzin	Medicarpin	Empty
d	Empty	Matairesinol	Macurin	Luteone	Licoisoflavone B	Licoisoflavone A	Kaempferol-7-O-rhamnoside	Kaempferol 3,7,4'-trimethyl	Isorhoifolin	Isopimaric acid	Isodiospyrin	Empty
e	Empty	Mulberrin	Canthin-6-one	Caryophyllene oxide	Cauloside A	Cerevisterol	Paris saponin VII	Cleomiscosin A	Coniferin	Curzerenone	Danshenxinun A	Empty
f	Empty	D-Arabitol	Demethoxydeacetoxypseudolaric acid B	Deoxylapachol	Dihydropinosylvin	Dihydroresveratrol	Eriodictyol-7-O-glucoside	Fraxidin	Glaucine	Neoglycyrol	Glycyrrhisoflavone	Empty
g	Empty	Guaiol	Digitonin	Isoaстилbin	Iriflophenone 3-C-glucoside	Iriflophenone	Maohuoside A	Humantenmine	Heraclenin	Helichrysetin	Glucoraphanin	Empty
h	Empty	6"-O-Acetylglycitin	Platycodin D2	Pseudolaric acid A-O-β-D-glucopyranoside	Quercetin 3-gentiobioside	Vicenin 3	Shanziside	Astringin	Morellic acid	Brevifolincarboxylic acid	Tsugaric acid A	Empty

Plate layout: CS-L065-25

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Incensole	Luteolin-3-O-beta-D-glucuronide	Trilobatin	Styraxignolide F	5,7-Dihydroxy-4-methylcoumarin	Fucosterol	Agaric acid	Dihydroartemisinic acid	Phyllanthin	Decursinol	Empty
b	Empty	L-Fucitol	Glycycomarin	Picrocrocin	Neoeriodictin	Isocurcumenol	Neodiosmin	Orcinol gentiobioside	Poricoic acid B	Dehydroeburicoic acid monoacetate	6-Demethoxytangeretin	Empty
c	Empty	3'-Demethylnobiletin	Lonicerin	Tormentic acid	Quercetagetin	Quercetagitritin	Isopteropodine	Arnidiol	3-O-Methylgalangin	3-O-Caffeoylquinic acid methyl	Trametenolic acid	Empty
d	Empty	Chebolic acid	Dihydrocucurbitacin B	Ginkgolide K	Rubrofusarin gentiobioside	Pennogenin 3-O-beta-chacotrioside	Licoflavone B	Licoflavone A	Licochalcone D	N-Benzyloctadecanamide	Glabrol	Empty
e	Empty	β-Hydroxyisovalerylshikonin	Tetrahydropiperine	Yadanzhiolide A	Anemarrhena saponin I	Isoastragaloside IV	Saikosaponin B4	Bisabolangelone	Dehydrocorydaline (nitrate)	Kuwanon G	Periplocymarin	Empty
f	Empty	Distearoylphosphatidylserine	Panasenoside	Dehydronuciferine	Tenuifoliside B	Protogracillin	Oxyimperatorin	Nortracheloside	Methyl protogracillin	Coniferyl alcohol	Negletein	Empty
g	Empty	4-Methylaphnetin	Nordalbergin	4-Methylesculetin	3-Epiursolic Acid	3-Epioleanolic acid	Arjungenin	Sarracenin	Bryodulcosigenin	Scutellarein tetramethyl ether	Ethoxysanguinarine	Empty
h	Empty	14-Deoxyandrographolide	Euphorbia Factor L2	Nepitrin	5,7-Dimethoxyflavone	Liensinine (perchlorate)	Rosmanol	Guvacoline (hydrochloride)	Nepodin	Evolitrine	Veraguensin	Empty

Plate layout: CS-L065-26

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Gambogenic acid	Oxyberberine	Phosphorylethanolamine	Forsythoside I	Galloypaeoniflorin	Asiaticoside B	DL-Goitrin	Dehydroeffusol	Estragole	Plantainoside D	Empty
b	Empty	Vitexin-4"-O-glucoside	Terrestrosin D	Sinapine	Homodihydrocapsaicin I	Saponarin	Kobusin	(E)-Flavokawain A	(Rac)-Arnebin 1	β,β-Dimethylacrylalkannin	β,β-Dimethylacrylshikonin	Empty

c	Empty	Isovitexin 2''-O-arabinoside	Neosmitilbin	Neoisostilbin	Calycanthine	Nonacosane	Effusol	(-)-Fenchone	Liriopesides B	25(R,S)-Ruscogenin	α-Terpineol	Empty
d	Empty	Methyl caffeate	Chrysoisplenol D	8-Deoxygartanin	8-Hydroxybergapten	9-Methoxycampothecin	(-)-Alkannin	Beta-Eudesmol	(-)-Butin	Butin	Byakangelicin	Empty
e	Empty	Clemastanin B	Darutoside	Dehydroevodiamine (hydrochlorid)	Ganoderic acid F	Gardenin B	Gartanin	Hydroxytyrosol acetate	(-)?-Maackiain	Ophiopogonone A	Praeruptorin A	Empty
f	Empty	Praeruptorin E	Raspberry ketone glucoside	Secoisolaricresinol	Soyasapogenol A	Soyasapogenol B	Specneuzhenide	Tenuifoliside A	Timosaponin A1	Rhein 8-Glucoside	Dihydroguaiaric acid	Empty
g	Empty	Asperulosidic Acid	Fuscaxanthone C	Isomucronulatol 7-O-glucoside	Gypenoside XLVI	Pinoresinol	Illexgenin A	Cafestol	5,7,7',23'-Trihydroxy-7,24',25'-	EGCG Octaacetate	Astragaloside VI	Empty
h	Empty	7-Hydroxy-4H-chromen-4-one	3-Feruloylquinic acid	Octadecane	Pomolic acid	α-Solanine	Tryptanthrin	D-Glucuronic acid	Pinocebrin-7-O-β-D-glucopyranoside	DL-Mannitol	Lycoramine	Empty

Plate layout: CS-L065-27

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Skullcapflavone II	trans-Nerolidol	Retrorsine	1-beta-D-Arabinofuranosyluracil	Syringyl Alcohol	6-Hydroxycoumarin	Verbenone	(+)-Longifolene	Okanin	Gardenia yellow	Empty
b	Empty	β-?Apo-?8'-?carotenal	ar-Turmerone	Apicidin	Polygalaxanthone XI	Diammonium Glycyrrhizinate	Isoeugenol acetate	Timosaponin B III	Elemicin	Rebaudioside B	Thymol	Empty
c	Empty	5,7,7',24'-?Trimethoxyflavone	Iristectorin B	Iristectorin A	Hydroxy-α-sanshool	Asatone	Retusin	Fructo-?oligosaccharide DP7/GF6	1,1,1,1-Kestohexaose	Arnicolide D	3-Isomangostin	Empty
d	Empty	Calenduloside E	Glycyrrhetic acid 3-O-β-D-glucuronide	4-Hydroxycoumarin	Armepavine	4-Hydroxyisoleucine	Lucideric acid A	Isovanillic acid	Groenlandicine	Gomisin N	Dehydroabietic acid	Empty
e	Empty	Abietic acid	GL3	Ligustrosidic acid	Oleuropeinic acid	Cauloside D	Hamaudol	Ergolide	Violanthin	Isoviolanthin	Crocetine dimethyl ester	Empty
f	Empty	Linderene acetate	Pseudolaric Acid C2	Licoricesaponin H2	Cauloside C	Zingibroside R1	Angelic acid	Usaramine	Pseudolaric acid B β-D-glucoside	Pseudolaric Acid B	Prosapogenin A	Empty
g	Empty	Angelicaicain	Mogroside IV	Mitraphylline	Lutein	Linalyl acetate	Hederacolchiside A1	Guaiazulene	Geraniol	Lapachol	α-Spinasterol	Empty
h	Empty	Choerospondin	Quercetin 3-O-β-D-(6''-p-coumaroyl)glu	Ethyl Caffeate	Levomenol	α-Humulene	Cepharanthin	Boldine	Crustecdysone	Licoricesaponin G2	Baccatin III	Empty

Plate layout: CS-L065-28

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Licraside	Methyl Eugenol	Paederosidic acid	Perillyl alcohol	Arborine	Clitorin	7,3',4'-Tri-O-methyluteolin	Zerumbone	Eclalbasaponin I	7-Prenyloxycoumarin	Empty
b	Empty	Celosin I	3',24',25',25',7'-?Pentametho	Uridine 5'-diphosphoglucose	Rhamnetin	Isosilybin A	8-Epidiosbulbin E acetate	Nonanoic acid	cis-?Jasmone	Tropine	Nerol	Empty
c	Empty	Geranyl acetate	Silymarin	Inulin	Aleuritic acid	Dihydroferulic acid	D-?Arabinose	Citral	Methyl dihydrojasmonate	Citropten	Tulipalin A	Empty
d	Empty	Raffinose	Benzoylneuronea	Benzyl cinnamate	D-Fructose	Furaneol	Ethyl oleate	Fenchyl alcohol	7-Hydroxyflavone	Squalane	Lawsone methyl ether	Empty
e	Empty	1,4-Cineole	Thymopentin	Thymopentin (acetate)	Benzyl acetate	Cinnamyl acetate	Citronellal	(E)-m-Coumaric acid	Flavanone	Menthyl acetate	α-?Terpinyl acetate	Empty
f	Empty	Gamma-Linolenic acid	Monobutyl phthalate	Citronellyl acetate	γ-Tocopherol	Kaempferol 3-O-β-D-glucuronide	12-Deoxywithastramonolide	(Rac)-Hydnocarpin	N-Caffeoyl O-methyltyramine	4-Hydroxyderricin	5-O-Methylvisaminol	Empty
g	Empty	(+)-Isomenthone	Obtusifoliol	Solanidine	Isolongifolene	(E)-β-Farnesene	Hibifolin	Butyl isobutyl phthalate	(-)-Zuonin A	2-Pentylfuran	Phaseoloidin	Empty
h	Empty	Entadamide-A-β-D-glucopyranoside	Smilagenin acetate	Kauran-16,17-diol	Methyl propyl disulfide	Pentacosane	Isoformononetin	2-(Hydroxymethyl)anthraquin	Psoralenoside	Isopsoralenoside	2,3-Dihydroxy-4-methoxyacetate	Empty

Plate layout: CS-L065-29

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	12-O-Methylcarnosic acid	Homovanillyl alcohol	Safranal	Arjunetin	Isoverticine	Beiwutine	Acetylalkannin	Toralactone	Acetylactractylodinol	Lactiflorin	Empty

b	Empty	5-Desmethylin ensetin	Oleanolic acid 28-O-β-D-glucopyranoside	Persicogenin	Tubuloside B	Curculigoside B	Rhombifoline	Azaleatin	(-)-Epipodophyllotoxin	Saikogenin F	Picropodophyllone	Empty
c	Empty	Regaloside B	3,5,7,3',4'-Pentamethoxyflavone	Polyporusterone A	Polyporusterone B	Pristane	Cassiaside	(-)-Menthone	5-Feruloylquinic acid	Crenulatin	Regaloside A	Empty
d	Empty	Quercetin 3-O-neohesperido	Matairesinonide	Octanal	Nonanal	Bancroftinone	24-Methylenecycloartanyl	Nigaichigoside F1	4'-O-Methylpyridoxine	3'-O-Methylbatatasin III	Brassicin	Empty
e	Empty	Ardisiacrispin B	Gypenoside LI	Homoeriodictyol	Gypenoside L	Rapanone	2-(2-Phenylethyl)chromone	N-trans-Caffeoyltyramine	Obovatol	Lactupicrin	Gentianose	Empty
f	Empty	8-Epiloganic acid	5-O-Caffeoylshikimic acid	8-Oxocoptisine	Capsiate	Methyl tetracosanoate	Nerifolin	4'-Hydroxyflavone	Lobelanine	Malabaricone B	Malabaricone C	Empty
g	Empty	Neophytadiene	3',4'-Dimethoxyflavone	β-Phellandrene	Cichoriin	Picein	Aposcopolamine	Syringetin	Poriol	Cyclo(Ile-Ala)	Cimicifugoside H-1	Empty
h	Empty	Amaroswerin	Toddaculin	Tellimagrandin II	Andrographanin	Gibberellin A5	Norbergenin	Piperitone	Linalool oxide	Perilla ketone	Oxyphyllacolin	Empty

Plate layout: CS-L065-30

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Aureusidin	Docosane	Tigloidin	4-O-Methyl honokiol	D-Mannoheptulose	Ethyl Orsellinate	1-Hydroxyanthraquinone	Methyl 4-hydroxyphenylacetate	3,5-Dimethoxyphenol	Indole	Empty
b	Empty	5-Hydroxyindole	2,5-Dihydroxyacetophenone	2,5-Dihydroxybenzoic acid	1,3-Dithiane	2-Amino-4-methoxyphenol	3,5-Dimethoxybenzoic acid	5-Hydroxyoxindole	4'-Hydroxy-3'-methylacetophenone	Pyrrrole-2-carboxylic acid	Methyl syringate	Empty
c	Empty	1,3-Dimethylpyrazole	2-Hydroxyacetophenone	L-Homoserine	3-Hydroxy-2-methylpyridine	3-Hydroxy-4-methoxyacetophenone	Methyl isovanillate	3-Hydroxybenzoic acid	4-Methoxyphenethyl alcohol	4-Hydroxybenzylamine	2-(4-Methoxyphenyl)acetic acid	Empty
d	Empty	Arachidic acid	Nonadecanoic acid	Undecanoic acid	Pentadecanoic acid	Heptadecanoic acid	Methyl undecanoate	Methyl laurate	Methyl tridecanoate	Methyl myristate	Methyl pentadecanoate	Empty
e	Empty	Methyl heptadecanoate	Methyl arachidate	1-Undecanol	1-Pentadecanol	1-Heptadecanol	1-Nonadecanol	Hexadecanal	Gallic aldehyde	Octadecanoic acid	5-Hydroxymethyl-2-	Empty
f	Empty	3-(3-Hydroxyphenyl)propionic	1-Hydroxy-2-butanone	Linoleyl alcohol	Isoflavone	L-Uridine	2-Hydroxymethyl-5-	Phenylpropionic acid	m-Anisaldehyde	Skatole	Indole-3-carboxaldehyde	Empty
g	Empty	N-Methylbenzylamine	4-Methyl-1-pentanol	2,4-Dihydroxybenzaldehyde	Tyramine	Acetylpyrazine	3-Furanmethanol	Acridone	Methyl 3-phenylpropanoate	2-Hydroxy-4-methylbenzaldehyde	Phloracetophenone	Empty
h	Empty	(+)-Sparteine	Olivetol	Norharmane	4-Hydroxymephenytoin	Glutaric acid	Tricosanoic acid	Methyl behenate	1-Monopalmitin	Hydroxycitric acid (tripotassium)	Phenethyl ferulate	Empty

Plate layout: CS-L065-31

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	DL-Isocitric acid (trisodium)	Cedryl acetate	Dibenzoylmethane	Sinapinic acid	L-Cystathionine	2-Tridecanone	Acetosyringone	3,4,5-Trimethoxybenzaldehyde	4-Hydroxyphenylpyruvic	Scyllo-Inositol	Empty
b	Empty	L-Glucose	Methyl 2,4-dihydroxybenzoate	Terephthalic acid	Methionine sulfoxide	Tryptophol	2,6-Dimethylquinoline	Citronellol	4'-Hydroxy-2'-methylacetophenone	Phenylglyoxylic acid	(2S,3R,4S)-4-Hydroxyisoleucine	Empty
c	Empty	Furfuryl acetate	Oxaloacetic acid	Creatine	Oct-1-en-3-ol	Sulcatone	Thymine	1,2,4-Trihydroxybenzene	3-Hydroxybutyric acid	2,3,5-Trimethylpyrazine	DL-Norvaline	Empty
d	Empty	cis-3-Hexen-1-ol	2-Methyltetrahydrofuran-3-	3-Methylbut-2-enoic acid	2-Methylthiophene	2-Chloroacetamide	trans-Zeatinriboside	Phytosphingosine	Eicosapentanoic acid methyl ester	Pelargonidin (chloride)	Geranylgeraniol	Empty
e	Empty	Xanthosine	(±)-Naringenin	Methyl palmitoleate	Phenyl β-D-glucopyranoside	Palmitoleic acid	Ac-DL-Trp-OH	3,4,5-Trimethoxycinnamic acid	2-Hydroxyanthraquinone	1,3,5-Triisopropylbenzene	H-D-Trp-OH	Empty
f	Empty	Phenylpyruvic acid	2-Hydroxycinnamic acid	1-Methoxynaphthalene	Decyl aldehyde	2,4-Dihydroxybenzoic acid	Benzylideneacetone	trans-Benzylideneacetone	1-Phenyl-1-propanol	Benzothiazole	4'-Methylacetophenone	Empty
g	Empty	4-Ethylbenzaldehyde	2-Methylacetophenone	Ethyl 3-hydroxybutyrate	L-Pipecolic acid	DL-Pyrogutamic acid	Maltol	4-Methylcatechol	3-Methylcatechol	Methylhydroquinone	4-Ethylphenol	Empty
h	Empty	D-Threitol	p-Tolualdehyde	2-Methyl-4-pentenoic Acid	Dihydrouracil	2-Methylcyclopentane-1,3-	2-Furoic acid	2-Acetylpyrrole	Isovaleric acid	2,3-Pentanedione	Tiglic acid	Empty

Plate layout: CS-L065-32

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	3-Methyl-2-cyclopenten-1-one	3-Methyl-2-buten-1-ol	Docosanoic acid	Rutin (trihydrate)	Gondoic acid	7,8-Dihydroxyflavone	L-Carnosine	Methyl 2-(3-oxo-2-(pent-2-en-1-	Acenaphthylene	4-Isopropylbenzoic acid	Empty
b	Empty	S-Allyl-L-cysteine	4-Methoxycinnamaldehyde	trans,trans-2,4-Decadienal	2-Ketoglutaric acid (Sodium)	Chlorhexidine (diacetate)	2-Palmitoylglycerol	Ethyl linoleate	2-Benzylbenzoic acid	2,4-Di-tert-butylphenol	Eugenol acetate	Empty
c	Empty	Decanedioic acid	Neryl acetate	β -Ionone	N-Acetyl-L-glutamic acid	Suberic acid	Decanoic acid	Desaminotyrosine	L-Lysine hydrate	Disodium succinate	1,4-Naphthoquinone	Empty
d	Empty	3,5-Dihydroxybenzoic acid	2-Hydroxyphenylacetic acid	2-Phenylpropionic acid	L-(+)-Arabinose	Benzylacetone	2',4'-Dimethylacetophenone	Diallyl disulfide	4-Ethylresorcinol	1-Phenylethane-1,2-diol	2-Benzoxazolinone	Empty
e	Empty	Phthalide	4-Hydroxybenzyl cyanide	2-Heptanol	Fumaric acid	γ -Hexalactone	2-Acetylfuran	Sodium 2-oxopropanoate	(2R,3R)-Butane-2,3-diol	Glycolic acid	Antiariol	Empty
f	Empty	Ethyl 3,4-dihydroxybenzoate	Hippuric acid	2-Amino-5-ureidopentanoic acid	trans-Aconitic acid	(Z)-Aconitic acid	2-Undecanone	δ -Decalactone	2,3,4-Trihydroxybenzoic acid	1-Methyl-L-histidine	1,2,3-Trimethoxybenzene	Empty
g	Empty	2-Hydroxy-6-methoxybenzoic acid	2-Mercaptobenzoic acid	2-Sec-butyl-3-methoxypyrazine	2-Isobutyl-3-methoxypyrazine	Melilotic acid	DL-3-Phenylacetic acid	Methyl cinnamate	1-Naphthalene methanol	Terpinen-4-ol	Carveol	Empty
h	Empty	Xanthine	(-)-Carvone	DL-Asparagine	5-Methoxy-5-oxopentanoic acid	1,3-Propanediol	2,5-Furandimethanol	L-Homocitrulline	Hexadecanedioic acid	Phthalic acid mono-2-ethylhexyl	Nortropine	Empty

Plate layout: CS-L065-33

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Ferulic acid methyl ester	1-Phenylpropane-1,2-dione	D-Ribose (mixture of isomers)	4(3H)-Quinazolinone	Meconine	trans-Cinnamaldehyde	2-Methoxy-4-vinylphenol	DL-alpha-Tocopherol	α -Terpinene	γ -Terpinene	Empty
b	Empty	Tricarballic acid	3-Demethylcolchicine	3-(3,4,5-Trimethoxyphenyl)propanoic acid	4,4-Dimethyl-2-cyclopenten-	β -Cyclogeraniol	Dihydrosinapyl alcohol	2-Methylanisole	N,N'-Dimethylthiourea	Antraquinone-2-carboxylic acid	1-Octanol	Empty
c	Empty	ω -Pentadecalactone	Tropone	2-Methylbenzoxazole	2,4,6-Trimethylphenol	Callistephin (chloride)	(3S,4R,5S)-1,3,4,5,6-Pentahydroxy	2'-Deoxyadenosine	3',5'-Dimethoxyacetophenone	2,6-Dimethylpyrazine	DL-Homocysteine	Empty
d	Empty	Creosol	3,5-Di-tert-butylphenol	Tropic acid	(\pm)-Dihydroactinidiolide	Chelidonic acid	DL-Glutamic acid	Aegeline	Tetradecyl acetate	Imidazole-5-propionic acid	2-Methoxycinnamaldehyde	Empty
e	Empty	(E)-Oct-2-enoic acid	3-Methylcarbazole	Carvacrol methyl ether	L-Azetidine-2-carboxylic acid	Kojic acid	(E)-3,4,5-Trimethoxycinnamic acid	2-Methylquinazolin-4-ol	(\pm) Anabasin	DL-Pantolactone	2-Aminoimidazole	Empty
f	Empty	2-Methylpyrazine	(E)-3-(4-Methoxyphenyl)acrylic acid	Linoleic acid	5,7-Dihydroxycoumarin	4-Allyltoluene	Ethyl pivaloylacetate	5-Methyl-2-furanmethanol	Methyl octanoate	(R)-(-)-2-Butanol	3-Pentanol	Empty
g	Empty	Tridecane	2-Ethyl-6-methylphenol	Heneicosane	4-Hydroxy-1H-indole-3-carbaldehyde	Tetradecane	2'-Hydroxy-5'-methylacetophenone	4-Methylsyringol	Transtorine	Isostearic acid	5 β -Cholanic acid	Empty
h	Empty	Alginate	Hydrocotarnine	Methyl 2-(2,4-dihydroxyphenyl)acetate	5-Hydroxymethylfurfural	Oxindole	4-Hydroxyacetophenone	Cinnamyl Alcohol	D-Phenylalanine	3,4,5-Trimethoxybenzoic acid	2,6-Dihydroxyacetophenone	Empty

Plate layout: CS-L065-34

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Ethyl cinnamate	NSC 16590	D(-)-2-Aminobutyric acid	Tropinone	3-Indoleacetone	Cinchonine	Butylated hydroxytoluene	D-Pipecolic acid	Methyl Salicylate	Pyrocatechuic acid	Empty
b	Empty	Farnesol	L-Proline	Oxalic acid, 99%	4-Hydroxybenzoic acid	Isatin	Urea	1-Dodecanol	L-Tartaric acid	p-Hydroxybenzaldehyde	Acetic acid (magnesium tetrahydrate)	Empty
c	Empty	1,3-Dihydroxyacetone	L-Cysteine	Lauric acid	Maleic Acid	D-Leucine	Dulcitol	Adamantanone	L-Lactic acid	Trimethylammonium chloride	DL-Serine	Empty
d	Empty	Benzophenone	D(-)-Mandelic acid	2,4,5-Trimethoxybenzoic acid	trans-Chalcone	3-Hydroxyacetophenone	Pipecolic acid	2',4'-Dihydroxyacetophenone	(1R)- α -Pinene	4-Methoxybenzaldehyde	3,4-Dimethoxyphenylacetic acid	Empty
e	Empty	Pyruvic acid	Cuminaldehyde	2,6-Dihydroxybenzoic acid	Levulinic acid	4-Hydroxybenzyl alcohol	Methyl 2-furoate	Glycine	Acetophenone	(S)-Malic acid	Hydrocinnamic acid	Empty
f	Empty	Monomethyl phthalate	6-Methyluracil	3-Hydroxypyridine	Pimelic acid	Oxalic acid dihydrate	Methyl acetylacetate	1-Naphthol	Malic acid	Dimethyl sulfone	DL-Tartaric acid	Empty
g	Empty	Ethyl pyruvate	Hydroxyacetone	2'-Hydroxyacetophenone	NSC 8751	DL-Menthol	Tridecanoic acid	Dimethyl malonate	1-Hydroxyoctane	(R)-(-)-1,2-Propanediol	Benzamide	Empty
h	Empty	(-)-Limonene	Methyl 3,4-dihydroxybenzoate	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty