

Food Additive Library (96-well)

Product Details:

Catalog Number: CS-L093
 Formulation: A collection of 422 Food Additive-related compounds supplied as pre-dissolved Solutions or Solid.
 Container: 96- or 384-well Plate with Peelable Foil Seal; 96-well Format Sample Storage Tube With Screw Cap and Optional 2D Barcode.
 Storage: In solvent: -80°C 2 years, -20°C 1 year; Powder: -20°C 3 years, 4°C 2 years
 Shipping: Blue ice
 Packaging: Inert gas

Plate layout: CS-L093-1

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	TBHQ	Choline (bitartrate)	Capsaicin	Capsaicinoid	β -Cyclodextrin	Xylan	Lignin	Hydroxypruvic acid	3-Methyl-2-oxovaleric acid	2-Undecanol	Empty
b	Empty	Trimethylamine N-oxide	Diallyl Trisulfide	α -Bisabolol	Erucin	Dodecyl gallate	Isopropyl myristate	Tristearin	2-Methylhexanoic acid	1-Furfurylpyrrole	Dimethyl trisulfide	Empty
c	Empty	Dehydroacetic acid (sodium)	Sodium Tartrate	Phenyl acetate	Ethyl nonanoate	Curdian	(E)-2-Decenoic acid	(+)-Neomenthol	Sodium Glucoheptonate	Oleyl alcohol	L-Glutamic acid	Empty
d	Empty	L-Glutamic acid (monosodium)	Paradol	α -Farnesene	Zingerone	Hesperidin	Folic acid	Nonivamide	Piperazine (citrate)	Methyl 2-hydroxy-4-methylvalerat	2,5-Dimethylpyrazine	Empty
e	Empty	5-Methyl-2-thiophenecarboxaldehyde	1,3-Dimethoxybenzene	2-Hexylthiophene	L-Hydroxyproline, BioReagent	Octanoic acid	Ammonium glycyrrhizinate	Methyl N-methylantranilate	1,3-Butanediol	Benzyl isothiocyanate	Thiamine monochloride	Empty
f	Empty	HPMC	Natamycin	Niacin	Nicotinamide	L-Ascorbic acid	L-Ascorbic acid (sodium salt)	Salicylic acid	Sodium Salicylate	Etidronic acid	Etidronic acid (disodium)	Empty
g	Empty	Talc	Vitamin B12	Taurine	Aspartame	L-Carnitine	D-Sorbitol	D-Pantothenic acid	D-Pantothenic acid (sodium)	Quinine (hydrochloride dihydrate)	Riboflavin	Empty
h	Empty	Biotin	Butylphthalide	Benzyl alcohol	Triacetin	10-Undecenoic acid	Benzyl benzoate	Ethylvanillin	Riboflavin (phosphate sodium)	Ascorbyl palmitate	4-Aminobenzoic acid	Empty

Plate layout: CS-L093-2

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Butylhydroxanisole	Gluconate (Calcium)	Gluconate (sodium)	Taurocholic acid (sodium salt hydrate)	(+)-Camphor	Dehydroacetic acid	D- α -Tocopherol acetate	Pyridoxine	Choline (chloride)	L-Ornithine	Empty
b	Empty	Retinyl palmitate	D-Panthenol	i-Inositol	Ethoxyquin	Butylparaben	1-Hexadecanol	Benzoin	Benzyl salicylate	Methyl nicotinate	Choline theophyllinate	Empty
c	Empty	Phenoxyethanol	Quinidine (15% dihydroquinidi)	Taurocholic acid	1,2-Dimethoxybenzene	4-tert-Octylphenol	Pancreatin	Lactose	Tannic acid	Vitamin K	Citric acid (trisodium)	Empty
d	Empty	Stearic acid	Thiamine nitrate	Sodium copper chlorophyllin	Lactate	Lactate (calcium)	Lecithin	Lysozyme from chicken egg white	Quinine	Tartaric acid (disodium dihydrate)	D-(+)-Glucono-1,5-lactone	Empty
e	Empty	2'-Aminoacetophenone	Ferulic acid	Ferulic acid (sodium)	Vanillin	Naringin Dihydrochalcone	Sclareolide	Phloretin	Piperine	Rutin	Rutin (hydrate)	Empty
f	Empty	Myricitrin	Neohesperidin dihydrochalcone	Magnolol	Hesperetin	Glycyrrhizic acid	Dipotassium glycyrrhizinate	Nordihydroguaiaretic acid	L-Phenylalanine	Benzoic acid	L-Alanine	Empty
g	Empty	β -Alanine	Protocatechuic acid	Octyl acetate	Cholic acid	Cholic acid (sodium)	DL-Methionine	L-Methionine	Eugenol	Methyl Paraben	Trans-Anethole	Empty
h	Empty	Linalool	D-Mannitol	L-Glutamine	Succinic acid	2-Hydroxy-4-methoxybenzaldehyde	Rebaudioside A	Rebaudioside C	L-Lysine	L-Lysine hydrochloride	L-Tyrosine	Empty

Plate layout: CS-L093-3

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	L-Leucine	Propyl gallate	Xylose	Xylitol	Taurocholic acid (sodium)	Deoxycholic acid	Deoxycholic acid sodium salt	Cinnamic acid	Sucralose	L-Tryptophan	Empty
b	Empty	Sorbic acid	Potassium sorbate	Muscone	L-Serine	L-Threonine	L-Aspartic acid	Aspartic acid (calcium)	L-Aspartic acid (sodium)	L-Aspartic acid (disodium)	L-Asparagine	Empty
c	Empty	Retinyl acetate	Thiamine (hydrochloride)	D-Pantothenic acid	Pyridoxine (hydrochloride)	Vanillic acid	Coumarin	Carvacrol	L-Valine	Bornyl acetate	(-)-Bornyl acetate	Empty
d	Empty	L-Isoleucine	Myrcene	Phytic acid (dodecasodium hydrate)	L-Histidine	Veratraldehyde	D-(+)-Trehalose	D-(+)-Trehalose dihydrate	Ambroxide	Syringaldehyde	2-Methoxybenzoic acid	Empty
e	Empty	6-Methylcoumarin	β -Caryophyllene	Rhamnose (monohydrate)	Rhamnose (monohydrate)	Glycocholic acid	Glycocholic acid (sodium)	Raspberry ketone	Citric acid	Citric acid (monohydrate)	Oleic acid	Empty
f	Empty	Sodium oleate	Pulegone	Tea polyphenol	Dihydrocoumarin	Nerolidol	Isoeugenol	Isoborneol	Maltose	Maltose monohydrate	Propylparaben	Empty
g	Empty	Myristic acid	Musk ketone	Vanillyl alcohol	Cedrol	Ethyl palmitate	Nootkatone	DL-Alanine	Methyl isoeugenol	Damascenone	Zinc sulfate (heptahydrate)	Empty
h	Empty	Phytol	Caryophyllene oxide	Trilobatin	Estragole	(-)-Fenchone	α -Terpineol	β -?Apo-?8'-?carotenal	Isoeugenol acetate	Thymol	Lutein	Empty

Plate layout: CS-L093-4

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Linalyl acetate	Geraniol	Methyl Eugenol	Perillyl alcohol	Nonanoic acid	Nerol	Geranyl acetate	Citral	Methyl dihydrojasmonate	Benzyl cinnamate	Empty
b	Empty	D-Fructose	Furaneol	Ethyl oleate	Fenchyl alcohol	1,4-Cineole	Cinnamyl acetate	Citronellal	α -?Terpinyl acetate	Citronellyl acetate	2-Pentylfuran	Empty
c	Empty	Methyl propyl disulfide	Safranal	Octanal	Nonanal	Linalool oxide	Indole	Undecanoic acid	Pentadecanoic acid	Methyl laurate	1-Undecanol	Empty
d	Empty	10-Undecen-1-ol	1-Hydroxy-2-butanone	Skatole	Tyramine	Acetylpyrazine	Methyl cyclohexanecarboxylate	Methyl 3-phenylpropanoate	2-Hydroxy-4-methylbenzaldehyde	2-Oxobutanoic acid	2(5H)-Furanone	Empty
e	Empty	Hydroxycitric acid (tripotassium)	Cedryl acetate	Dibenzyl disulfide	Bis(2-methyl-3-furyl)disulfide	Vanillin acetate	4-Methyloctanoic acid	Citronellol	Furfuryl acetate	Oct-1-en-3-ol	Sulcatone	Empty
f	Empty	2,3,5-Trimethylpyrazine	3-Methylvaleric Acid	2-Methylvaleric acid	2-Methylcyclohexanone	2-Methoxypropazine	cis-3-Hexen-1-ol	2-Methyltetrahydrofuran-3-	3-Methylbut-2-enoic acid	Quinine (sulfate hydrate)	Neotame	Empty
g	Empty	N-Acetyl-L-methionine	2-Hydroxycinnamic acid	Decyl aldehyde	2,4-Dihydroxybenzoic acid	Benzylideneacetone	1-Phenyl-1-propanol	Benzothiazole	4'-Methylacetophenone	4-Ethylbenzaldehyde	2-Methylacetophenone	Empty
h	Empty	Ethyl 3-hydroxybutyrate	4-Methyl-2-oxopentanoic acid	Isoquinoline	Maltol	2-Methyl-4-pentenoic Acid	2-Acetylpyrrole	Isovaleric acid	2,3-Pentanedione	Tiglic acid	3-Methyl-2-cyclopenten-1-one	Empty

Plate layout: CS-L093-5

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	3-Methyl-2-buten-1-ol	Rutin (trihydrate)	S-Allyl-L-cysteine	4-Methoxycinnamaldehyde	trans,trans-2,4-Decadienal	2-Ketoglutaric acid (Sodium)	L-Alanyl-L-glutamine	α -Hexylcinnamaldehyde	TRPM8 agonist WS-3	Vanillyl butyl ether	Empty
b	Empty	Eugenol acetate	Decanoic acid	Methyl anisate	L-Lysine hydrate	Disodium succinate	L-(+)-Arabinose	2',4'-Dimethylacetophenone	Diallyl disulfide	4-Methyl-5-thiazoleethanol	1,4-Dimethoxybenzene	Empty
c	Empty	4-Ethoxyphenol	Phthalide	2-Heptanol	Fumaric acid	2-Acetylfuran	Sodium 2-oxopropanoate	L-Cysteine (hydrochloride hydrate)	δ -Decalactone	L-Ornithine (hydrochloride)	2-Sec-butyl-3-methoxypropazine	Empty
d	Empty	2-Isobutyl-3-methoxypropazine	Methyl cinnamate	Terpinen-4-ol	Carveol	Adipic acid	(Ethoxymethyl)benzene	Methyl p-tert-butylphenylacetate	Cyclohexane acetic acid	D-Ribose (mixture of isomers)	2-Methoxy-4-vinylphenol	Empty
e	Empty	α -Terpinene	γ -Terpinene	2-Methylanisole	Lactisole	1-Octanol	2-Methylbenzoxazole	2,4,6-Trimethylphenol	2-Acetyl-3-ethylpyrazine	(3S,4R,5S)-1,3,4,5,6-Pentahydroxy	2,6-Dimethylpyrazine	Empty
f	Empty	2-Ethylpyrazine	Creosol	(\pm)-Dihydroactinidiolide	4-Methyl-1-phenyl-2-pentanone	2-Methoxycinnamaldehyde	(E)-Oct-2-enoic acid	2-Methylpyrazine	5-Methyl-2-furanmethanol	2'-Hydroxy-5'-methylacetophenone	Etzadroxil	Empty
g	Empty	Alginate acid	4,4-Dimethoxy-2-butanone	4-Hydroxyacetophenone	Cinnamyl Alcohol	Ethyl cinnamate	Butylated hydroxytoluene	Methyl Salicylate	Farnesol	L-Proline	4-Hydroxybenzoic acid	Empty
h	Empty	Phenoxyacetic acid	Urea	Saccharin	1-Dodecanol	L-Tartaric acid	p-Hydroxybenzaldehyde	Acetic acid (magnesium tetrahydrate)	1,3-Dihydroxyacetone	L-Cysteine	L-Cysteine (hydrochloride)	Empty

Plate layout: CS-L093-6

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	L-Lactic acid	Benzophenone	Potassium Gluconate	4-Pentenoic acid	3-Methoxybenzoic acid	Pyruvic acid	Levulinic acid	Methyl 2-furoate	Glycine	Acetophenone	Empty
b	Empty	(S)-Malic acid	Hydrocinnamic acid	Ethyl acetoacetate	Diphenyl disulfide	Malic acid	Ethyl pyruvate	Cyclohexane carboxylic acid	2'-Hydroxyacetophenone	DL-Menthol	Tridecanoic acid	Empty
c	Empty	1-Hydroxyoctadecane	(-)-Limonene	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
d	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
e	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
f	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
g	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
h	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty