

Food-Sourced Compound Library (96-well)

Product Details:

Catalog Number:	CS-L094
Formulation:	A collection of 1919 Food-Sourced compounds supplied as pre-dissolved Solutions or Solid.
Container:	96- or 384-well Plate with Peelable Foil Seal; 96-well Format Sample Storage Tube With Screw Cap and Optional 2D Barcode.
Storage:	In solvent: -80°C 2 years, -20°C 1 year; Powder: -20°C 3 years, 4°C 2 years
Shipping:	Blue ice
Packaging:	Inert gas

Plate layout: CS-L094-1

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Pyrrroloquinoline quinone	Pyrrroloquinoline quinone (disodium)	C12-Ceramide	C16-Ceramide	D- α -Hydroxyglutaric acid	meso-Erythritol	Abcsic acid	Asaraldehyde	Ribitol	(-)-(S)-Equol	Empty
b	Empty	D-Glutamine	Saponins	DL-AP3	Hypotaurine	L-Cysteinesulfonic acid	Kynurenic acid	Quinolinic acid	D-Serine	Spaglumeric Acid	Adenosine 5'-diphosphoribose (sodium)	Empty
c	Empty	Choline (bitartrate)	D-erythro-Sphingosine	Allopurinol riboside	Coproporphyrin III	γ -Glu-Phe	3-(Methylthio)propionic acid	Cyclo(his-pro) (TFA)	Thyroxine sulfate	Nicotinamide N-oxide	O-Acetylserine	Empty
d	Empty	O-Acetyl-L-serine (hydrochlorid)	SDMA	4-Acetamidobutanoic acid	L-DABA	Coenzyme Q9	Vanilpyruvic acid	Diethyl phosphate	Biocytin	Heparan Sulfate	Prostaglandin E2	Empty
e	Empty	Uridine 5'-monophosphate	Prostaglandin D2	Sorafenib	6-Biopterin	Sorafenib (Tosylate)	Hispidol	CV1808	Monomethyl fumarate	Methylmalonic acid	Zearalenone	Empty
f	Empty	Valerenic acid	3-Methoxytyramine	3-Methoxytyramine	L-Kynurenine	Capsaicin	Capsaicinoid	Betulinic acid	Smilagenin	Fosfructose (trisodium)	(2S)-6-Prenylningerin	Empty
g	Empty	Kaempferol 3-neoheperidoside	Officialisinin I	β -Elemene	Tetrahydrobiopterin	all-trans-4-Oxoretinoic acid	Kynurenic acid (sodium)	Oleylethanolamide	Garcinol	Guggulsterone	Harmol	Empty
h	Empty	5 α -Cholestan-3 β -ol	D-Melibiose	Flavonol	5 α -Cholestan-3-one	Xylan	Pregnanediol	N-Acetyl-5-hydroxytryptamine	Delphinidin 3-glucoside (chloride)	Inosinic acid	Inosinic acid (disodium)(hydrate)(1:2:X)	Empty

Plate layout: CS-L094-2

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	β -Tocotrienol	γ -Tocotrienol	Sabinene	DPPC	Arachidonic acid	Pregnenolone monosulfate (sodium)	Dehydroascorbic acid	Cirsiliol	2,2,5,7,8-Pentamethyl-6-Chromanol	p-Cresyl sulfate	Empty
b	Empty	p-Cresyl sulfate (potassium)	N2-Methylguanosine	(R)-(+)-Citronellal	(S)?-?(-)?-?Citronellal	3,7,4'-Trihydroxyflavone	S-1-Propenyl-L-cysteine	Lignin	1,2,3,6-Tetragalloylglucose	7-Methoxyrosmanol	Epirosmanol	Empty
c	Empty	Ferroheme	D-Panose	Aminomalonic acid	(22S,23S)-Homobrassicinoid	6-(γ , γ -Dimethylallyl)amino)purine	γ -L-Glutamyl-L-alanine	N-Acetylhistamine	Acetoacetic acid (lithium)	Dextran	Adenosylcobalamin	Empty
d	Empty	3-Hydroxyvaleric acid	Glutarylcarbamite	Urocanic acid	trans-Urocanic acid	Maltotriose	Hydroxypyruvic acid	Elaidic acid	21-Hydroxypregnenolone	Delta-Tocopherol	p-Hydroxymandelic acid	Empty
e	Empty	Prostaglandin A2	5-Methyltetrahydrofolic acid	5,6-Dihydrouridine	N1-Acetylspermidine	3-Hydroxycapric acid	Pseudouridine	3-Methyl-2-oxovaleric acid	Guanosine 5'-diphosphate (disodium)	(rel)- β -Tocopherol	Mevalonic acid (lithium salt)	Empty
f	Empty	Glycolithocholic acid 3-sulfate	1,5-Anhydrosorbitol	Thiamine pyrophosphate	Argininic acid	N-Acetylmethionine	1-Methyladenosine	L-Thyronine	3-Hydroxyhippuric acid	Ethyl glucuronide	Paullinic acid	Empty
g	Empty	2-Oxovaleric acid	Indolelactic acid	N-Acetylputrescine	2-Hydroxyadipic acid	3-Hydroxydodecanoic acid	Cysteinyglycine	Cysteinyglycine (TFA)	Tetrahydrocortisone	Vanillylmandelic acid	LysoPC(14:0/0:0)	Empty
h	Empty	3-Hydroxyisobutyric acid	sn-Glycerol 3-phosphate	Eicosadienoic acid	25-Hydroxycholesterol	5-Methylthidine	1-Methylguanosine	N2,N2-Dimethylguanosine	3-Methyluridine	1-Methylinosine	Galactose 1-phosphate Potassium	Empty

Plate layout: CS-L094-3

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	L- Hexanoylcarnitine	L- Palmitoylcarnitine (chloride)	Hexanoylglycine	Docosapentaenoic acid (22n-3)	L- Octanoylcarnitine	Bovinic acid	Isobutyl-L-carnitine (chloride)	Dodecanoylcarnitine	Butyrylcarnitine	Tetradecanoylcarnitine	Empty
b	Empty	Hydroxyphenylacetylglutamine	Ursocholic acid	Asymmetric dimethylarginine	Cholesteryl oleate	Hydroxyphenyllactic acid	Isovalerylcarnitine	Desmosterol	Oxoadipic acid	3-Methylcrotonylglycine	Hydroxycotinine	Empty
c	Empty	trans-trans-Muconic acid	2-Methoxyestrogen	N8-Acetylspermidine	Oleoylecarnitine	8-Hydroxyguanosine	17 α -Hydroxypregnenolone	Dihydrofolic acid	Biotin sulfone	Pi-Methylimidazoleacetic acid	3-Methyladipic acid	Empty
d	Empty	Leucyl-phenylalanine	7-Dehydrocholesterol	Homogentisic acid	Ureidopropionic acid	4-Guanidinobutyric acid	Brassicasterol	5'-Deoxyadenosine	Estrone sulfate (potassium)	Estrone sulfate (sodium)	3-Hydroxykynurenine	Empty
e	Empty	Salicylic acid	Citraconic acid	Metanephrine	FAPy-adenine	(S)-3,4-Dihydroxybutyric acid	Taurolithocholic acid (sodium salt)	AFMK	3 β -Hydroxy-5-cholenic acid	Etiocholanolone	3-Methoxy-4-hydroxyphenylglycol	Empty
f	Empty	NADP	1,3,7-Trimethyluric acid	Amino adipic acid	Guanidinoethyl sulfonate	Myristoleic acid	Turanose	2-Furoylglycine	7 β -Hydroxycholesterol	7-Ketocholesterol	16 α -Hydroxyestrogen	Empty
g	Empty	11 β -Hydroxyandrostosterone	Nicotinic acid	Anserine	m-Coumaric acid	Petroselinic acid	Cholestenone	2-Methylcitric acid	Guanidinosuccinic acid	3-Hydroxybutyric acid	(S)-b-aminobutyric acid	Empty
h	Empty	2-Hydroxybutyric acid	N-Methylthydantoin	Gamma-glutamylcysteine	Gamma-glutamylcysteine (TFA)	DL-Dopa	21-Deoxycortisol	Tiglylcarnitine	3-Methylglutaric acid	3-Hydroxyglutaric acid	Deoxycorticosterone	Empty

Plate layout: CS-L094-4

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Dehydroepian drosterone sulfate	Beta-Cortol	Tetrahydro-11-deoxycortisol	Nepsilon-Acetyl-L-lysine	trans-Vaccenic acid	Arabinoxylhypoxanthine	Nudifloramide	8-Dehydrocholesterol	5-Methoxytryptophol	3-Hydroxysebacic acid	Empty
b	Empty	4-Hydroxynoneal	3-O-Methyl-DL-DOPA	Cyclic GMP (sodium)	N-Methyl-4-pyridone-3-carboxamide	3,4-Dihydroxymandelic acid	3 β -Ursodeoxycholic acid	Melanin	Lathosterol	4-Pyridoxic acid	Stigmastanol	Empty
c	Empty	Glycogen, Mussel	Normetanephrine	N-Acetyl-L-aspartic acid	TRIA-662	Stachyose (tetrahydrate)	Acetyl Coenzyme A (trisodium)	Se-Methylselenocysteine	D-Ribose 1,5-diphosphate	Encyanin	11-Beta-hydroxyandrostenedione	Empty
d	Empty	Curcumenone	2-Undecanol	Trimethylamine N-oxide	Methyl β -D-glucopyranoside	Glycolithocholic acid	Dihydroliipoic Acid	5-Pentadecylresorcinol	Diallyl Trisulfide	N-benzoyl-L-aspartic acid	Clitocine	Empty
e	Empty	N-Feruloylserotonin	Traumatic Acid	Camalexin	Leucocyanidin	Ganoderic acid DM	2-Methoxyestradiol	Gingerenone A	Hyocholic Acid	L-Ribulose	Erucin	Empty
f	Empty	Heneicosanoic acid	Chrysoeriol	α -Thujone	Lignoceric acid	Kyotorphin	Malvidin (chloride)	7-Methylguanosine	δ -Tocotrienol	Moracin M	Nicotinamide riboside (chloride)	Empty
g	Empty	Linamarin	20(S)-Hydroxycholesterol	N-Methylnicotinamide	Adenosine-2'-monophosphate	(R)-Citronellol	Pentacosanoic acid	2-Hydroxyestradiol	1 β -Hydroxylantolactone	Vicenin-1	6-Hydroxykaempferol 3,6-	Empty
h	Empty	Ganosporeric acid A	Tetraastralin	Gibberellin A7	Glycodeoxycholic Acid	β -cyano-L-Alanine	Cytidine-5'-triphosphate	Ginsenoside F2	Allocholic acid	(R)-Pantetheine	Lupeol acetate	Empty

Plate layout: CS-L094-5

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	1-Stearoyl-2-linoleoyl-sn-glycerol-3-	Petunidin (chloride)	Peonidin-3-O-galactoside (chloride)	NNK	Piperlongumine	Trilaurin	N-Acetyllactosamine	Tristearin	3-Hydroxycoumarin	D-Glucose 6-phosphate (disodium)	Empty
b	Empty	16-?Dehydroprogesterone	2,3-Butanediol	?Furfurylpyrrole	Trilinolein	alpha-D-glucose	Tridecanedioic acid	Allyl methyl sulfide	Dimethyl trisulfide	D-Desthiobiotin	12-Hydroxydodecanoic acid	Empty
c	Empty	Phosphonoacetic acid	2,6-Diaminoheptanedioic acid	DL-Glyceraldehyde	Coenzyme A	N-Glycylneuraminic acid	Pyropheophorbide-a	m-Tyramine (hydrobromide)	Fructosyl-lysine	Fructosyl-lysine (dihydrochloride)	N-(p-Coumaroyl) Serotonin	Empty
d	Empty	Dinoprost	Withanolide B	Dinoprost (tromethamine salt)	Ethyl nonanoate	Tetrahydrocortisol	Luteolinidin (chloride)	Fagomine	Cinnamannin B-1	Celastrol	(E)-2-Decenoic acid	Empty
e	Empty	5-Hydroxyferulic acid	Chrysoobtusidin	Diacetoxy-6-gingerdiol	Gossypol	Deguelin	AICA-riboside, 5'-phosphate	MeAIB	N,N',N"-Triacetylchitotriose	Piceatannol	(-)-Cedrene	Empty
f	Empty	(+)-Neomenthol	12-Ketodeoxycholic acid	Carmustine	Chrysophanol	Cytarabine	Cytarabine (hydrochloride)	7,8-Dihydroneopterin	β -Bisabolene	2'-Deoxyadenosine-5'	Methionine	Empty
g	Empty	β -Gentiobiose	Escitalopram	Escitalopram (oxalate)	Emodin	Celecoxib	Aripiprazole	Chrysin	Kaempferol	Tectochrysin	Biochanin A	Empty
h	Empty	Genistein	Diethylstilbestrol	L-Glutamic acid	L-Glutamic acid (monosodium)	Shogaol	Paradol	Zingerone	Aspirin	1-Deoxyxojirimycin	1-Deoxyxojirimycin	Empty

Plate layout: CS-L094-6

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Myricetin	L-Theanine	DL-O-Phosphoserine	SL 0101-1	Hesperidin	Kaempferide	Picropodophyllin	Valdecoxib	Crocetin (disodium)	Butein	Empty
b	Empty	Resveratrol	cis-Resveratrol	Folic acid	5'-Methylthioadenosine	Genipin	Limonin	Cortisone	Adrenosterone	Gossypol (acetic acid)	sn-Glycero-3-phosphocholine	Empty
c	Empty	Folinic acid	2'-Deoxyguanosine	2'-Deoxycytidine (hydrochloride)	Nonivamide	Oxytocin (acetate)	Quercetin	3-Indoleacetic acid	Lipoic acid	SAH	Oxypurinol	Empty
d	Empty	Tauroursodeoxycholate	Tauroursodeoxycholate (sodium)	Tauroursodeoxycholate (dihydrate)	trans-Zeatin	Palmitoylethanolamide	3-Furanoic acid	3-Amino-2-piperidinone	2-Phenylethyl isothiocyanate	1-Aminocyclopropane-1-	Methoxsalen	Empty
e	Empty	Xanthotoxol	(S)-Leucic acid	(R)-Leucic acid	(S)-2-Hydroxy-3-phenylpropan	Mequinol	D-N-Acetylgalactosamine	Eugenin	Indole-3-methanamine	Dihydrofuran-3(2H)-one	Purine	Empty
f	Empty	2,5-Dimethylpyrazine	D-Ornithine (hydrochloride)	Ethylmalonic acid	L-Hydroxyproline, BioReagent	cis-4-Hydroxy-L-proline	Indole-3-carboxylic acid	cis-Isolimonenol	7-keto-Deoxycholic acid	Octanoic acid	5-Amino-3H-imidazole-4-Carboxamide	Empty
g	Empty	D-Alanine	D-Glucuronic acid lactone	(-)-Aspartic acid	Crocetin (meglumine)	3 α ,12 β -Dihydroxycholeanoic acid	L-Cysteine S-sulfate (sodium)	3-Methylxanthine	Asparagusic acid	(R,R)-(+)-Hydrobenzoin	2-Amino-1-phenylethanol	Empty
h	Empty	N-Acetyl-L-leucine	4-Acetamidophenyl acetate	2-O-Methylcytosine	(R)-pyrrolidine-2-carboxylic	(-)-Menthol	Coumaran	2-Hydroxy-4-methoxybenzoic acid	2-Hydroxyhexanoic acid	Ammonium glycyrrhizinate	Bergaptol	Empty

Plate layout: CS-L094-7

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	D-Ribonolactone	Methyl N-methylanthranilate	Chenodeoxycholic Acid	Demethoxycecalin	1,3-Butanediol	Cysteamine (hydrochloride)	Cinnamoylglycine	Benzyl isothiocyanate	Pyrrrole-2-carboxaldehyde	Cortodoxone	Empty
b	Empty	Thymine	2-Methoxybenzaldehyde	m-Tolualdehyde	(S)-(+)-1,2-Propanediol	Liothyronine (sodium)	Liothyronine	Thiamine monochloride	Plicamycin	Histamine (phosphate)	N-Acetyl-D-glucosamine	Empty
c	Empty	Gadopentetate dimeglumine	Adenosine monophosphate	Adenosine 5'-monophosphate	Azulene	Melatonin	Edaravone	Prostaglandin E ₁	Estradiol	Alpha-Estradiol	Niacin	Empty
d	Empty	Nicotinamide	Pregnenolone	Adenine	Adenine (hydrochloride)	Adenine (hemisulfate)	Cytidine	L-Ascorbic acid	L-Ascorbic acid (sodium salt)	Salicylic acid	Sodium Salicylate	Empty
e	Empty	Lithocholic acid	Isoallothiolic acid	Guanidine (hydrochloride)	Ellagic acid	Acetylcysteine	Ethinylestradiol	Erythromycin	Erythromycin (thiocyanate)	Albendazole	Methyldopa (hydrate)	Empty
f	Empty	Adenosine	Estrone	Vitamin B12	Menadione	Subactam	Subactam (sodium)	Taurine	Ginkgolide A	Atropine (sulfate monohydrate)	L-Carnitine	Empty
g	Empty	D-Sorbitol	Estrilol	D-Pantothenic acid	D-Pantothenic acid (sodium)	NAD ⁺	Riboflavin	Amoxicillin (sodium)	Amoxicillin	Amoxicillin (trihydrate)	Creatinine	Empty
h	Empty	Biotin	Tylosin (tartrate)	Tylosin	Tylosin (phosphate)	Ampicillin	Ampicillin (sodium)	Ampicillin (trihydrate)	Octopamine (hydrochloride)	Ouabain (Octahydrate)	Norethindrone	Empty

Plate layout: CS-L094-8

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Spironolactone	Methylcobalamin	Alendronic acid	Hyaluronic acid	Eicosapentaenoic Acid	Azelaic acid	Histamine (dihydrochloride)	Citicoline	Citicoline (sodium)	Eicosapentaenoic acid ethyl ester	Empty
b	Empty	Acetyl-L-carnitine (hydrochloride)	Fexofenadine	Fexofenadine (hydrochloride)	Theophylline	17 α -Hydroxyprogesterone	Benzyl alcohol	Triacetin	Anethole	10-Undecenoic acid	Danthron	Empty
c	Empty	Benzyl benzoate	6-Benzylaminourine	Riboflavin (phosphate sodium)	Selenomethionine	L-Selenomethionine	4-Aminobenzoic acid	Pantethine	Aceglutamide	Phenothrin	Naftidrofuryl (oxalate)	Empty
d	Empty	Glucosamine	Taurocholic acid (sodium salt hydrate)	Trioxsalen	Ajmaline	(+)-Camphor	Cotinine	Meglutol	Histamine	Atropine	Protoporphyrin IX	Empty
e	Empty	Docusate (Sodium)	2-Phenylethanol	4-Aminohippuric acid	Pyridoxine	L-Ornithine	Digitoxin	Retinyl palmitate	Lactitol (monohydrate)	Saccharin (sodium hydrate)	3-Methylsalicylic acid	Empty
f	Empty	i-Inositol	Salicyl alcohol	Canrenone	Uridine	1-Hexadecanol	Cyclic AMP	Allantoic acid	Benzyl salicylate	L-Canavanine (sulfate)	Carbinoxamine maleate salt	Empty
g	Empty	Corticosterone	Debrisoquin (hemisulfate)	Ethyl Vanillate	Flavin adenine dinucleotide	Flavin adenine dinucleotide	(+)-Kavain	Methyl nicotinate	L-5-Hydroxytryptophan	Pregnenolone monosulfate	Pyridoxal phosphate	Empty
h	Empty	Pyridoxylamine	Pyridoxylamine (dihydrochloride)	Rotenone	Santonin	Spermidine	Spermidine (hydrochloride)	Spermine	Spermine (tetrahydrochloride)	5-Sulfosalicylic acid	Taurocholic acid	Empty

Plate layout: CS-L094-9

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Tricaprilin	Vasopressin	1,2-Dimethoxybenzene	Taurodeoxycholic acid	Taurodeoxycholic acid (sodium)	Methyl stearate	Flusilazole	Pancreatin	Lactose	Uric acid	Empty
b	Empty	Uric acid (sodium)	Tannic acid	Menaquinone-4	Chondroitin sulfate	Docosahexaenoic acid	Vitamin K	ATP (disodium trihydrate)	ATP (dimagnesium)	S-Methyl-L-cysteine	γ-Oryzanol	Empty
c	Empty	Hydroxocobalamin (monohydroc)	Hydroxocobalamin (acetate)	Stearic acid	Thiamine nitrate	Lactate	Hinokitiol	Phosphorylcholine (chloride)	Phosphorylcholine	2'-Deoxycytidine	2'-Deoxyguanosine	Empty
d	Empty	2'-Deoxyuridine	Adenosine 5'-diphosphate (disodium)	Imidazole	Guanidine thiocyanate	Glutathione oxidized	Nitrosoglutathione	Tartaric acid (disodium dihydrate)	Phosphocreatine (disodium)	Glycylglycine	NADH (disodium salt)	Empty
e	Empty	NADP (sodium salt)	NADP (disodium salt)	β-Nicotinamide mononucleotide	Indole-2-carboxylic acid	D-(+)-Glucono-1,5-lactone	Epiandrosterone	N-Acetylneuraminic acid	Cytosine	Picolinic acid	Uracil	Empty
f	Empty	L-Alloisoleucine	(-)-Epicatechin	(-)-Epicatechin gallate	Curcumin	Demethoxycurcumin	Bisdemethoxycurcumin	Geniposidic acid	Glycitin	Vitexin	Astragalgin	Empty
g	Empty	Glycitein	Daidzin	Daidzein	Verbascoside	Arctiin	Arctigenin	Costunolide	Alantolactone	Ginsenoside Rb1	Ginsenoside Rb2	Empty
h	Empty	Ginsenoside Rc	Ginsenoside Rd	Ginsenoside Re	Ginsenoside Rg1	Notoginsenoside Fe	Psoralen	Osthole	Chlorogenic acid	Isochlorogenic acid A	3,4-Dicaffeoylquinic acid	Empty

Plate layout: CS-L094-10

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	4,5-Dicaffeoylquinic acid	Ferulic acid	Ferulic acid (sodium)	(E)-Ferulic acid	Punicalagin	Macelignan	γ-Aminobutyric acid	Solasodine	Solamargine	Solasonine	Empty
b	Empty	Sarsasapogenin	Byakangelicol	Bilobalide	Ginkgolic Acid	Ginkgolic Acid (C13:0)	Betulin	N6-Methyladenosine	Gambogic Acid	Apocynin	Hypoxanthine	Empty
c	Empty	Inosine	Guanosine	Vanillin	Neohesperidin	Isoliquiritigenin	Curcumol	Danshensu (sodium salt)	Salidroside	Dihydromyricetin	Hordein	Empty
d	Empty	Polydatin	Sesamin	Dioscin	Diosmetin	Sclareol	Sclareolide	Shikimic acid	Synephrine	Synephrine (hydrochloride)	Tangeretin	Empty
e	Empty	Taxifolin	Troloxerutin	Ursolic acid	Parthenolide	Phloretin	Phlorizin	Piperine	Quercetin (dihydrate)	Rutin	Rutin (hydrate)	Empty
f	Empty	Myricitrin	Naringin	Neohesperidin dihydrochalcone	Nobiletin	Oleanolic Acid	Orotic acid	Kinetin	Luteolin	Gramine	Gynostemma Extract	Empty
g	Empty	Hesperetin	Hydroxycholeic acid	Indole-3-carbinol	Beta-Sitosterol (purity>98%)	Caffeic acid	Cinchonidine	Cryptotanshinone	Diosgenin	Diosmin	Ecdysone	Empty
h	Empty	18β-Glycyrrhetic acid	Ergosterol	Fisetin	Formononetin	Glycyrrhizic acid	Dipotassium glycyrrhizinate	Indole-3-butyric acid	Esculin	Amygdalin	Arbutin	Empty

Plate layout: CS-L094-11

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Asiatic acid	Baicalin	Nordihydroguaiaretic acid	Patchouli alcohol	L-Phenylalanine	Benzoic acid	Avicularin	(-)-Epigallocatechin	Scoparone	L-Alanine	Empty
b	Empty	β-Alanine	Psoralidin	Theaflavin	Theaflavin-3'-gallate	Theaflavin-3-gallate	Ligustrazine	Ononin	Echinocystic acid	Brassinolide	Caffeic acid phenethyl ester	Empty
c	Empty	Corosolic acid	Daphnetin	Esculetin	Imperatorin	Isoimperatorin	Mangiferin	Oleuropein	Protocatechuic acid	Protocatechu aldehyde	Sinensetin	Empty
d	Empty	Stachydrine	5-Aminolevulinic acid	Hederasaponin B	Octyl acetate	Soyasaponin Ba	Soyasaponin Bb	Emodin-8-glucoside	Euphol	Allicin	Cholesterol	Empty
e	Empty	Cholic acid	Cholic acid (sodium)	DL-Methionine	L-Methionine	α-Mangostin	3-Butyridenebutyl halide	Eugenol	Syringic acid	Scopolin	Scopoletin	Empty
f	Empty	Methyl Paraben	p-Coumaric acid	Curdione	(+)-Catechin hydrate	1,4-Dicaffeoylquinic acid	Dihydrocapsaicin	Columbianadin	Falcarindiol	Sennoside A	Trans-Anethole	Empty
g	Empty	Linalool	Bergapten	Licochalcone B	18α-Glycyrrhetic acid	Liquiritigenin	D-Mannitol	D-Mannose	Galangin	Homovanillic acid	L-Glutamine	Empty

h	Empty	L-Citrulline	Glabridin	Sinigrin	Orientin	Daucosterol	Trigonelline	Trigonelline (chloride)	Cucurbitacin B	Cucurbitacin E	Quercitrin	Empty
---	-------	--------------	-----------	----------	----------	-------------	--------------	-------------------------	----------------	----------------	------------	-------

Plate layout: CS-L094-12

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Quercimeritrin	Succinic acid	Obacunone	Diosbulbin B	Engeletin	Progesterone	Pimpinellin	Asiaticoside	Germacrone	Neferine	Empty
b	Empty	2-Hydroxy-4-methoxybenz aldehyde	8-Gingerol	10-Gingerol	Nordihydroca psaicin	Sinapine (thiocyanate)	Acacetin	Hyperoside	Hypericin	L-Arginine	L-Arginine (hydrochlorid e)	Empty
c	Empty	Chicoric acid	L-Chicoric Acid	Corilagin	D-(-)-Quinic acid	Rebaudioside A	L-Lysine	L-Lysine hydrochloride	L-Tyrosine	Tyrosol	Liensinine	Empty
d	Empty	Liensinine (Diperchlorate)	L-Leucine	Glucosamine (sulfate)	Pectolarinagin	Cyanidin (Chloride)	Astilbin	Loganin	(+)-Gallocatechin	Gallic acid	Gallic acid (hydrate)	Empty
e	Empty	Propyl gallate	Ethyl gallate	Linarin	Vitexin-2"-O-rhamnoside	Xylose	Xylitol	Cynaroside	Pseudoginse noside F11	Allantoin	Taurocholic acid (sodium)	Empty
f	Empty	Nomilin	α -Angelica lactone	(-)- α -Pinene	β -Pinene	Gypenoside XVII	Doxycycline (hyclate)	Madecassosi de	Madecassic acid	Hydroxytyros ol	Umbelliferone	Empty
g	Empty	Pinocembrin	Solanesol	Apiin	Apigenin 7-glucoside	Hydrocortison e	Norisoboldine	Deoxycholic acid	Deoxycholic acid sodium salt	Genistin	Ginsenoside F1	Empty
h	Empty	Ginsenoside F3	Ginsenoside Rf	Ginsenoside Rg2	20(S)- Ginsenoside Rg3	Ginsenoside Rh1	Ginsenoside Rh2	Ginsenoside Ro	trans-Cinnamic acid	Cinnamic acid	Notoginsenos ide R1	Empty

Plate layout: CS-L094-13

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Trifolirhizin	Morin	Morusin	L-Tryptophan	Sorbic acid	Potassium sorbate	Kaempferitrin	Maslinic acid	Esculentoside A	Eriocitrin	Empty
b	Empty	Eriodictyol	Punicalin	Kuromanin (chloride)	Silychristin	Monotropin	Narcissin	L-Serine	D-Pinitol	L-Threonine	Jujuboside B	Empty
c	Empty	Alliin	Aucubin	L-Aspartic acid	Aspartic acid (calcium)	L-Aspartic acid (sodium)	L-Aspartic acid (disodium)	L-Asparagine	Rhapontin	Thiamine (hydrochlorid e)	D- Pantothenic acid	Empty
d	Empty	Pyridoxine (hydrochlorid e)	Crocin	Crocin II	α -Asarone	Schaftoside	Vanillic acid	Coumarin	Carvacrol	Typhaneosid e	Diosmetin-7- O- β -D-glucopyranosi	Empty
e	Empty	L-Valine	Valepotriate	Neochlorogen ic acid	α -Linolenic acid	Diosgenin glucoside	Genkwanin	Glucosamine (hydrochlorid e)	Stachydrine hydrochloride	Oxypeucedan in	Scutellarein	Empty
f	Empty	Rhoifolin	Bornyl acetate	Isoferulic acid	Angelicin	Isobergapten	Isoliquiritin	Isorientin	Isopimpinellin	Isoliensinine	L-Isoleucine	Empty
g	Empty	Isomangiferin	Isovitexin	Isofraxidin	Isorhamnetin-3-O-glucoside	Isorhamnetin-3-O-neohespeidos	Isosilybin	Isoalantolacto ne	Eupatilin	Ginkgolide B	Ginkgolide C	Empty
h	Empty	Ginkgolide J	Cryptochlorog enic acid	Lupeol	Protopine	Procyanidin B1	Procyanidin B2	Protodioscin	Myrcene	Narirutin	Sesamol	Empty

Plate layout: CS-L094-14

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Phytic acid (dodecasodiu m hydrate)	Syringin	Nodakenin	Pterostilbene	Jaceosidin	L-Histidine	Epibrassinolid e	Ginkgetin	AKBA	Tetrahydrocur cumin	Empty
b	Empty	Catechin	Ginsenoside Rg6	Notoginsenos ide R2	Isomaltotriose	Desmethoxyy angonin	Yangonin	Hexahydrocur cumin	Galegine (hydrochlorid e)	Coixol	beta-Mangostin	Empty
c	Empty	Manool	Xanthoxylin	Xanthohumul	Veratraldehyd e	Uvaol	Tricin	D-(-)-Trehalose	D-(+)-Trehalose dihydrate	Torachryson e-8-O- β -D-glucoside	Thymidine	Empty
d	Empty	Taraxasterol	Tamarixetin	Suberosin	Apigenin	Squalene	Smyrindiolosi de	Sinapaldehyd e	Robinin	Rhamnocitrin	Reynoutrin	Empty
e	Empty	Isoscopoletin	Herniarin	Menthol	Nevadensin	Guaiacol	Asperuloside	4-Methoxycinna mic acid	Tussilagone	Syringaldehyd e	2-Methoxybenz oic acid	Empty
f	Empty	p-Anisic acid	Tigogenin	Cucurbitacin I	(E)-3',6'-Disinapoyl suc rose	β -Caryophyllen e	Sesamol	Rhamnose	Rhamnose (monohydrate)	Glycocholic acid	Glycocholic acid (sodium)	Empty

g	Empty	Glycoursodeoxycholic acid	Tiliroside	Raspberry ketone	Glycodeoxycholate (Sodium)	Glycodeoxycholic acid (monohydrate)	Citric acid	Citric acid (monohydrate)	Taurochenodeoxycholic acid (sodium)	Methyl p-coumarate	Hydroxygen wanin	Empty
h	Empty	Afzelin	Isoquercetin	Oleic acid	Sodium oleate	Ganoderic acid A	Apigenin-7-glucuronide	Chrysosplenin	Isoschaftoside	Campesterol	Dihydrodaidzein	Empty

Plate layout: CS-L094-15

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Luteolin 7-O-glucuronide	(-)?-?α-?Terpineol	Kaurenic acid	Liquiritin apioside	Nicotiflorin	(-)-Fucose	Methyl linoleate	Methyl palmitate	Uronic acid	Maltopentaose	Empty
b	Empty	Plumbagin	Pulegone	Tracheloside	Ganoderenic acid B	Prudomestin	Prunin	Pyrogallol	2,5-Dihydroxybenzaldehyde	2,6-Dimethoxy-1,4-	2'-Hydroxydaidzein	Empty
c	Empty	2'-O-Methylisoliquiritigenin	(E)-3,4-Dimethoxycinnamic acid	3-O-Methylquercetin	4-Hydroxyphenylacetic acid	Ergothioneine	Alpha-Solamarine	Dihydrocoumarin	Allocriptopine	Isosinensetin	5-O-Demethylnobletin	Empty
d	Empty	Nerolidol	Hispidulin	Miltirone	Isoeugenol	Gamma-Mangostin	Gibberellic acid	5,7-Dihydroxychromone	Triolein	Cucurbitacin D	Theaflavin 3,3'-digallate	Empty
e	Empty	Isoborneol	Ganoderic acid B	Veratric acid	3-O-Methylgallic acid	Methyl gallate	Verbenalin	Hastatoside	Anacardic Acid	Maltose	Maltose monohydrate	Empty
f	Empty	Taurochenodeoxycholic acid	3,7,25,26,27,28,23',24'-?Heptemthox	(20R)-Protopanaxadiol	Myristic acid	Kaempferol 3-O-sophoroside	11-?Keto-?beta-?boswellic	Steviol	Vanillyl alcohol	Didymin	Acevaltrate	Empty
g	Empty	Cedrol	Ethyl linolenate	3-Acetyl-beta-boswellic acid	Ethyl palmitate	Vicine	Phellopterin	Araloside A	Ginkgolic acid C17:1	Isoginkgetin	Bilobetin	Empty
h	Empty	Neoisoliquiritin	Neoliquiritin	Isosakuranetin	Flavokawain B	7,4'-Di-O-methylapigenin	Tomatidine	Tomatidine (hydrochloride)	6'''-Feruloylspinosin	Vicenin 2	Tomatine	Empty

Plate layout: CS-L094-16

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	S-(+)-Marmesin	Bergamottin	Nootkatone	Esculentoside H	Rotundic acid	Ganoderal A	Ganoderol B	Guaijaverin	(-)-Epigallocatechin-3-(3''-O-	Rhapontigenin	Empty
b	Empty	N-p-trans-Coumaroyltyramine	N-trans-p-coumaroyloctopamine	?Feruloyloctopamine	Guaiacin	Poncirin	Curcumenol	8-Geranyloxypropranolol	Skimmin	Nodakenetin	D-(+)-Cellulose	Empty
c	Empty	Oleamide	Glycochenodeoxycholic acid	Glycochenodeoxycholic acid (sodium)	Coumestrol	Cholesterol myristate	Cholesteryl behenate	D-(+)-Melezitose	Procyanidin C1	Procyanidin A2	Procyanidin A1	Empty
d	Empty	Procyanidin B3	Cyanopictin	Arabinose	DL-Alanine	N-Benzylpalmitamide	27-Hydroxycholesterol	Fraxinol	Eupatorin	L-Quebrachitol	Auraptene	Empty
e	Empty	p-Hydroxycinnamic acid	Emodin-1-O-β-D-glucopyranoside	Chrysophanol 8-O-glucoside	Dihydrocaffeoyl c acid	Delphinidin (chloride)	N-trans-Feruloyltyramine	Erythrodilol	Flavokawain A	Sequoyitol	Flavone	Empty
f	Empty	Sphondin	[10]-Shogaol	[8]-Shogaol	Sulforaphene	β-Elemonic acid	Ganoderic acid G	Maltotetraose	Methylsticin	Xylobiose	Medicagenic acid	Empty
g	Empty	Methylnisosin	Demethylsuberosin	Apigenin 7-O-malonylglucoside	Isoliquiritin apioside	Ginsenoside Ra1	Myristicin	β-Boswellic acid	α-Lactose	Agnuside	Nervonic acid	Empty
h	Empty	Notoginsenoside Fa	Notoginsenoside Fc	Coniferaldehyde	(±)-Pinoembrin	Steviolbioside	Vitamin U (chloride)	Osthenol	Tirucalol	Maltohexaose	Euscaphic acid	Empty

Plate layout: CS-L094-17

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Nepetin	Gitogenin	1-Kestose	Zinc Phytate	(2S)-Isoxanthohumol	Irigenin	Isocorydine	Isorhapontigenin	Prunetin	Camelliaside B	Empty
b	Empty	7,4'-Dihydroxyflavone	Alloimperatorin	Harmalol (hydrochloride)	Ursolic acid acetate	D-α-Tocopherylquinone	α-Viniferin	Dihydrokaempferol	β-Amyrin	Ganoderenic acid A	Ganoderic acid I	Empty
c	Empty	Sakuranetin	Artemitin	Isomaltose	D-chiro-Inositol	Soyasaponin Ab	Noreugenin	Pinostrobin chalcone	Hexahydrofarnesyl acetone	Phytol	p-Hydroxyphenethyl trans-	Empty
d	Empty	Moracin P	Moracin O	Moracin C	Methyl rosmarinic acid	Medicarpin	Matairesinol	Luteone	Licoisoflavone A	Kaempferol-7-O-rhamnoside	Isorhoifolin	Empty
e	Empty	Mulberrin	Caryophyllene oxide	Coniferin	Curzerone	D-Arabitol	Dihydroresveratrol	Eriodictyol-7-O-glucoside	Fraxidin	Glucine	Neoglycyrol	Empty

f	Empty	Guaiol	5 β -Dihydrocortisol	Glucoraphanin	6"-O-Acetylglycitin	O-Desmethylnogolensin	Quercetin 3-gentiobioside	Vicenin 3	Astringin	Brevifolinic acid	Trilobatin	Empty
g	Empty	Fucosterol	Glycycoumarin	Picrocrocin	Neoeriocitrin	Neodiosmin	6-Demethoxytangeretin	3'-Demethylnobiletin	Lonicerin	Tormentric acid	Cyanidin-3-O-galactoside (chloride)	Empty
h	Empty	Quercetagenin	Arnidiol	3-O-Methylgalangin	Trametenolic acid	Rubrofusarin gentiobioside	Toringin	Panasenoside	Dehydronuciferine	Coniferyl alcohol	3-Epiursolic Acid	Empty

Plate layout: CS-L094-18

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	3-Epioleanolic acid	Isosakuranin	Scutellarein tetramethyl ether	Decursinol angelate	Nepitrin	5,7-Dimethoxyflavone	Phosphoryletanolamine	Asiaticoside B	Estragole	Sinapine	Empty
b	Empty	Homodihydrocapsaicin I	Saponarin	Physcion 8-O- β -D-glucopyranoside	Isovitexin 2"-O-arabinoside	Kaempferol-3-O-(2"-O- β -D-glucopyl)-	Meloside A	Nonacosane	α -Terpineol	8-Deoxygartanin	8-Hydroxybergapten	Empty
c	Empty	Beta-Eudesmol	(-)-Butin	Byakangelicin	Ganoderic acid F	Gardenin B	Gartanin	(-)?-Maackiain	Raspberry ketone glucoside	Secoisolaricresinol	Soyasapogenol A	Empty
d	Empty	Soyasapogenol B	Rhein 8-Glucoside	Fuscaxanthone C	Pinoresinol	Cafestol	Kahweol	3'-Methoxyapiin	Octadecane	Pomolic acid	α -Solanine	Empty
e	Empty	D-Glucuronic acid	Aflatoxin B1	trans-Nerolidol	Valencene	Trisdecanoic acid	(+)-Longifolene	Glucovanillin	β -?Apo-?8-?carotenal	ar-Turmerone	Cyclopiazonic acid	Empty
f	Empty	Patulin	5,6-Dihydro-5-methyluracil	Elemicin	Thymol	5,7,7',4'-?Trimethoxyflavone	Hydroxy- α -sanshool	Retusin	3-Isomangostin	Calendulose E	4-Hydroxycoumarin	Empty
g	Empty	Lucidic acid A	Diosmetin 7-O- β -D-Glucuronide	Violanthin	Crocetone dimethyl ester	Angelic acid	(R,R)-Secoisolaricresinol	Prosapogenin A	Lutein	Linalyl acetate	Guaiazulene	Empty
h	Empty	Geraniol	Garcinone C	α -Spinasterol	Choerospondin	Ethyl Caffeaate	Levomenol	α -Humulene	Boldine	Crustecdysone	Liquiritigenin-7-O- β -D-glucopyranoside	Empty

Plate layout: CS-L094-19

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Methyl Eugenol	Perillyl alcohol	Zerumbone	Uridine 5'-diphosphoglucose	Rhamnetin	Nonanoic acid	cis-?Jasmone	Nerol	Geranyl acetate	Inulin	Empty
b	Empty	Methyl dihydrojasmonate	Citropten	Raffinose	Benzyl cinnamate	Furaneol	Dihydrojasmonone	Ethyl oleate	Lactitol	Fenchyl alcohol	1,4-Cineole	Empty
c	Empty	Benzyl acetate	Citronellal	Flavanone	Gamma-Linolenic acid	Citronellyl acetate	Kaempferol 3-O- β -D-glucuronide	4-Hydroxyderricin	(+)-Isomethone	Obtusifolol	Solanidine	Empty
d	Empty	3-?Oxochoolic acid	2-Pentylfuran	N ϵ ,N ϵ ,N ϵ -Trimethyllysine (chloride)	DIMBOA	Methyl propyl disulfide	Pentacosane	Isoformonone tin	2-(Hydroxymethyl)anthraquinone	Homovanillyl alcohol	Safranal	Empty
e	Empty	Momordin IIc	Toralactone	Methyl oleanonate	Cassiaside C	5-Desmethylinensetin	Persicogenin	Prunetrin	Polyporusterone A	Polyporusterone B	Glucosylsphingosine	Empty
f	Empty	Pristane	Petunidin-3-O-glucoside (chloride)	(-)-Menthone	Quercetin 3-O-neohesperido	Matairesinonide	Octanal	Nonanal	Bancroftinone	Bisabolol oxide A	Emodin 6-O- β -D-glucoside	Empty
g	Empty	Pangelin	(+)-Secoisolaricresinol	Brassicin	Homoeriodictyol	Moringin	Lactupicrin	Gentianose	5-O-Caffeoylshikimic acid	Capsiate	Reuterin	Empty
h	Empty	cis-5-Dodecenoic acid	β -Phellandrene	Cichoriin	Quercetin 3-O-(6"-O-malonyl)- β -D-	Gibberellin A5	Endomorphin 2 (TFA)	Substance P	Enterostatin (human, mouse, rat)	Morphiceptin	Cyclo(L-Leu-L-Pro)	Empty

Plate layout: CS-L094-20

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	D-Mannoheptulose	cis,cis-Muconic acid	3,4-Dihydroxybenzoic acid	3-Hydroxyphenylacetic acid	3-Hydroxyanthranilic acid	2,5-Dihydroxybenzoic acid	Tempo	1,3-Dithiane	Myosmine	D-Allothreonine	Empty
b	Empty	Pyrrrole-2-carboxylic acid	6-Hydroxynicotinic acid	Quinoline-2-carboxylic acid	2,5-Furandicarboxylic acid	Isohomovanillic acid	L-Homoserine	4-Hydroxy-3-methylbenzoic acid	3-Hydroxybenzoic acid	Ac-Ala-OH	2-(4-Methoxyphenyl)acetic acid	Empty
c	Empty	Arachidic acid	Nonadecanoic acid	Undecanoic acid	Pentadecanoic acid	Heptadecanoic acid	Methyl laurate	Methyl myristate	1-Undecanol	1-Pentadecanol	1-Heptadecanol	Empty
d	Empty	Hexadecanal	Gallic aldehyde	2,6-Dimethylhydroquinone	5-Hydroxymethyluracil	Octadecanedioic acid	5-Hydroxymethyl-2-	1-Hydroxy-2-butanone	3-Methyl-2-oxobutanoic acid	Sodium 3-methyl-2-oxobutanoate	(2-Aminoethyl)phosphonic acid	Empty

e	Empty	Isoflavone	5a-Pregnane-3,20-dione	m-Anisaldehyde	Skatole	Indole-3-carboxaldehyde	N-Methylbenzylamine	2-Aminoquinoline	2,4-Dihydroxybenzaldehyde	5-Methoxyindole-3-acetic	Tyramine	Empty
f	Empty	Imidazoleacetic acid (hydrochloride)	5-Methoxysalicylic acid	Dimethylmalonic acid	2-Oxobutanoic acid	5-Methylcytosine	3,3-Dimethylglutaric acid	2-Hydroxy-3-methylbutanoic acid	5-Hydroxyindole-3-acetic	1,3-Dimethyluracil	H-HoArg-OH	Empty
g	Empty	1-Methylxanthine	H-Tyr(3-I)-OH	Norharmane	2'-Deoxyinosine	7,8-Dihydro-L-biopterin	Glutaric acid	Tricosanoic acid	1-Monopalmitin	Cytidine 5'-monophosphate	2'-Deoxycytidine-5'	Empty
h	Empty	4-Hydroxyestrogen	DL-Homocystine	5-Methyluridine	Bis(2-methyl-3-furyl)disulfide	Sinapinic acid	L-Cystathionine	2-Tridecanone	Vanillin acetate	?Hydroxyphenylpyruvic	4-(1,2-Dihydroxyethyl)benzene-	Empty

Plate layout: CS-L094-21

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Terephthalic acid	Methionine sulfoxide	6-(Dimethylamino)purine	Tryptophol	4,6-Dioxoheptanoic acid	Citronellol	Phenylglyoxylic acid	Furfuryl acetate	2-Methylsuccinic acid	Oxaloacetic acid	Empty
b	Empty	Creatine	Sulcatone	Thymine	3-Hydroxybutyric acid	2,3,5-Trimethylpyrazine	DL-Norvaline	2-Methylvaleric acid	2-Methoxypyrazine	H-Abu-OH	Tetrahydrothiophen-3-one	Empty
c	Empty	cis-3-Hexen-1-ol	3-Methylbut-2-enoic acid	2-Methylthiophene	Cholesteryl linoleate	ATP (disodium salt hydrate)	1,2-Dipalmitoyl-sn-glycerol	Guanosine-5'-triphosphate (disodium)	Adenosine 5'-diphosphate	5'-Guanylic acid (disodium)	trans-Zeatinriboside	Empty
d	Empty	Batilol	N6-Isopentenyladenosine	Phytosphingosine	Pelargonidin (chloride)	Tributylin	Cinnabarinic acid	Olomoucine	Geranylgeraniol	Xanthosine	8-Hydroxy-2'-deoxyguanosine	Empty
e	Empty	2'-O-Methyladenosine	2'-Deoxyadenosine	L-Homocystine	Tetradecanedioic acid	6-Hydroxymelatonin	5-Methyl-2'-deoxycytidine	3,4,5-Trimethoxynamic acid	Dodecanedioic acid	N-Acetyl-L-tyrosine	H-D-Trp-OH	Empty
f	Empty	DL-Tryptophan	N-Acetyl-L-methionine	Phenylpyruvic acid	2-Hydroxycinnamic acid	Decyl aldehyde	2,4-Dihydroxybenzoic acid	Benzothiazole	4'-Methylacetophenone	4-Ethylbenzaldehyde	3-Amino-4-methylpentanoic acid	Empty
g	Empty	4-Methyl-2-oxopentanoic acid	Isoquinoline	L-Pipecolic acid	Maltol	Sodium 2-hydroxybutanoate	4-Methylcatechol	3-Methylcatechol	4-Ethylphenol	D-Threitol	p-Tolualdehyde	Empty
h	Empty	Dihydrouracil	2-Thiophenecarboxaldehyde	2-Furoic acid	2-Acetylpyrrole	3-Amino-2-methylpropanoic acid	Isovaleric acid	2,3-Pentanedione	Tiglic acid	3-Methyl-2-cyclopenten-1-one	3-Methyl-2-buten-1-ol	Empty

Plate layout: CS-L094-22

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Phosphoribosyl pyrophosphate	Docosanoic acid	Rutin (trihydrate)	(2R)-3-(((2-Aminoethoxy)hydroxy)pho	Uridine triphosphate (trisodium)	Cytidine-5'-triphosphate (disodium)	4-Isopropylbenzoic acid	S-Allyl-L-cysteine	trans,trans-2,4-Decadienal	2-Ketoglutaric acid (Sodium)	Empty
b	Empty	2,3-Diaminopropionic acid	2-Palmitoylglycerol	Ethyl linoleate	Undecanedioic acid	N-Acetyl-L-arginine	Mucic acid	2-Amino-4-(2-aminophenyl)-4-	Eugenol acetate	Xanthurenic acid	Decanedioic acid	Empty
c	Empty	1,3-Dimethyluric acid	2-(2-Methylbenzamido)acetic	Phenylacetylglutamine	L-2-Hydroxyglutaric acid	Methyl 2-(1H-indol-3-yl)acetate	3-Indolepropionic acid	Suberic acid	Decanoic acid	3-Hydroxymandelic Acid	Methylanisate	Empty
d	Empty	Desaminotyrosine	L-Lysine hydrate	Disodium succinate	2-Hydroxyoctanoic acid	N-Isovalerylglycine	1,4-Naphthoquinone	L-Dihydroorotic acid	3,5-Dihydroxybenzoic acid	2-Hydroxyphenylacetic acid	Mandelic acid	Empty
e	Empty	2-Phenylpropionic acid	L-(+)-Arabinose	2',4'-Dimethylacetophenone	Diallyl disulfide	2,2-Dimethylsuccinic acid	4-Hydroxycyclohexanecarbo	4-Methyl-5-thiazoleethanol	1,4-Dimethoxybenzene	3-Pyridineacetic acid	2,3,5-Trimethylphenol	Empty
f	Empty	2-Benzoxazolinone	Phthalide	4-Hydroxybenzyl cyanide	(R)-3-Hydroxybutanoic acid	2-Hydroxy-2-methylbutanoic acid	5-Aminovaleric acid	4-Methylpentanoic acid	Fumaric acid	γ-Hexalactone	2-Acetylfuran	Empty
g	Empty	Sodium 2-oxopropanoate	(2R,3R)-Butane-2,3-diol	Glycolic acid	2'-Deoxyadenosine-5'	Glycyl-L-leucine	Dihydroconiferyl alcohol	3-(3-Methoxyphenyl)propionic	Paraxanthine	Hippuric acid	L-Gulonolactone	Empty
h	Empty	For-Met-OH	L-Cysteine (hydrochloride hydrate)	2-Amino-5-ureidopentanoic acid	D-Arginine	Indole-3-acetamide	(S)-2-acetamido-4-amino-4-	trans-Aconitic acid	(Z)-Aconitic acid	H-Gly-Pro-OH	2-Undecanone	Empty

Plate layout: CS-L094-23

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	δ-Decalactone	1-Methyl-L-histidine	3-Methyl-L-histidine	L-Ornithine (hydrochloride)	4-Methylbiphenyl	1,2,3-Trimethoxybenzene	2-Sec-butyl-3-methoxypyrazine	2-Isobutyl-3-methoxypyrazine	Meilotic acid	DL-3-Phenylactic acid	Empty
b	Empty	7-Methylxanthine	3-Phenylbutyric acid	2-Phenylbutanoic acid	Methyl cinnamate	L-Cysteinesulfonic acid	Terpinen-4-ol	Carveol	Xanthine	(-)-Carvone	3,4-Dimethylbenzoic acid	Empty
c	Empty	5,6-Dimethyl-1H-benzod[imidazole]	Adipic acid	5-Methoxy-5-oxopentanoic acid	2-Methylpentanedioic acid	(Ethoxymethyl)benzene	S-Adenosyl-L-methionine (disulfate)	L-Homocitrulline	Hexadecanedioic acid	2-Phenylacetamide	Phthalic acid mono-2-ethylhexyl	Empty

d	Empty	7- Ketolithocholic acid	D-Cysteine	Ferulic acid methyl ester	1- Phenylpropane-1,2-dione	D- Ribose(mixture of isomers)	N4- Acetylcytidine	D-Erythro-dihydrospingosine	2-Methoxy-4-vinylphenol	γ-Terpinene	Tricarballic acid	Empty
e	Empty	Ethoxyacetic acid	Indole-3-pyruvic acid	1-Octanol	ω- Pentadecalactone	Pteridine-2,4(1H,3H)-dione	2,4,6- Trimethylphenol	Callistephin (chloride)	Neopterin	L-Arabinitol	Cyclic N-Acetyl-D-mannosamin	Empty
f	Empty	DSPC	(3S,4R,5S)-1,3,4,5,6-Pentahydroxy	2'- Deoxyadenosine	2,6- Dimethylpyrazine	DL- Homocysteine	2- Ethylpyrazine	Creosol	5- Hydroxytryptophol	3-Chloro-L-tyrosine	Chelidonic acid	Empty
g	Empty	2-Piperidone	2- Benzylsuccinic acid	Imidazole-5-propionic acid	2- Methoxycinnamaldehyde	(E)-Oct-2-enoic acid	Lavandoside	Acetyl-L-lysine	Carvacrol methyl ether	Phenylacetylglutamine	(S)-3-Hydroxybutanoic acid	Empty
h	Empty	L-Azetidine-2-carboxylic acid	Levoglucofan	(R)-3-Hydroxybutanoic acid	(±) Anabasin	m-Tolylacetic acid	1- Methylhistamine	4- Nitrocatechol	2- Methylpyrazine	Linolelaidic acid	2,4,6-Trihydroxybenzoic acid	Empty

Plate layout: CS-L094-24

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Methyl octanoate	3-Pentanol	Tridecane	Heneicosane	3'-O-Methylguanine	Tetradecane	Vanillylamine	2'-Hydroxy-5'-methylacetophenone	4- Methylsyringol	2'- Deoxyadenosine 5'	Empty
b	Empty	L-Norleucine	5- Hydroxymethylfurfural	Phenothiazine	N-Acetyl-L-phenylalanine	N- Acetylglycine	4- Hydroxyacetophenone	Cinnamyl Alcohol	3,4,5- Trimethoxybenzoic acid	2-Naphthol	NSC 16590	Empty
c	Empty	D(-)-2- Aminobutyric acid	Tropinone	3- Indoleacetonitrile	Butylated hydroxytoluene	D-Pipecolinic acid	Methyl Salicylate	Pyrocatechuic acid	Farnesol	L-Proline	Oxalic acid, 99%	Empty
d	Empty	4- Hydroxybenzoic acid	Phenoxyacetic acid	Urea	Saccharin	1-Dodecanol	L-Tartaric acid	p- Hydroxybenzaldehyde	Acetic acid (magnesium tetrahydrate)	1,3- Dihydroxyacetone	L-Cysteine	Empty
e	Empty	L-Cysteine (hydrochloride)	Lauric acid	Maleic Acid	Dulcitol	L-Lactic acid	N- Methylsarcosine	Itaconic acid	Potassium Gluconate	Pipecolic acid	1,3,5- Trimethoxybenzene	Empty
f	Empty	(1R)-α- Pinene	4- Methoxybenzaldehyde	3,4- Dimethoxyphenylacetic	Pyruvic acid	Cuminaldehyde	2,6- Dihydroxybenzoic acid	Levulinic acid	4- Hydroxybenzyl alcohol	Methyl 2-furoate	Glycine	Empty
g	Empty	Acetophenone	3-Ethoxy-3-oxopropanoic acid	(S)-Malic acid	Hydrocinnamic acid	Pimelic acid	Methyl acetylacétate	1-Naphthol	Malic acid	Dimethyl sulfone	DL-Tartaric acid	Empty
h	Empty	Hydroxyacetone	2'- Hydroxyacetophenone	Tridecanoic acid	β- Aminopropionitrile	1,4- Diaminobutane	Dimethyl malonate	1- Hydroxyoctadecane	Benzamide	(-)-Limonene	Empty	Empty