

Antiviral Traditional Chinese Medicine Active Compound Library (96-well)

Product Details:

Catalog Number:	CS-L113
Formulation:	A collection of 164 antiviral Traditional Chinese Medicine active compounds supplied as pre-dissolved Solutions or Solid
Container:	96- or 384-well Plate with Peelable Foil Seal; 96-well Format Sample Storage Tube With Screw Cap and Optional 2D Barcode
Storage:	In solvent: -80°C 2 years, -20°C 1 year; Powder: -20°C 3 years, 4°C 2 years
Shipping:	Blue ice
Packaging:	Inert gas

Plate layout: CS-L113-1

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Betulonic acid	Brassicasterol	Aloperine	Emodin	Kaempferol	Doxorubicin (hydrochloride)	Kaempferide	Camptothecin	Brefeldin A	Limonin	Empty
b	Empty	Rottlerin	Adenosine 5'-monophosphate	Azulene	Artemisinin	Nicotinamide	Acetylcysteine	1-Docosanol	Vidarabine	Danthron	Lanatoside C	Empty
c	Empty	2-Phenylethanol	Spermine	Hinokitiol	(-)-Epicatechin gallate	Honokiol	Curcumin	Geniposide	Glycitin	Bergenin	Daidzin	Empty
d	Empty	Verbascoside	Arctigenin	Ginsenoside Rb1	Ginsenoside Rb2	Psoralen	Osthole	Chlorogenic acid	Isochlorogenic acid A	3,4-Dicaffeoylquinic acid	4,5-Dicaffeoylquinic acid	Empty
e	Empty	Punicalagin	Guanosine	Isoliquiritigenin	Sophocarpine	Sophocarpine (monohydrate)	Palmitine (chloride)	Palmitine (hydroxide)	Dihydromyricetin	Xanthone	Oleanolic Acid	Empty
f	Empty	Gramine	Glycyrrhizic acid	Dipotassium glycyrrhizinate	Andrographolide	Artesunate	Baicalein	Baicalin	Epigoitrin	Theaflavin	Saikosaponin B2	Empty
g	Empty	Lycorine	Lycorine (hydrochloride)	Hederasaponin B	alpha-Mangostin	Anthraquinone	Dihydrotanshinone I	Sennoside A	Picroside II	Trigonelline (chloride)	Germacrone	Empty
h	Empty	Hyperoside	Hypericin	L-Chicoric Acid	Corilagin	L-Lysine	L-Lysine hydrochloride	Phillyrin	alpha-Lipoic Acid	Gentiopicroside	Cynaroside	Empty

Plate layout: CS-L113-2

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	(-)-alpha-Pinene	Oroxilin A	Deapioplatyodin D	Mulberroside C	Maslinic acid	Eriodictyol	Dendrobine	Punicalin	D-Pinitol	Amentoflavone	Empty
b	Empty	Dehydroandrographolide	Dehydroandrographolide succinate	Thiamine (hydrochloride)	alpha-Vitamin E	Schisandrin C	Schisandrin A	Daphnoretin	Coumarin	Genkwanin	Coptisine (chloride)	Empty
c	Empty	Scutellarin	Scutellarein	Isoferulic acid	Angelicin	Isomangiferin	Camphor	Catalpol	Shikonin	Bevirimat	Alisol F	Empty
d	Empty	Gomisin G	Harringtonine	Catechin	Corydaline	Xanthohumol	Tricin	Isoscopoletin	Fangchinoline	20(R)-Ginsenoside Rh2	Oxyresveratrol	Empty
e	Empty	Betulonic acid	Oleanonic acid	Prunin	3,4-Dimethoxycinnamic acid	(E)-3,4-Dimethoxycinnamic acid	4'-O-Methylbavachalcone	5,7-Dihydroxychromone	Theaflavin 3,3'-digallate	Chebulagic acid	Bellidifolin	Empty
f	Empty	Isoborneol	Methyl gallate	Octyl gallate	Verbenalin	Arteannuin B	Mosloflavone	Swertianolin	Chelidonine	Paederoside	Diphyllin	Empty
g	Empty	Norwogonin	Isoxanthohumol	Tetrahydroepiberberine	Mulberrofuran G	Glaucine	Trilobatin	DL-Goitrin	Clemastanin B	Elemicin	Zingibroside R1	Empty
h	Empty	Pseudolaric Acid B	Lapachol	Cepharanthine	Zerumbone	Silymarin	Cichoriin	2-Hydroxyacetophenone	Gallic aldehyde	2-Hydroxycinnamic acid	DL-Pyroglutamic acid	Empty

Plate layout: CS-L113-3

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	4-Methoxycinnamaldehyde	Desaminotyrosine	Oxindole	4-Hydroxyacetophenone	Empty	Empty	Empty	Empty	Empty	Empty	Empty
b	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
c	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
d	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
e	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
f	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
g	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
h	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty