

Anti-inflammatory Traditional Chinese Medicine Active Compound Library (96-well)

Product Details:

Catalog Number:	CS-L114
Formulation:	A collection of 944 anti-inflammatory Traditional Chinese Medicine active compounds supplied as pre-dissolved Solutions or Solid
Container:	96- or 384-well Plate with Peelable Foil Seal; 96-well Format Sample Storage Tube With Screw Cap and Optional 2D Barcode
Storage:	In solvent: -80°C 2 years, -20°C 1 year; Powder: -20°C 3 years, 4°C 2 years
Shipping:	Blue ice
Packaging:	Inert gas

Plate layout: CS-L114-1

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Asaraldehyde	Urolithin A	Kynurenic acid	Nicotinamide N-oxide	Monomethyl fumarate	Capsaicinoid	Betulinic acid	Conessine	Guggulsterone	D-Melibiose	Empty
b	Empty	Armillarisin A	Delphinidin 3-glucoside (chloride)	γ-Tocotrienol	Masoprocol	Arachidonic acid	5,6,7-Trimethoxyflavone	Cirsiliol	Pyocyanin	Myristoleic acid	Turanose	Empty
c	Empty	m-Coumaric acid	Cyclic GMP (sodium)	Protosappanin A	Enocyanin	Tetrahydromagnolol	Diallyl Trisulfide	Traumatic Acid	Leucocyanidin	Xanthopterin (hydrate)	Neocryptotanshinone	Empty
d	Empty	2-Hydroxychalcone	Ganoderic acid DM	Chelerythrine (chloride)	Gingerenone A	Chalcone	Evernic Acid	α-Thujone	Artemisitene	Moracin M	Yakuchinone A	Empty
e	Empty	(R)-Citronellol	1βeta-Hydroxyalantolactone	7,3',4'-Trihydroxyisoflavone	13-Methylberberine (chloride)	Berberrubine (chloride)	Gossypin	(R,S)-Anatabine	Gnetol	Lupeol acetate	Urolithin B	Empty
f	Empty	Magnesium Lithospermate B	Piperlongumine	Sterculic acid	3',4'-Dihydroxyflavone	3-Hydroxycoumarin	4-Phenyl-7,8-dihydroxycoumarin	Pyropheophorbide-a	N-(p-Coumaroyl) Serotonin	Withanolide B	Luteolinidin (chloride)	Empty
g	Empty	Isobavachalcone	Celastrol	Vinpocetine	Aloperine	Chrysophanol	(-)-Epigallocatechin Gallate	Ingenol 3,20-dibenzoate	Silybin A	(R)-Sulforaphane	Tetrandrine	Empty
h	Empty	Tectochrysin	Genistein	Paradol	Zingerone	Homoharringtonine	L-Theanine	Sinomenine	Sinomenine hydrochloride	Hesperidin	Butein	Empty

Plate layout: CS-L114-2

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Resveratrol	Genipin	Embelin	Berberine (chloride hydrate)	Quercetin	Berberine (chloride)	Phorbol 12-myristate 13-acetate	Decursin	Brusatol	trans-Zeatin	Empty
b	Empty	Methoxsalen	Xanthotoxol	N-Phenethylbenzamide	Triptolide	Triptonide	2-(Aminomethyl)phenol	Methyl vanillate	Ammonium glycyrrhizinate	Cysteamine (hydrochloride)	Histamine (phosphate)	Empty
c	Empty	Melatonin	Diphylline	L-Ascorbic acid	L-Ascorbic acid (sodium salt)	Salicylic acid	Sodium Salicylate	Ellagic acid	Acetylcysteine	Guaifenesin	Ginkgolide A	Empty
d	Empty	Ciprofloxacin	Medroxyprogesterone acetate	Theophylline	Terpin (hydrate)	Glucosamine	Taurocholic acid (sodium salt hydrate)	Trioxsalen	Histamine	Lithium citrate (tetrahydrate)	Pyridoxine	Empty
e	Empty	Oxyphenbutazone	Khellin	(±)-Carnitine (chloride)	Citric acid (tri ammonium)	L-Canavanine (sulfate)	Corticosterone	Methyl nicotinate	Phenanthrene	Taurocholic acid	(±)-Catechin	Empty
f	Empty	Escin	Uric acid	Uric acid (sodium)	Tannic acid	Hinokitiol	(-)-Epicatechin	(-)-Epicatechin gallate	Honokiol	Oridonin	Curcumin	Empty
g	Empty	Demethoxycurcumin	Bisdemethoxycurcumin	Baohuoside I	Icariin	Astragalin	Bergenin	Echinacoside	Verbascoside	Cistanoside A	Forsythiaside A	Empty
h	Empty	Forsythoside B	Plantamajoside	Poliumoside	Arctigenin	Albiflorin	Alantolactone	Ginsenoside Rb1	Ginsenoside Rb2	Ginsenoside Rb3	Ginsenoside Rc	Empty

Plate layout: CS-L114-3

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	Ginsenoside Rd	Ginsenoside Re	Ginsenoside Rg1	Polyphyllin I	Osthole	Chlorogenic acid	Isochlorogenic acid A	Ferulic acid (sodium)	Ethyl ferulate	Macelignan	Empty
b	Empty	Solasodine	Brazilin	Sarsasapogenin	Byakangelicol	Apocynin	Schisandrin B	Inosine	Neohesperidin	Isoliquiritigenin	Sophocarpine	Empty
c	Empty	Sophocarpine (monohydrate)	Palmitine (chloride)	Palmitine (hydroxide)	Gastrodin	Naringin Dihydrochalcone	(E/Z)-Polydatin	Polydatin	Xanthone	Tangeretin	Taxifolin	Empty
d	Empty	Troloxerutin	Parthenolide	Piperine	Puerarin	Quercetin (dihydrate)	Rutaecarpine	Rutin	Salicin	Naringin	Neohesperidin dihydrochalcone	Empty
e	Empty	Nobiletin	Oxymatrine	Luteolin	Magnolol	Matrine	Methyl-Hesperidin	Hesperetin	(Rac)-Hesperetin	Beta-Sitosterol (purity>98%)	Caffeic acid	Empty
f	Empty	Cryptotanshinone	Dihydroartemisinin	Diosgenin	Diosmin	18β-Glycyrrhetic acid	Ergosterol	Fisetin	Dipotassium glycyrrhizinate	Esculin	Andrographolide	Empty
g	Empty	Artesunate	Asiatic acid	Baicalin	Nordihydroguaiaretic acid	Atractylenolide I	Patchouli alcohol	Kaempferol-3-O-glucorhamno	Cyasterone	Peimine	Peiminine	Empty
h	Empty	Peimisine	Benzoylmesaconine	Dauricine	Avicularin	Epiberberine (chloride)	Psoralidin	Bavachinin	Bakuchiol	Fraxinellone	Saikosaponin A	Empty

Plate layout: CS-L114-4

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Saikosaponin D	Hederacoside D	Hederagenin	Epmedin C	Aurantio-obtusin	Cordycepin	Toosendanin	Ligustrazine	Dipsacoside B	Hypaconitine	Empty
b	Empty	Irisfloreantin	Echinatin	Echinocystic acid	Eleutheroside E	Caffeic acid phenethyl ester	Flaconitine	Aconine	Daphnetin	Colcemid	Diacerein	Empty
c	Empty	Esculetin	Lycorine	Lycorine (hydrochloride)	Mangiferin	Oleuropein	Protocatechu aldehyde	Sinensetin	Stachydrine	Thiocolchicoside	Euphol	Empty
d	Empty	Pectolarinarin	Mollugin	Salvianolic acid A	DL-Methionine	alpha-Mangostin	Ziyuglycoside II	Eugenol	Scopoletin	Farrerol	(E)-Ethyl p-methoxycinnamate	Empty
e	Empty	(+)-Catechin hydrate	(-)-Catechin gallate	1,4-Dicaffeoylquinic acid	Dihydrocapsaicin	Columbianadin	(+)-Columbianetin	(+)-Columbianetin acetate	Falcarindiol	Pachymic acid	Licochalcone B	Empty
f	Empty	18α-Glycyrrhetic acid	Liquiritin	Liquiritigenin	(±)-Liquiritigenin	Rhynchophyllin	Columbin	Polygalasaponin F	Glabridin	Harpagoside	Harpagide	Empty
g	Empty	Wogonoside	Wogonin	2"-O-beta-L-galactopyranosylorientin	Picoside I	Picoside II	Picoside III	Sesamoside	Hupehenine	Cucurbitacin B	Quercitrin	Empty
h	Empty	Sophoricoside	Coptisine (Sulfate)	Astragaloside IV	Engeletin	Asiaticoside	Neferine	N-Methylcytisine	Rubiadin	8-Gingerol	10-Gingerol	Empty

Plate layout: CS-L114-5

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Acacetin	Hyperoside	L-Arginine	L-Arginine (hydrochloride)	Chicoric acid	1-Caffeoylquinic acid	Corilagin	D-(-)-Quinic acid	L-Lysine	L-Lysine hydrochloride	Empty
b	Empty	Geraniin	Tyrosol	Wilforlide A	Roburic acid	Phillyrin	Phillygenin	α-Lipoic Acid	Pectolarigenin	Gentiopicroside	Ruscogenin	Empty
c	Empty	Nitidine (chloride)	Cyanidin (Chloride)	11-oxo-mogroside V	Mogroside V	Rosarin	Rosin	Astilbin	Aristolochic acid A	Loganic acid	Ophiopogonin D	Empty
d	Empty	Casticin	Calycosin-7-O-β-D-glucoside	Gallic acid	Gallic acid (hydrate)	2"-O-Galloylhyperin	Morrisonide	Allantoin	Taurocholic acid (sodium)	Wedelolactone	Alnustone	Empty
e	Empty	Kireinol	Oroxylin A	Notopterol	Madecassic acid	Hydroxytyrosol	Pinocembrin	Solanesol	Apiin	Apigenin 7-glucoside	Fraxin	Empty
f	Empty	Fraxetin	Norisoboldine	Dehydrodiisoeugenol	Corynoxene	Deacetylasperulosidic Acid	Panaxadiol	Ginsenoside F3	Ginsenoside Rg2	20(S)-Ginsenoside Rg3	Ginsenoside Rh1	Empty
g	Empty	Ginsenoside Ro	Myrislignan	alpha-Boswellic acid	Siamenoside I	Sauchinone	Trifolirhizin	Sanggenon C	Mulberroside A	Morusin	Alpinetin	Empty
h	Empty	Maslinic acid	Cornuside	Esculentoside A	Muscone	Cimifugin	Prim-O-glucosylcimifugin	Eriodictyol	Punicalin	Monotropein	D-Pinitol	Empty

Plate layout: CS-L114-6

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Alliin	Amentoflavone	Aucubin	Specnuezhenide	Dehydrocorydaline	Dehydrocorydaline (chloride)	Dehydroandrographolide succinate	Pyridoxine (hydrochloride)	α-Vitamin E	Linderane	Empty
b	Empty	Schisandrin	Schisandrol B	Schisandrin A	Schisantherin A	Schisantherin B	Crocin	Crocin II	Schaftoside	Curculigoside	Vanillic acid	Empty
c	Empty	Coumarin	Carvacrol	Typhaneoside	Berberamine	Berberamine (dihydrochloride)	Berberine (sulfate)	Fargesin	Neoandrographolide	Neochlorogenic acid	Mesaconitine	Empty
d	Empty	Diosgenin glucoside	Genkwanin	Coptisine (chloride)	Stachydrine hydrochloride	Jatrorrhizine (chloride)	Leonurine	Leonurine (hydrochloride)	Senkyunolide I	Oxypaeoniflorin	Jatrorrhizine (hydroxide)	Empty
e	Empty	Scutellarin	Scutellarein	Eupalinolide A	Rhoifolin	8-?O-?Acetylharpagide	Barlerin	Acetylcorynoline	trans-Isoferulic acid	Isobergapten	Isoliquiritin	Empty
f	Empty	Isoorientin	Isoquercitrin	Isopimpinellin	Isoliensinine	Isovitexin	Isofraxidin	Isohamnetin	Silybin	Eupatilin	Tectorigenin	Empty
g	Empty	Protopine	Procyanidin B1	Procyanidin B2	(20S)-Protopanaxadiol	Polygalacic acid	Tenuigenin	Myrcene	Narirutin	Camphor	Sesamol	Empty
h	Empty	Timosaponin BII	Anemarsaponin E	Phytic acid (dodecasodium hydrate)	Polyphyllin VI	Catalpol	Shikonin	Lithospermic acid	Nodakenin	Corynoline	Pterostilbene	Empty

Plate layout: CS-L114-7

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Shionone	Jaceosidin	L-Histidine	(20S)-Protopanaxadiol	Jervine	Micheliolide	20-Deoxyingenol	Isosteviol	IKarisoside A	Bufotalin	Empty
b	Empty	Ginkgetin	AKBA	Tetrahydrocurcumin	Octahydrocurcumin	Inulicin	Corylifol A	Catechin	(-)-Catechin	Ginsenoside C-K	Ginsenoside Rk3	Empty
c	Empty	Ginsenoside Rg6	Ginsenoside Rg5	Notoginsenoside Ft1	Melittoside	Yangonin	Dihydromethysticin	(±)-Stylopine	(±)-Stylopine (hydrochloride)	Mimosine	Hexahydrocurcumin	Empty
d	Empty	(-)-Anomalin	Xanthohumol	Wilforgine	Visnagin	Vincosamide	Velutin	Vasicine (hydrochloride)	Uvaol	Taraxasterol	Tamarixetin	Empty
e	Empty	Sulfuretin	Suberosin	Strictosamide	Apigenin	Squalene	Smyrindioloside	Salvigenin	Robustine	Robinin	Rhamnocitrin	Empty
f	Empty	Reynoutrin	(R)-Fangchinoline	Magnolol	Nevadensin	Guaiacol	Periplocin	Asperuloside	4-Methoxycinnamic acid	Tussilagone	Syringaldehyde	Empty
g	Empty	Androsin	20(R)-Ginsenoside Rh2	Oxysophoridine	Sodium aescinate	Polygalaxanthone III	trans-Trimethoxyresveratrol	Triacetylfresveratrol	1,3-Dicaffeoylquinic acid	Noricaritin	Pogostone	Empty
h	Empty	Citric acid	Citric acid (monohydrate)	Tabersonine	Phytolaccagin	L-(+)-Abrine	Gypsogenin-3-O-glucuronide	Koumine	Afzelin	Complanatuside	Isoquercetin	Empty

Plate layout: CS-L114-8

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Betulonic acid	Kaurenoic acid	Liquiritin apioside	Picfeltaaraenin IA	Methyl palmitate	Cycloastragenol	14-Deoxy-11,12-didehydroand	Pulegone	Beta-asarone	Loureirin B	Empty
b	Empty	Ecliptasaponin A	Ponicidin	Pterosin B	2,6-Dimethoxy-1,4-	(2S)-2'-Methoxykurarinone	3,4-Dimethoxycinnamic acid	(E)-3,4-Dimethoxycinnamic acid	3-O-Methylquercetin	4',5-Dihydroxyflavone	4-Hydroxyphenylacetic acid	Empty
c	Empty	Danshensu	β-Anhydrocitrinin	Isosinensetin	5-O-Demethylnobiletin	Ailanthone	Homoplantagin	Hispidulin	Protostemotinin	Rubiadin-1-methyl ether	(E)-Osmundacetone	Empty
d	Empty	5,7-Dihydroxychromone	(+)-(3R,8S)-Falcarindiol	3'-Hydroxypuerarin	Triolein	Artemisic acid	Cucurbitacin IIb	Gypenoside XLIX	Chebulagic acid	Bellidifolin	Cycleanine	Empty
e	Empty	Veratric acid	Luteolin 5-O-glucoside	Methyl gallate	Octyl gallate	Aristolactam I	Verbenalin	Moslosooflavone	Kaempferol 3-O-sophoroside	11-?Keto-?beta-?boswellic	Evocarpine	Empty
f	Empty	Withaferin A	Cedrol	3-Acetyl-beta-boswellic acid	Skimmianine	Handelin	Genipin 1-β-D-gentiobioside	Obtusifolin	6'-O-beta-D-Glucosylgentiopicoside	Phellopterin	Sedanolid	Empty
g	Empty	Isoginkgetin	Sciadopitysin	Neoliquiritin	Puerarin 6"-O-Xyloside	Buddlejasaponin IVb	7,4'-Di-O-methylapigenin	Tomatidine	Tomatidine (hydrochloride)	Rhodojaponin II	Rhodojaponin III	Empty
h	Empty	Paeonolide	Apiopaeonoside	12-Epinapelline	Polygalasaponin V	Acetylshengmanol Arabinoside	Forsythoside E	S-(+)-Marmesin	Saikosaponin F	Acetylshikonin	Episingaresinol 4'-O-β-D-glycopyranoside	Empty

Plate layout: CS-L114-9

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	(5R,6E)-5-Hydroxy-1,7-diphenyl-6-	Deoxyshikoni n	Beta-Acetoxyisovalerylshikonin	Swertianolin	Esculentoside H	4-Hydroxylonchocarpin	Picfeltaarraeni n IB	Rotundic acid	Rhapontigeni n	?Feruloyloctopamine	Empty
b	Empty	Gomisin O	Piceatannol 3'-O-glucoside	Hosenkoside K	Hosenkoside A	Licarin A	Crebanine	Poncirin	Curcumenol	Skimmin	Nodakenetin	Empty
c	Empty	Kurarinone	Leachianone A	Deltonin	Kushenol I	Kinsenoside	Kuwanon A	Fucoxanthin	Mogrol	Piperlongumi ne	Procyanidin A2	Empty
d	Empty	Procyanidin A1	Cynaropicrin	Lauroilsine (hydrochloride)	Eudesmin	Menthone	Auraptene	p-Hydroxycinnamic acid	Kukoamine B	Emodin-1-O-β-D-glucopyranosi	Diffractic acid	Empty
e	Empty	Rehmannioside C	Dihydrocaffeic acid	Delphinidin (chloride)	N-trans-Feruloyltyramine	Periplogenin	Clerodendrin	Sphondin	[10]-Shogaol	[8]-Shogaol	Methylpiperogonanone A	Empty
f	Empty	Methylpiperogonanone A	Methylpiperogonanone B	Sulforaphene	Convallatoxin	β-Elemonic acid	Methylsticin	Methylinissolin -3-O-glucoside	Methylinissolin	4'-Methoxyresveratrol	Demethylsuberosin	Empty
g	Empty	Deoxyephedrin	Isomucronulatol	Isoliquiritin apioside	Iristectorigenin A	β-Boswellic acid	Agnuside	Diphyllin	Coniferaldehyde	Tubeimoside III	Damascenone	Empty
h	Empty	Tilianin	Tirucalol	Nepetin	Tenuifoside C	Irigenin	Lupenone	Isorhapontigenin	Prunetin	Loureirin C	7,4'-Dihydroxyflavone	Empty

Plate layout: CS-L114-10

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Acanthoside B	Dihydrokaempferol	Aurantiamide acetate	Atracic acid	Aurantiamide	Brevilin A	Broussonin E	Poricoic acid A	Britannin	Sakuranetin	Empty
b	Empty	Naringenin chalcone	Iridin	Artemitin	3-O-Acetyl-α-boswellic acid	Hexahydrofarnesyl acetone	p-Coumaric Acid Ethyl Ester	Neotuberostemonine	Mulberrofuran G	Moracin O	Moracin C	Empty
c	Empty	Canthin-6-one	Caryophyllene oxide	Paris saponin VII	Cleomiscosin A	Eriodictyol-7-O-glucoside	Glaucine	Humantenmine	Heraclenin	Glucoraphanin	Morellic acid	Empty
d	Empty	Brevifolinicarbonylic acid	Tsugaric acid A	Luteolin-3-O-beta-D-glucuronide	Decursinol	Glycycoumarin	Neodiosmin	Dehydroeburicoic acid monoacetate	6-Demethoxytangeretin	3'-Demethylnobiletin	Tormentic acid	Empty
e	Empty	Quercetagenin	Quercetagitrin	Trametenolic acid	Dihydrocucurbitacin B	Licochalcone D	β-Hydroxyisovalerylshikonin	Bisabolangelone	Dehydrocorydaline (nitrate)	Negletein	4-Methylesculetin	Empty
f	Empty	3-Epioleanolic acid	Bryodulcosigenin	Scutellarein tetramethyl ether	Nepitrin	5,7-Dimethoxyflavone	Liensinine (perchlorate)	Rosmanol	Evolitrine	Forsythoside I	Galloylpaeniflorin	Empty
g	Empty	Plantainoside D	Sinapine	Saponarin	Kobusin	(Rac)-Arnebin 1	β,β-Dimethylacrylalkannin	β,β-Dimethylacrylshikonin	Neoisostilbin	α-Terpineol	Chrysoisplenol D	Empty
h	Empty	8-Deoxygartanin	(-)-Alkannin	(-)-Butin	Butin	Clemastanin B	Darutoside	Dehydroevodiamine (hydrochloride)	Hydroxytyrosol acetate	Praeruptorin A	Raspberry ketone glucoside	Empty

Plate layout: CS-L114-11

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Soyasapogenol A	Tenuifoside A	Asperulosidic Acid	Isomucronulatol 7-O-glucoside	Ilexgenin A	Cafestol	Astragaloside VI	Tryptanthrin	D-Glucuronic acid	Skullcapflavone II	Empty
b	Empty	1-beta-D-Arabinofuranosyluracil	Syringyl Alcohol	6-Hydroxycoumarin	Okanin	ar-Turmerone	Diammonium Glycyrrhizinate	Isoeugenol acetate	Timosaponin B III	Thymol	Asatone	Empty
c	Empty	Retusin	Arnicolide D	Glycyrrhetic acid 3-O-β-D-glucuronide	Arnepavine	Isovanillic acid	Gomisin N	Dehydroabietic acid	Abietic acid	Cauloside D	Hamaudol	Empty
d	Empty	Ergolide	Violanthin	Linderene acetate	Cauloside C	Pseudolaric Acid B	Angelicain	Mitraphylline	Lutein	Linalyl acetate	Lapachol	Empty
e	Empty	α-Spinasterol	Ethyl Caffeyate	Levomenol	α-Humulene	Cepharanthin e	Boldine	Licraside	7,3',4'-Tri-O-methylfluteolin	Rhamnetin	Nerol	Empty
f	Empty	Silymarin	Citral	7-Hydroxyflavone	1,4-Cineole	Thymopentin	Thymopentin (acetate)	(E)-m-Coumaric acid	γ-Tocopherol	Kaempferol 3-O-β-D-glucuronide	Isolongifolene	Empty
g	Empty	Hibifolin	(-)-Zuonin A	Phaseoloidin	Entadamide-A-β-D-glucopyranosi	Kauran-16,17-diol	Isoformononetin	Psoralenoside	Safranal	Toralactone	5-Desmethylinensetin	Empty

h	Empty	Regaloside B	Pristane	Cassiaside	Regaloside A	Quercetin 3-O-neohesperido	Nonanal	Brassicin	Gyenoside L	Rapanone	N-trans-Caffeoyltyramine	Empty
---	-------	--------------	----------	------------	--------------	----------------------------	---------	-----------	-------------	----------	--------------------------	-------

Plate layout: CS-L114-12

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Capsiate	Neriifolin	Neophytadiene	3',4'-Dimethoxyflavone	Picein	Amaroswerin	Tellimagrandin II	Andrograpanin	Norbergenin	Perilla ketone	Empty
b	Empty	Aureusidin	Tigloidin	4-O-Methyl honokiol	2,5-Dihydroxyacetophenone	3,5-Dimethoxybenzoic acid	5-Hydroxyoxindole	Methyl syringate	3-Hydroxy-4-methoxyacetophenone	Methyl arachidate	1-Pentadecanol	Empty
c	Empty	1-Heptadecanol	1-Hydroxy-2-butanone	Skatole	Hydroxycitric acid (tripotassium)	Phenethyl ferulate	Dibenzoylmethane	Sinapinic acid	Citronellol	DL-Norvaline	Pelargonidin (chloride)	Empty
d	Empty	Geranylgeraniol	Phenyl β-D-glucopyranoside	trans-Benzylideneacetone	Benzothiazole	S-Allyl-L-cysteine	L-Lysine hydrate	Phthalide	2-Heptanol	Sodium 2-oxopropanoate	Ethyl 3,4-dihydroxybenzoate	Empty
e	Empty	1-Naphthalene methanol	Terpinen-4-ol	Xanthine	Ferulic acid methyl ester	D-Ribose (mixture of isomers)	4(3H)-Quinazolinone	2-Methoxy-4-vinylphenol	Tricarballic acid	3-Demethylcolchicine	N,N'-Dimethylthiourea	Empty
f	Empty	Antraquinone-2-carboxylic acid	3,5-Di-tert-butylphenol	Chelidonic acid	2-Aminoimidazole	Alginic acid	Hydrocotarine	Methyl 2-(2,4-dihydroxyphenyl)acetate	Oxindole	4-Hydroxyacetophenone	Methyl Salicylate	Empty
g	Empty	trans-Chalcone	4-Hydroxybenzyl alcohol	Ethyl pyruvate	Methyl 3,4-dihydroxybenzoate	Empty	Empty	Empty	Empty	Empty	Empty	Empty
h	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty