

Plant-Sourced Natural Product Library (96-well)

Product Details:

Catalog Number:	CS-L115
Formulation:	A collection of 2652 plant-sourced natural products supplied as pre-dissolved Solutions or Solid
Container:	96- or 384-well Plate with Peelable Foil Seal; 96-well Format Sample Storage Tube With Screw Cap and Optional 2D Barcode
Storage:	In solvent: -80°C 2 years, -20°C 1 year; Powder: -20°C 3 years, 4°C 2 years
Shipping:	Blue ice
Packaging:	Inert gas

Plate layout: CS-L115-1

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	9-Aminocamptothecin	Abscisic acid	Flopropione	Asaraldehyde	(±)-Equol	Saponins	Guvacine hydrochloride	Spiramide	Harmine	Litorin	Empty
b	Empty	Capsaicin	Capsaicinoid	Secoisolaricresinol diglucoside	Betulinic acid	Smilagenin	(2S)-6-Prenylnaringenin	Kaempferol 3-neohesperidoside	Raddeanoside R8	Segetalin B	Imperialine 3-β-D-glucoside	Empty
c	Empty	Ebeiedinone	Yubeinine	Officinalisinin	β-Elementene	Deserpidine	Benzo[a]pyrene	Conessine	Garcinol	Dihydro-β-erythroidine (hydrobromide)	Guggulsterone	Empty
d	Empty	Picrotin	Breviscapine	Harmol	4-Hydroxychalcone	D-Melibiose	Xylan	Delphinidin 3-glucoside (chloride)	Ginsenoside F5	Polygodial	Ononetin	Empty
e	Empty	γ-Tocotrienol	Sabinene	Masoprocol	Leelamine (hydrochloride)	(Z)-Guggulsterone	5,6,7-Trimethoxyflavone	Cirsilol	1-Linoleoyl Glycerol	(R)-(+)-Citronellal	(S)-?-?-?-Citronellal	Empty
f	Empty	3,7,4'-Trihydroxyflavone	S-1-Propenyl-L-cysteine	Lignin	1,2,3,6-Tetragalloylglucose	7-Methoxyrosmanol	5,7-Dimethoxyyluteolin	9-Methoxycanthin-6-one	p-Synephrine	Myristoleic acid	Petroselinic acid	Empty
g	Empty	Stigmastanol	Stachyose (tetrahydrate)	Sappanone A	Protosappanin A	Se-Methylselenocysteine	Strophanthidin	Enocyanin	2-Hydroxymethyltetrahydropy	Curcumenone	2-Undecanol	Empty
h	Empty	Nimbolide	Bigelovin	(S)-?-?-Perillyl alcohol	Tetrahydromagnolol	5-Pentadecylresorcinol	Diallyl Trisulfide	Triptophol C	Gentisein	N-Feruloylserotonin	Traumatic Acid	Empty

Plate layout: CS-L115-2

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Camalexin	Leucocyanidin	Neocryptotanshinone	Anthragallol	Ganoderic acid DM	Chrysin 6-C-glucoside 8-C-arabinoside	Chelerythrine (chloride)	Vinorelbine (ditartrate)	Cyclanoline (chloride)	Gingerenone A	Empty
b	Empty	Anagyrine	Chrysenone	Coronaridine	α-Bisabolol	Purpurogallin	Evernic Acid	Neoamgdalin	Gypsogenin	(?)-Myrtenal	Chrysoeriol	Empty
c	Empty	α-Thujone	Yibeissine	Roemerine	Pongamol	Yohimbic acid	Yohimbic acid (hydrate)	Clovamide	Militarine	Malvidin (chloride)	Artemisitene	Empty
d	Empty	(-)-Camphoric acid	Moracin M	Eburicoic acid	Batatasin III	Linamarin	Yakuchinone A	Lobetyolinin	Dihydrocapsiate	(R)-Citronellol	Pentacosanoic acid	Empty
e	Empty	1β-Hydroxyalantolactone	Vicenin-1	Kansuiphorin C	6-Hydroxykaempferol 3,6-	Ganosporeric acid A	Dactylorhin A	Ferutin	13-Methylberberine (chloride)	Alpha-Naphthoflavone	Ginsenoside F2	Empty
f	Empty	Berberubine (chloride)	Gossypin	Djenkolic acid	Cycloartenyl ferulate	Quisqualic acid	Gnetol	(-)-Syringaresinol	(±)-Alliin	Lupeol acetate	Hesperidin methylchalcone	Empty
g	Empty	Petunidin (chloride)	Peonidin-3-O-galactoside (chloride)	Magnesium Lithospermate B	Piperlonguminine	Trilaurin	Azadirachtin	Hecogenin acetate	Rauwolfscine (hydrochloride)	Sterculic acid	Yohimbine	Empty
h	Empty	3',4'-Dihydroxyflavone	3-Hydroxycoumarin	Trilinolein	4'-Methoxychalcone	Trans-?-?-Hexenal	Allyl methyl sulfide	Dimethyl trisulfide	Ifenprodil (tartrate)	Isoeuletherin	Vindesine (sulfate)	Empty

Plate layout: CS-L115-3

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	4α,7α,7β-Nepetalactone	N-(p-Coumaroyl) Serotonin	Withanolide B	Lepidiline A	Ferulenol	Ethyl nonanoate	Luteolinidin (chloride)	Fagomine	Cinnamannin B-1	LC3-mHTT-IN-AN2	Empty
b	Empty	Isobavachalcone	Celastrol	β-Aspartylaspartic acid	Cyclo(Tyr-Leu)	O-Desmethyl Galanthamine	13-Methyltetradecanoic acid	Vinpocetine	5-Hydroxyferulic acid	7-Ethoxycoumarin	Azadirachtin B	Empty
c	Empty	β-Tocopherol	Chamaechromone	Chrysoobtusin	Diacetoxy-6-gingerdiol	Gossypol	Deguelin	Umbellulone	Aloperine	Piceatannol	(-)-Cedrene	Empty
d	Empty	(+)-Neomenthol	β-Lapachone	Dicaprylyl carbonate	Chrysophanol	4,4'-Dimethoxychalcone	Methyl carnosate	Tris(2,4-di-tert-butylphenyl)p	Etoposide	Daminozide	(-)-Epigallocatechin Gallate	Empty
e	Empty	β-Bisabolene	Maytansine	Meisoindigo	SN-38	Norepinephrine (hydrochlorid)	Oleandrin	Ingenol 3,20-dibenzoate	Raloxifene (hydrochloride)	Rubitecan	Silybin A	Empty
f	Empty	(R)-Sulforaphane	Tetrandrine	Topotecan (Hydrochloride)	Vinblastine (sulfate)	β-Gentiobiose	23-epi-26-Deoxyactein	Miquelianin	Letrozole	Emodin	Chrysin	Empty
g	Empty	Kaempferol	Tectochrysin	Biochanin A	Genistein	Tramiprosate	L-Glutamic acid (monosodium)	[6]-Gingerol	Shogaol	Paradol	α-Farnesene	Empty
h	Empty	Zingerone	1-Deoxynojirimycin	1-Deoxynojirimycin	Homoharringtonine	Myricetin	L-Theanine	Sinomenine	Sinomenine hydrochloride	Dimethylcurcumin	SL 0101-1	Empty

Plate layout: CS-L115-4

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Hesperidin	Forskolin	Kaempferide	Cabazitaxel	Picropodophyllin	Podofilox	Lucidin	Ellipticine	Ellipticine (hydrochloride)	3,3'-Diindolylmethane	Empty
b	Empty	(-)-Hydroxycitric acid	Crocetin (disodium)	Butein	Camptothecin	cis-Resveratrol	Irinotecan (hydrochloride)	Narciclasine	10-Deacetylbaicatin III	Colchicine	Folic acid	Empty
c	Empty	Damulin A	Damulin B	Cyclopamine	(-)-Huperzine A	(±)-Huperzine A	Genipin	Limonin	4'-Demethylepipodophyllotoxi	Fosbretabulin (disodium)	Embelin	Empty
d	Empty	Gossypol (acetic acid)	Folinic acid	Nonivamide	Berberine (chloride hydrate)	Quercetin	Berberine (chloride)	1-Naphthaleneacetic acid	Phorbol 12-myristate 13-acetate	Rottlerin	Decursin	Empty
e	Empty	Brusatol	trans-Zeatin	D-(+)-Malic acid	10-Deacetyl-7-xylosyl paclitaxel	Methyl linolenate	Hygric acid	5-Hydroxyflavone	Methoxsalen	Xanthotoxol	Mequinol	Empty
f	Empty	N-Phenethylbenzamide	Triptolide	Triptonide	Eugenin	2'-Hydroxy-4'-methylacetophenone	2-(Aminomethyl)phenol	5-Methyl-2-thiophenecarboxaldehyde	cis-4-Hydroxy-L-proline	cis-Isolimonenol	Piperonylic acid	Empty
g	Empty	Hydroquinine	Crocetin (meglumine)	Asparagusic acid	N-Demethylricinine	(-)-Menthol	Coumaran	Azetidine-2-carboxylic acid	Methyl vanillate	2-Hydroxy-4-methoxybenzoic acid	3-Hydroxybenzaldehyde	Empty
h	Empty	Ammonium glycyrrhizinate	Galanthamine	Bergaptol	Methyl N-methylantranilate	Demethoxycecalin	9-Dihydro-13-acetylbaicatin III	Cephalomannine	7-Epi 10-desacetyl paclitaxel	Benzyl isothiocyanate	Pyrrrole-2-carboxaldehyde	Empty

Plate layout: CS-L115-5

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	2-Methoxybenzaldehyde	m-Tolualdehyde	Galanthamine (hydrobromide)	Tolazoline (hydrochloride)	Deslanoside	Paclitaxel	Azulene	Artemisinin	Cytidine	L-Ascorbic acid	Empty
b	Empty	L-Ascorbic acid (sodium salt)	Salicylic acid	Sodium Salicylate	Ellagic acid	Mianserin (hydrochloride)	1-Docosanol	Guaifenesin	Triamcinolone	Ginkgolide A	Atropine (sulfate monohydrate)	Empty
c	Empty	D-Pantothenic acid	Quinine (hydrochloride dihydrate)	Scopine	Bindarit	Biotin	Hyaluronic acid	Butylphthalide	Ingenol Mebutate	Citicoline	Citicoline (sodium)	Empty
d	Empty	Artemotil	Theophylline	Anethole	Danthron	Hydrastine	Benzyl benzoate	Lobeline (hydrochloride)	Hydroquinidine	L-SelenoMethionine	Vincamine	Empty
e	Empty	Lanatoside C	DL-Xylose	Gluconate (sodium)	Imazalil	Ajmaline	(+)-Camphor	Cotinine	Vinburnine	Hydrastinine (hydrochloride)	Hydrastinine	Empty
f	Empty	Atropine	Anethole trithione	Isovaleramide	Octinoxate	2-Phenylethanol	Quinine hydrochloride monohydrate	(+)-Sparteine (sulfate pentahydrate)	Digitoxin	Khellin	Deoxyarbutin	Empty
g	Empty	Picrotoxinin	α-Cyclodextrin	Anabasine	Benzyl salicylate	L-Canavanine (sulfate)	Flavin adenine dinucleotide	(+)-Kavain	L-5-Hydroxytryptophan	Quinine (15% dihydroquinidi)	Santonin	Empty
h	Empty	Spermidine (hydrochloride)	1,2-Dimethoxybenzene	Forchlorfenuron	(±)-Catechin	Methyl stearate	Escin	Casanthranol	Tannic acid	Menagquinone-4	Vitamin K	Empty

Plate layout: CS-L115-6

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	S-Methyl-L-cysteine	γ-Oryzanol	Hinokitiol	Lecithin	Quinine	NADP (disodium salt)	Isovanillin	Isonicotinic acid	(-)-Epicatechin	(-)-Epicatechin gallate	Empty
b	Empty	Honokiol	Oridonin	Curcumin	Demethoxycurcumin	(E,E)-Bisdemethoxycurcumin	Bisdemethoxycurcumin	Orcinol glucoside	Geniposide	Geniposidic acid	Baohuoside I	Empty
c	Empty	Glycitin	Vitexin	Icariin	Astragalin	Glycitein	Bergenin	Daidzin	Daidzein	Echinacoside	Verbascoside	Empty
d	Empty	Isoacteoside	Cistanoside A	2'-Acetylacteoside	Forsythiaside A	Forsythoside B	Plantamajoside	Poliumoside	Arctiin	Arctigenin	Costunolide	Empty
e	Empty	Albiflorin	Alantolactone	Ginsenoside Rb1	Ginsenoside Rb2	Ginsenoside Rb3	Ginsenoside Rc	Ginsenoside Rd	Ginsenoside Re	Ginsenoside Rg1	Notoginsenoside Fe	Empty
f	Empty	Polyphyllin I	Polyphyllin II	Nuciferine	Allomatrine	Sanguinarine (chloride)	Psoralen	Osthole	Chlorogenic acid	Isochlorogenic acid A	3,4-Dicaffeoylquinic acid	Empty
g	Empty	4,5-Dicaffeoylquinic acid	Ferulic acid	Ferulic acid (sodium)	(E)-Ferulic acid	Ethyl ferulate	Angoroside C	Punicalagin	Macelignan	Solasodine	Solamargine	Empty
h	Empty	Solasonine	Crotonoside	Brazilin	Sarsasapogenin	Byakangelicol	(Rac)-Byakangelicin	Bilobalide	Ginkgolic Acid	Ginkgolic Acid (C13:0)	Praeruptorin C	Empty

Plate layout: CS-L115-7

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	(±)-Praeruptorin A	Praeruptorin B	Betulin	Betulinaldehide	Dimethylfraxetin	Gambogic Acid	Apocynin	Schisandrin B	(S)-10-Hydroxycampothecin	Rotundine	Empty
b	Empty	Vanillin	Neohesperidin	Isoliquiritigenin	Sophocarpine	Sophocarpine (monohydrate)	Curcumol	Danshensu (sodium salt)	Cyclovirobuxine D	Salidroside	Palmatine (chloride)	Empty
c	Empty	Palmatine (hydroxide)	Dihydromyricetin	Hordenine	Evodiamine	(±)-Evodiamine	Gastrodin	Indirubin	Naringin Dihydrochalcone	(E/Z)-Polydatin	Polydatin	Empty
d	Empty	Sesamin	(-)-Sesamin	Aloin	Dioscin	Diosmetin	Xanthone	Yohimbine (Hydrochloride)	Sclareol	Sclareolide	Shikimic acid	Empty
e	Empty	Synephrine	Synephrine (hydrochloride)	Tangeretin	Tanshinone I	Taxifolin	(±)-Taxifolin	Troxerutin	Ursolic acid	Parthenolide	Phloretin	Empty
f	Empty	Phlorizin	Piperine	Puerarin	Quercetin (dihydrate)	Rutaecarpine	Rutin	Rutin (hydrate)	Salicin	Myricitrin	Naringin	Empty
g	Empty	Neohesperidin dihydrochalcone	Nobiletin	Oleanolic Acid	Oxymatrine	Paeonol	Kinetin	Luteolin	Magnolol	Matrine	Methyl-Hesperidin	Empty
h	Empty	Gramine	Gynostemma Extract	Hesperetin	(Rac)-Hesperetin	Indole-3-carbinol	Beta-Sitosterol (purity>98%)	Caffeic acid	Cinchonidine	Cryptotanshinone	Cytisinicline	Empty

Plate layout: CS-L115-8

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Dihydroartemisinin	Diosgenin	Diosmin	18β-Glycyrrhetic acid	Fisetin	Formononetin	Glycyrrhizic acid	Dipotassium glycyrrhizinate	Indole-3-butyric acid	4-Methylumbelliferone	Empty
b	Empty	Esculin	Aloe emodin	Amygdalin	Andrographolide	Arbutin	Artesunate	Asiatic acid	Baicalein	Baicalin	Nordihydroguaiaretic acid	Empty
c	Empty	Atractylenolide I	Atractylenolide II	Atractylenolide III	Pulchinoside A	Pulchinoside C	Ardisiacrispin A	Patchouli alcohol	Kaempferol-3-O-glucorhamno	Cyasterone	Peimine	Empty
d	Empty	Peiminine	Peimisine	Benzoic acid	Benzoylaconine	Benzoylmesaconine	Bicuculline	Dauricine	Daurisoline	Avicularin	Epibetulinic acid	Empty
e	Empty	Epigoitrin	(-)-Epigallocatechin	Epiberberine (chloride)	7-epi-Taxol	Scoparone	Bavachalcone	Psoralidin	Bavachin	Bavachinin	Bakuchiol	Empty
f	Empty	Corylin	Atractyloside A	Atractylodin	Bulleyaconitin A	Herbacetin	Rhodonin	Fraxinellone	Theaflavin	Theaflavin-3'-gallate	Theaflavin-3-gallate	Empty
g	Empty	Saikosaponin A	Saikosaponin B2	Saikosaponin C	Saikosaponin D	Catharanthine	Catharanthine (Tartrate)	Hederacoside C	Hederacoside D	alpha-Hederin	Hederagenin	Empty
h	Empty	Epimedin A	Epimedin A1	Epimedin B	Epimedin C	Aurantio-obtusin	Cordycepin	Toosendanin	Ligustrazine	Asperosaponin VI	Dipsacoside B	Empty

Plate layout: CS-L115-9

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Hypaconitine	Irisfloreantin	Echinatin	Ononin	Echinocystic acid	Eleutheroside E	Brassinolide	(±)-10-Hydroxycampothecin	Flaconitine	Aconine	Empty
b	Empty	Cardamonin	Corosolic acid	Daphnetin	Colcemid	Diacerein	Esculetin	Imperatorin	Isoimperatorin	Lycorine	Lycorine (hydrochloride)	Empty
c	Empty	Mangiferin	Oleuropein	Paeoniflorin	Protocatechuic acid	Protocatechuic aldehyde	Sinensetin	Stachydrine	Tetrahydropalmatine	Tetrahydropalmatine (hydrochloride)	Hederasaponin B	Empty
d	Empty	Ciwujianoside B	Octyl acetate	Soyasaponin Ba	Soyasaponin Bb	Emodin-8-glucoside	Euphol	Pectolarin	Allicin	Mollugin	Salvianolic acid A	Empty
e	Empty	Salvianolic acid C	Caftaric acid	DL-Methionine	Lobetyolin	alpha-Mangostin	Deltaine	Momordin Ic	Ziyuglycoside I	Ziyuglycoside II	Yunaconitine	Empty
f	Empty	(+)-Magnoflorine (iodide)	3-Butylidenephthalide	Eugenol	(-)-Syringaresinol 4-O-β-D-	Syringic acid	Scopolin	Scopoletin	Helicin	Farrerol	(E)-Ethyl p-methoxycinnamate	Empty
g	Empty	Methyl Paraben	p-Coumaric acid	Tuberostemone	Curdione	Antraquinone	(+)-Catechin hydrate	(-)-Catechin gallate	3,29-Dibenzoylarounitriol	1,4-Dicaffeoylquinic acid	Dihydrotranshinone I	Empty
h	Empty	Dihydrocapsaicin	Columbianadin	(+)-Columbianadin	(+)-Columbianadin acetate	Falcarindiol	Trans-Anethole	Linalool	Bergapten	Pachymic acid	Licochalcone B	Empty

Plate layout: CS-L115-10

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Licochalcone C	18α-Glycyrrhetic acid	Liquiritin	Liquiritigenin	(±)-Liquiritigenin	D-Mannitol	Nardosinone	Maackiain	Galangin	Gomisin J	Empty
b	Empty	Griffonilide	Rhynchophylline	Gelsemine	Columbin	Polygalasaponin F	Glabridin	Fructose	Harpagoside	Harpagide	Sec-O-Glucosylhamaudol	Empty
c	Empty	Wogonoside	Wogonin	Artemether	Sinigrin	Orientin	2"-O-beta-L-galactopyranosylorientin	Picroside I	Picroside II	Picroside III	Daucosterol	Empty
d	Empty	Sesamoside	Hupehenine	Trigonelline	Trigonelline (chloride)	Cucurbitacin B	Cucurbitacin E	Quercitrin	Quercimeritrin	Sophoricoside	Cyclogalegenin	Empty
e	Empty	Alismoxide	Obacunone	Diosbulbin B	Coptisine (Sulfate)	Astragaloside IV	Astragaloside I	Astragaloside II	Astragaloside III	Engeletin	Pimpinellin	Empty
f	Empty	Asiaticoside	Germacrone	Neferine	5-O-Methylvisamioside	N-Methylcystisine	Rubiadin	2-Hydroxy-4-methoxybenzaldehyde	10-Methoxycampothecin	8-Gingerol	10-Gingerol	Empty
g	Empty	Nordihydrocapsaicin	Sinapine (thiocyanate)	Acacetin	Hyperoside	Hypericin	Chicoric acid	L-Chicoric Acid	Pedunculoside	3,5-O-Dicaffeoylquinic acid	1-Caffeoylquinic acid	Empty
h	Empty	Corilagin	Blinin	D-(-)-Quinic acid	Rebaudioside A	Rebaudioside C	Rebaudioside D	L-Hyoscyamine	L-Hyoscyamine (sulfate)	Geraniin	Tyrosol	Empty

Plate layout: CS-L115-11

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Triptophenolide	Wilforlide A	Neoline	Licarin B	Reserpine	Reserpine (hydrochloride)	Roburic acid	Phillyrin	Phillygenin	Liensinine	Empty
b	Empty	Liensinine (Diperchlorate)	L-Leucine	Vincristine (sulfate)	Pectolarin	Gentiopicroside	Ruscogenin	Nitidine (chloride)	Cyanidin (Chloride)	Mogroside III	11-oxo-mogroside V	Empty
c	Empty	Mogroside V	Rosarin	Rosavin	Rosin	Astilbin	Aristolochic acid A	Aristolochic acid B	Loganin	Loganic acid	Ophiopogonin D	Empty
d	Empty	Casticin	Erianin	Toddalolactone	Calycosin	Calycosin-7-O-β-D-glucoside	(-)-Gallic acid	(+)-Gallic acid	(-)-Gallic acid gallate	Gallic acid	Gallic acid (hydrate)	Empty
e	Empty	Propyl gallate	Ethyl gallate	2"-O-Galloylhyperin	Pentagalloylglucose	Linarin	Rosmarinic acid	Morroneiside	4"-O-Glucosylvitexin	Vitexin-2"-O-rhamnoside	(+)-Magnoflorine (chloride)	Empty
f	Empty	Xylose	Xylitol	Calceolarioside B	Pseudoginsenoside F11	Pseudoginsenoside RT5	Ligustroflavone	Nomilin	α-Angelicalactone	(-)-α-Pinene	β-Pinene	Empty
g	Empty	Wedelolactone	Gypenoside XVII	Escin IA	Escin IB	Isoescin IA	Isoescin IB	Alnustone	Kirenol	Oroxilin A	Lathyrol	Empty

h	Empty	5,15-Diacetyl-3-benzoyllathyr	Notopterol	23-Hydroxybetulinic acid	Hydroxysafflor yellow A	Madecassoside	Madecassic acid	Hydroxytyrosol	Purpurin	Pinocembrin	Solanesol	Empty
---	-------	-------------------------------	------------	--------------------------	-------------------------	---------------	-----------------	----------------	----------	-------------	-----------	-------

Plate layout: CS-L115-12

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Apiin	Apigenin 7-glucoside	Fraxin	Fraxetin	Qingyangshengenin A	Anisodamine	Anisodamine (hydrobromide)	Norisoboldine	Demethylzeylasteral	Deapioplatygodin D	Empty
b	Empty	Dehydrodiisoeugenol	Corynoxene	Dehydrocostus Lactone	Demethyleneberberine (chloride)	Deacetylasperulosidic Acid	Genistin	Panaxadiol	Panaxatriol	Ginsenoside F1	Ginsenoside F3	Empty
c	Empty	Ginsenoside Rf	Ginsenoside Rg2	20(S)-Ginsenoside Rg3	Ginsenoside Rh1	Ginsenoside Rh2	Ginsenoside Ro	Myrisignan	trans-Cinnamic acid	alpha-Boswellic acid	Siamenoside I	Empty
d	Empty	Sauchinone	Notoginsenoside R1	Trifolirhizin	Sanggenon C	Mulberroside A	Mulberroside C	Morin	Morusin	Alpinetin	Sorbic acid	Empty
e	Empty	Potassium sorbate	Kaempferitrin	Maslinic acid	Shanzhiside methyl ester	Cornuside	Esculentoside A	Cimifugin	Prim-O-glucosylcimifugin	Eriocitrin	Eriodictyol	Empty
f	Empty	Dendrobine	Punicalin	Kuromanin (chloride)	alpha-L-Rhamnose monohydrate	Silydianin	Silychristin	Monotropein	Narcissin	Spinosin	2,3,5,4'-Tetrahydroxystilbene 2-O-	Empty
g	Empty	Corypalmine	D-Pinitol	Usnic acid	(+)-Usnic acid	Pinosresinol Diglucoside	DL-Threonine	Jujuboside A	Jujuboside B	Alliin	Amentoflavone	Empty
h	Empty	Talatisamine	Aucubin	Specnuezhenide	Aspartic acid (calcium)	L-Aspartic acid (sodium)	Rubusoside	Stevioside	Tenacissoside H	Rhapontin	Pseudolaric Acid C	Empty

Plate layout: CS-L115-13

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Pseudolaric Acid A	Dehydrocorydalone	Dehydrocorydalone (chloride)	Dehydrocorydalone (hydroxyl)	Dehydroandrographolide	Dehydroandrographolide succinate	Kalium Dehydrographolidi	Icaritin	D-Pantothenic acid	alpha-Vitamin E	Empty
b	Empty	rel-alpha-Vitamin E	Vitamin K1	Pseudoprotodioscin	Vindoline	Linderane	Schisandrin C	Schisandrin	Schisandrol B	Schisandrin A	Schisantherin A	Empty
c	Empty	Schisantherin B	Sipeimine	Crocin	Crocin II	Daphnoretin	alpha-Asarone	(-)-Asarinin	Tenuifolin	Schaftoside	Agrimol B	Empty
d	Empty	Curculigoside	Gracillin	Vanillic acid	Coumarin	Carvacrol	Typhaneoside	Diosmetin-7-O-beta-D-glucopyranoside	Berberine	Berberine (dihydrochloride)	Berberine (sulfate)	Empty
e	Empty	L-Valine	Valepotriate	Fargesin	Neobavaisolavone	Neoandrographolide	Neochlorogenic acid	Neomangiferin	Mesaconitine	Dracorhodin perchlorate	alpha-Linolenic acid	Empty
f	Empty	Diosgenin glucoside	Genkwanin	Phellodendrine (chloride)	Coptisine (chloride)	Harmine (hydrochloride)	Harmine	Stachydrine hydrochloride	Jatrorrhizine (chloride)	Leonurine	Leonurine (hydrochloride)	Empty
g	Empty	Senkyunolide A	Senkyunolide H	Senkyunolide I	Oxysophocarpine	Oxypeucedanin	Oxypaeoniflorin	Jatrorrhizine (hydroxide)	Monocrotaline	Scutellarin	Scutellarein	Empty
h	Empty	Eupalinolide B	Eupalinolide A	Rhoifolin	Bornyl acetate	(-)-Bornyl acetate	8-O-Acetylharpagide	Barlerin	Acetylcorynoline	Isoferulic acid	trans-Isoferulic acid	Empty

Plate layout: CS-L115-14

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Isobavachin	Angelicin	Isobergapten	Isoliquiritin	Isorhynchophylline	Isoorientin	Isoquercitrin	Isopimpinellin	Isoliensinine	L-Isoleucine	Empty
b	Empty	Isomangiferin	Isovitexin	Isofraxidin	Isocorynoxene	Isorhamnetin	Isorhamnetin-3-O-glucoside	Isorhamnetin-3-O-neohesperidos	Isosilybin	Silybin	Isolantalactone	Empty
c	Empty	Linderalactone	Eupatilin	Ginkgolide B	Ginkgolide C	Ginkgolide J	Cryptochlorogenic acid	Indaconitine	Delsoline	Lupeol	Tectoridin	Empty
d	Empty	Tectorigenin	Protopine	Procyanidin B1	Procyanidin B2	(20S)-Protopanaxadiol	(20R)-Protopanaxatriol	Protodioscin	Protosappanin B	Polygalacic acid	Tenuigenin	Empty
e	Empty	Myrcene	Narirutin	Alisol B 23-acetate	Alisol B	Sweroside	Swertiamarin	Camphor	Sesamol	Timosaponin Alll	Timosaponin Bll	Empty
f	Empty	Anemarsaponin E	Phytic acid (dodecasodium hydrate)	Polyphyllin VI	Chikusetsusaponin Iva	Raddeanin A	Catalpol	Lithospermoside	Shikonin	Lithospermic acid	Syringin	Empty

g	Empty	Nodakenin	Corynoline	Pterostilbene	Shionone	Jaceosidin	Pulsatilla saponin D	(20S)-Protopanaxatriol	Jervine	Veratramine	Cephalotaxine	Empty
h	Empty	Quilic acid	Bruceantin	Bruceine A	Bevirimat	Epoymicheliolide	Micheliolide	Epibrassinolide	Dictamine	Benzoylhyppaconine	Benzoylpaenoniflorin	Empty

Plate layout: CS-L115-15

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Alisol A	Alisol A 24-acetate	Alisol F	Alisol C 23-acetate	Gomisin G	Schisanhenol	Harringtonine	Methyl protodioscin	Macranthoidin B	Ingenol	Empty
b	Empty	20-Deoxyingenol	Ingenol-5,20-acetonide	Ingenol-5,20-acetonide-3-O-angelate	Ingenol-3,4,5,20-diacetonide	Isosteviol	Sagittatoside A	IKarisoside A	Aloin B	Isoastragaloside I	Isoastragaloside II	Empty
c	Empty	Ginkgetin	Tubeimoside I	Tubeimoside II	AKBA	Tetrahydrocurcumin	Octahydrocurcumin	Inulicin	Corylifol A	Catechin	(-)-Catechin	Empty
d	Empty	Wilforine	Cimiracemide D	Corynoxine	Corynoxine B	Dihydrosanguinarine	Dihydrochelythrine	Ginsenoside C-K	Ginsenoside Rk3	Ginsenoside Rg6	Ginsenoside Rg5	Empty
e	Empty	Notoginsenoside R2	Notoginsenoside Ft1	Rehmannioside D	Mannitriose	Ajugol	Melittoside	Desmethoxyangonin	Yangonin	Dihydrokavain	Dihydromethysticin	Empty
f	Empty	Corydaline	(±)-Stylopine	(±)-Stylopine (hydrochloride)	Tetrahydroberberine	(-)-Isocorypalmine	Mimosine	Hexahydrocurcumin	Galegine (hydrochloride)	Santacruzamate A	Ligustrazine (hydrochloride)	Empty
g	Empty	Coixol	beta-Mangostin	(-)-Anomalin	β-Damascone	Epoxyzadradione	2,3-Bis(3-indolylmethyl)indole	Lepidiline C	Kanshone C	Progoitrin	Manool	Empty
h	Empty	Triptonoterpene	Hinokinin	Norartocarpetin	Xanthoxylin	Xanthohumol	Wilforgine	Wighteone	Kaempferol-3-O-(6"-galloyl)-β-	Visnagin	Vincosamide	Empty

Plate layout: CS-L115-16

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Veratraldehyde	Velutin	Vasicinone	Vasicine (hydrochloride)	Uvaol	Tricin	D-(+)-Trehalose	D-(+)-Trehalose dihydrate	Torachryson-8-O-β-D-glucoside	9-Hydroxyoctadecanoic acid	Empty
b	Empty	Taraxasterol	Tamarixetin	Sulfuretin	Suberosin	Strictosamide	Apigenin	Squalene	Sophoraflavone G	Smyrindiolide	Seneciophyllin	Empty
c	Empty	Sinapaldehyde	Salvigenin	Robustine	Robinin	Robinetin	Rhamnocitrin	Reynoutrin	Isoscopoletin	Herniarin	Menthol	Empty
d	Empty	Clinodioside A	(R)-Fangchinoline	Fangchinoline	Sophoridine	Magnolin	Qingyangshengenin	(20R)-Ginsenoside Rg3	Nevadensin	(E)-Cardamonin	Guaiacol	Empty
e	Empty	Periplocin	Asperuloside	Ambroxide	2-Methoxycinnamic acid	Tussilagone	Syringaldehyde	10-Deacetylaxol	p-Anisic acid	Androsin	(20R)-Ginsenoside Rh1	Empty
f	Empty	20(R)-Ginsenoside Rh2	Oxysophoridine	Tigogenin	Sodium aescinate	Cucurbitacin I	Polygalaxanthone III	trans-Trimethoxyresveratrol	Triacetylresveratrol	Platycodin D	1,3-Dicaffeoylquinic acid	Empty
g	Empty	Noricaritin	(E)-3',6-Disinapoylsucrose	β-Caryophyllene	Pogostone	Sesamol	Vaccarin	Rhamnose	Rhamnose (monohydrate)	Tiliroside	Raspberry ketone	Empty
h	Empty	Citric acid (monohydrate)	Oxyresveratrol	Tabersonine	Phytolaccagin	Methyl p-coumarate	Oroxin B	L-(+)-Abrine	Hydroxygenwanin	Gypsogenin-3-O-glucuronide	Koumine	Empty

Plate layout: CS-L115-17

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Afzelin	Complanatide	Isoquercetin	Ganoderic acid A	Vincetoxicoside B	Betulonic acid	Hypocrellin B	Apigenin-7-glucuronide	Chrysosplenin	Isoschaftoside	Empty
b	Empty	Campesterol	Atractylolide (potassium salt)	Luteolin 7-O-glucuronide	Aristolone	(-)-?-α-?Terpineol	Agarotretol	Kaurenic acid	Plantagoside	Liquiritin apioside	Levistolide A	Empty
c	Empty	Picfeltaeniin IA	Nicotiflorin	Heterophyllin B	Gardenoside	Polygalic acid	Methyl linoleate	Methyl palmitate	Guanfu base A	7β-Hydroxylathyrin	Cycloastragenol	Empty
d	Empty	Ursonic acid	Oleanonic acid	14-Deoxy-11,12-didehydroand	Maltopentaose	Plumbagin	Nystose	Pulegone	Beta-asarone	Carboxyatractylolide (tripotassium)	Methyl deacetylasperuloside	Empty
e	Empty	Loureirin B	Loureirin A	Tracheloside	Ecliptasaponin A	Ganoderic acid D	Ganoderic acid B	Ponasterone A	Ponicidin	Prudomestin	Prunin	Empty

f	Empty	Pterosin B	Halofuginone	Halofuginone (hydrobromide)	16-Epivoacarpine	1-Methyl-2-pentyl-4-(1H)-quinolone	2,6-Dimethoxy-1,4-	2'-Hydroxydaidzein	2'-O-Methylisoliquiritigenin	(2S)-2'-Methoxykurarinone	3-(2,4-Dihydroxyphenyl)propanoic	Empty
g	Empty	3',4'-Dihydroxyacetophenone	3,4-Dimethoxycinnamic acid	(E)-3,4-Dimethoxycinnamic acid	3,4-O-Isopropylidene-shikimic	Kaempferol-7,4'-dimethyl ether	Pinobanksin 3-acetate	3-O-Methylquercetin	4',5-Dihydroxyflavone	4,5-Dimethoxycanthin-6-one	4',7'-Di-O-methylnaringenin	Empty
h	Empty	4-Allylcatechol	4-Hydroxyphenylacetic acid	4'-O-Methylbavachalcone	Danshensu	Coniferyl ferulate	Alpha-Solamarine	Ajmalicine	Edpetiline	Hypaconine	Crassicauline A	Empty

Plate layout: CS-L115-18

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Tea polyphenol	Dihydrocoumarin	Bayogenin	Allocriptopine	Pristimerin	D(+)-Raffinose (pentahydrate)	Icariside I	β -Anhydrocarridin	Isosinensetin	5-O-Demethylnobiletin	Empty
b	Empty	Ailanthone	Nerolidol	cis-Nerolidol	Homoplantaginin	Hispidulin	Miltirone	Isoeugenol	Protostemotinine	Rubiadin-1-methyl ether	Gamma-Mangostin	Empty
c	Empty	Syringaresinol diglucoside	Gibberellic acid	Gaultherin	Quercetin-3-O- β -D-glucose-7-O-	5,7-Dihydroxychromone	Fuziline	(+)-(3R,8S)-Falcarindiol	Podophyllotoxin glucoside	3'-Methoxypterarin	4'-Methoxypterarin	Empty
d	Empty	3'-Hydroxypterarin	Artemisic acid	Cucurbitacin D	Cucurbitacin IIb	Cucurbitacin IIa	Gypenoside XLIX	Platicodigenin	Theaflavin 3,3'-digallate	5-Methyl-7-methoxyisoflavone	Chebulagic acid	Empty
e	Empty	Pyromeconic acid	Bellidifolin	D-Tetrahydropalmatine	Isoborneol	Cycleanine	Ganoderic acid B	Veratric acid	Luteolin 5-O-glucoside	3-O-Methylgallic acid	Methyl gallate	Empty
f	Empty	Octyl gallate	Aristolactam I	Verbenalin	Hastatoside	Arteannuin B	Maoecrysal A	Anacardic Acid	Castanospermine	Maltose	Maltose monohydrate	Empty
g	Empty	Oroxin A	Demethylwedelolactone	Perakine	Parishin	Moslosooflavone	Mosloflavone	Higenamine (hydrochloride)	3,7,5,26,27,28,31,34'-Heptemthox	20(R)-Ginsenoside Rg2	(20R)-Protopanaxadiol	Empty
h	Empty	Myristic acid	Huperzine B	Methyl 3,4,5-trimethoxybenzoate	2,2':5',2"-Terthiophene	Kaempferol 3-O-sophoroside	11-?Keto-?beta-?boswellic	Steviol	Evocarpine	Lindenenol	12-Ethyl-9-hydroxycamptothecin	Empty

Plate layout: CS-L115-19

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Racanisodamine	Withaferin A	Vanillyl alcohol	Didymin	Acevaltrate	Cedrol	Ethyl linolenate	3-Acetyl-beta-boswellic acid	Heteroclitin D	(-)-Securinine	Empty
b	Empty	Songorine	Skimmianine	Handelin	L-Perillaldehyde	Ethyl palmitate	Vicine	Genipin 1- β -D-gentiobioside	Kavain	Cimigenoside	Obtusifolin	Empty
c	Empty	Onjisaponin B	6'-O-beta-D-Glucosylgentiopicoside	Tenacissoside I	Tenacissoside G	7-Ethylcamptothecin	Macranthoidin A	Phellopterin	Glaucocalyxin A	Sedanolid	Araloside A	Empty
d	Empty	Ginkgolic acid C17:1	Isoginkgetin	Bilobetin	Sciadopitysin	Dichotomitin	Neosoliquiritin	Neoliquiritin	Parishin B	Parishin C	Parishin E	Empty
e	Empty	N-Nornuciferine	Isosakuranetin	Flavokawain B	Mirificin	Puerarin 6"-O-Xyloside	Buddlejasaponin IVb	7,4'-Di-O-methylapigenin	4',7-Dimethoxyisoflavone	Combretastatin A4	Phorbol	Empty
f	Empty	Tomatidine	Tomatidine (hydrochloride)	Rhodojaponin II	Rhodojaponin III	Apigenin-7-O-(2G-rhamnosyl)ge	Tubuloside A	Paeonolide	Pteryxin	Lancerin	6"-Feruloylspinosin	Empty
g	Empty	Apiopaeonoside	12-Epinapelline	Mudanpioside C	3-Deoxyaconitin e	Vicenin 2	Tomatine	Sibiricoside A5	Pinoresinol 4-O- β -D-glucopyranoside	Polygalasaponin V	Acetylshengmanol Arabinoside	Empty
h	Empty	Sibiricaxanthone B	Forsythoside E	S-(+)-Marmesin	3-Dehydrotrametenolic acid	Saikosaponin F	Hypaphorine	Pinoresinol dimethyl ether	Acetylshikinin	Episyngaresinol 4'-O- β -D-glucopyranoside	Baimaside	Empty

Plate layout: CS-L115-20

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Furanodienone	(5R,6E)-5-Hydroxy-1,7-diphenyl-6-	Leucoside	Deoxyshikinin	Beta-Acetoxyisovalerylshikinin	Swertianolin	Bergamottin	Nootkatone	Pseudoginsenoside RT1	Esculentoside H	Empty
b	Empty	rel-(8R,8'R)-Dimethyl-(7S,7'R)-	4-Hydroxylonchocarpin	Isobavachromene	Angeloylgomisin H	Picfeltaaraenin IB	Aloeresin D	Rotundic acid	Jionoside B1	Ganoderal A	Ganoderol B	Empty
c	Empty	Guaijaverin	(-)-Epigallocatechin-3-(3"-O-	Rhapontigenin	N-p-trans-Coumaroyltyramine	N-trans-p-coumaroyltyramine	N-Feruloyltyramine	Gomisin O	Piceatannol 3'-O-glucoside	Hosenkoside F	Hosenkoside K	Empty
d	Empty	Hosenkoside M	Schisandrone	Guaiacin	Hosenkoside A	Hosenkoside B	Hosenkoside C	Licarin A	Neuroscogenin	(-)-Oxypeucedanin hydrate	Crebanine	Empty

e	Empty	Poncirin	Curcumenol	Cephaeline (dihydrochloride)	Ipecoside	8-Geranyloxyporalen	Skimmin	Gymnemagenin	Nodakenetin	Kushenol A	Kurarinone	Empty
f	Empty	Leachianone A	Zingiberen Newsaponin	Deltonin	Kushenol I	2"-O-Rhamnosylcariside II	Kinsenoside	6"-O-Apiosyl-5-O-Methylvisam	Morusinol	Kuwanon A	Fucoxanthin	Empty
g	Empty	Lirinidine	Kainic acid	Mogrol	Podocarpic acid	Khasianine	4'-Demethylpodophyllotoxin	Paulownin	Piperlongumine	Proscillaridin A	Coumestrol	Empty
h	Empty	D-(+)-Melezitose	D-(+)-Melezitose (hydrate)	Procyanidin C1	Procyanidin A2	Procyanidin A1	Procyanidin B3	Cynaropicrin	Lauroitsine (hydrochloride)	Eudesmin	Hinokiflavone	Empty

Plate layout: CS-L115-21

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	N-Benzylinoelamide	N-Benzylpalmamide	Arecainide	Arecainide (hydrochloride)	Chelidonine	Fraxinol	Palmaturbine	Palmaturbine (hydroxide)	Eupatorin	L-Quebrachitol	Empty
b	Empty	Chrysin-7-O-glucuronide	Allosecurinine	N-Benzoyl-(2R,3S)-3-phenylisoserine	Menthone	Polyphyllin H	Febrifugine	Febrifugine (dihydrochloride)	Pinosylvin	Auraptene	Formosanin C	Empty
c	Empty	Kukoamine A	Kukoamine B	Emodin-1-O-β-D-glucopyranoside	Chrysophanol 8-O-glucoside	9"-Methylsalvianolate B	Diffraactaic acid	Rehmannioside C	Baldrinal	Dihydrolycorin	Dihydrocaffeic acid	Empty
d	Empty	Delphinidin (chloride)	N-trans-Feruloyltyramine	Geissoschizine methyl ether	Irisolidone	Gomisin D	Periplogenin	Podophyllotoxone	Taccalonolide A	Stearyl glyceryl ether	Erythrodil	Empty
e	Empty	Flavokawain A	Sequoyitol	7,2'-Dihydroxy-3',4'-	Sinigrin (hydrate)	Rhodosin	Clerodendrin	N-(3-Methoxybenzyl)Palmitamid	Sphondin	Paederoside	[10]-Shogaol	Empty
f	Empty	[8]-Shogaol	Methylhopiagonanone A	Methylhopiagonanone B	Methyl isoeugenol	Gypenoside A	Methylhopiagonone A	Methylhopiagonone B	Tribuloside	Flavokawain C	Kakuol	Empty
g	Empty	Amarogentin	Sulforaphene	Aloe-emodin-8-O-β-D-glucopyranoside	Convallatoxin	β-Elemonic acid	Mogrosin IV-E	Ganoderic acid G	Maltotetraose	Methylsticin	Xylobiose	Empty
h	Empty	Xylotriose	Medicagenic acid	Methylinissolin-3-O-glucoside	Adynerin	Oroxilin A-7-O-glucuronide	Methylinissolin	4'-Methoxyresveratrol	Desoxyhaponticin	Demethylsuberosin	Deoxyelephantopin	Empty

Plate layout: CS-L115-22

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	(E)-Methyl 4-coumarate	Lawson	Isomucronulatol	Apigenin 7-O-malonylglucoside	Isoliquiritin apioside	Glomeratose A	Dehydrotumulosic acid	Deoxypodophyllotoxin	Iristectorigenin A	Ginsenoside Ra1	Empty
b	Empty	Iristectorigenin B	Myristicin	1-Monomyrustin	β-Boswellic acid	Ginsenoside Rk1	Dihydroevocarpine	Agnuside	Tetramethylcurcumin	Carboxyatractyloside (dipotassium)	Camelliaside A	Empty
c	Empty	Nervonic acid	Notoginsenoside Fa	Notoginsenoside Fc	Diphyllin	Karanjin	Coniferaldehyde	(±)-Pinocebrin	Gymnemic acid I	Tubeimoside III	Damascenone	Empty
d	Empty	Steviolbioside	(±)-Abscisic acid	Vitamin U (chloride)	Osthenol	Tilianin	Tirucallol	Murrayone	Maltohexaose	Senecionine	Norwogonin	Empty
e	Empty	Rosamultin	Euscaphic acid	(±)-Decursinol	Nepetin	Gitogenin	Hypocrellin A	1F-Fructofuranosyllystose	1-Kestose	Zinc Phytate	(2S)-Isoxanthohumol	Empty
f	Empty	Isoxanthohumol	Tenuifoliside C	Irigenin	Lupenone	Isocorydine	Isobutylshikonin	Isorhapontiginin	Isoforsythiaside	Prunetin	Methyl oleate	Empty
g	Empty	Kuwanon H	Loureirin C	Camelliaside B	7,4'-Dihydroxyflavone	Vomicine	Oxypeucedanin hydrate	Alloimperatorin	Ligustrigenin-7-O-D-apiosyl-4'-O-	Harmalol (hydrochloride)	Ilexsaponin A	Empty
h	Empty	5α-Hydroxycostic acid	8-Epideoxyloganic acid	Acanthoside B	Ursolic acid acetate	α-Lapachone	α-Viniferin	Alpinumisoflavone	Dihydrokaempferol	Aurantiamide acetate	Atranorin	Empty

Plate layout: CS-L115-23

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Atracetic acid	Aurantiamide	β-Amyrin	Brevilin A	Broussonin E	Dehydropachymic acid	Polyporenic acid C	3-O-Acetyl-16α-hydroxytrime	Poricoic acid A	Ganoderic acid A	Empty
b	Empty	Ganoderic acid I	Isolinderactone	α-Arbutin	Britannin	Sakuranetin	Naringenin chalcone	Secoxyloganin	Iridin	Bruceine D	Rupestonic acid	Empty
c	Empty	Artemitin	Soyasaponin Ab	Taccalonolide B	Noreugenin	Grosvenorin	N-Benzylisole namide	Tetrahydroepiberberine	3-O-Acetyl-α-boswellic acid	Pinostrobin chalcone	Pinostilbene	Empty

d	Empty	Pinobanksin	Hexahydrofarnesyl acetone	Phytol	p-Hydroxyphenethyl trans-	p-Coumaric Acid Ethyl Ester	Pachypodol	Ombuocide	Ombuin	Obtucarbamate A	Nodosin	Empty
e	Empty	N-Methylnuciferine	N-Methylflindersine	Neotuberostemonine	Naringenin triacetate	Mulberrofuran G	Moracin P	Moracin O	Moracin C	Methyl rosmarinatate	Methyl 3-hydroxy-4,5-dimethoxyben	Empty
f	Empty	Meranzin	Medicarpin	Matairesinol	Macurin	Luteone	Loganetin	Licoisoflavone B	Licoisoflavone A	Kaempferol-7-O-rhamnoside	Kaempferol 3,7,4'-trimethyl	Empty
g	Empty	Isorhoifolin	Isopimaric acid	Isodiospyrin	14-Hydroxy sprengerinin C	Mulberrin	Oxyresveratrol 2-O-β-D-glucopyranosyl	3-O-Beta-D-Glucopyranosylplatycodige	Canthin-6-one	Caryophyllene oxide	Cauloside A	Empty
h	Empty	Paris saponin VII	Cleomiscosin A	Coniferin	Curzerone	Danshenxinun A	Demethoxydeacetoxyseudolaric acid B	Deoxylapachol	Dihydropinosylvin	Dihydroresveratrol	Eriodictyol-7-O-glucoside	Empty

Plate layout: CS-L115-24

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Fraxidin	Glaucine	Neoglycyrol	Glycyrrhisoflavone	Guaiol	Digitonin	Isoastilbin	Iriflophenone 3-C-glucoside	Iriflophenone	Maohuoside A	Empty
b	Empty	Humantenmine	Heraclenin	Helichrysetin	Glucoraphanin	6"-O-Acetylglucitin	Thonningianin A	Vitexin 4'-glucoside	Platycodin D2	Pseudolaric acid A-O-β-D-glucopyranosyl	Quercetin 3-gentiobioside	Empty
c	Empty	Vicenin 3	Shanziside	Astringin	Morellic acid	Brevifolinicarbonylic acid	Tsugaric acid A	Incensole	Incensole Acetate	Luteolin-3-O-beta-D-glucuronide	Trilobatin	Empty
d	Empty	Styraxlignolide F	5,7-Dihydroxy-4-methylcoumar	Fucosterol	Agaric acid	Dihydroartemisinic acid	Phyllanthin	Hypophyllanthin	Decursinol	Wushanicaritin	L-Fucitol	Empty
e	Empty	Glycycoumarin	Picrocrocin	Neoeriocitrin	Isocurcumenol	Neodiosmin	Orcinol gentiobioside	Poricoic acid B	Dehydroeburicoic acid monoacetate	6-Demethoxytangeretin	3'-Demethylnobiletin	Empty
f	Empty	17-Hydroxyisolatryol	Acanthopanaxoside B	Lonicerin	Tormentic acid	Cyanidin-3-O-galactoside (chloride)	Quercetagetin	Quercetagitritin	Isopteropodine	Arnidiol	3-O-Methylgalangin	Empty
g	Empty	3-O-Caffeoylquinic acid methyl	Chebulic acid	Dihydrocucurbitacin B	8-Oxoepiberberine	Ginkgolide K	Rubrofusarin gentiobioside	Aurantio-obtusin β-D-glucoside	Pennogenin 3-O-beta-chacotrioside	Licoflavone B	Licoflavone A	Empty
h	Empty	Licochalcone D	N-Benzyloctadecanamide	Toringin	Glabrol	S-Dihydrodaidzein	β-Hydroxysovalerylschikonin	Dihydrorotenone	Isopropyl ferulate	Tetrahydropiperine	Yadanzolidol A	Empty

Plate layout: CS-L115-25

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Anemarrhena saponin I	Isoastragaloside IV	11(α)-Methoxysaikosaponin F	Saikosaponin B4	1-Methyl-6-oxo-1,6-dihydropyridin	Lucyoside B	Bisabolangelone	Saikogenin D	Dehydrocorydalin (nitrate)	Dihydropalmitine	Empty
b	Empty	Bacopaside I	Kuwanon G	Periplocymarin	Distearoylphosphatidylserine	Panasenoside	Dehydronuciferine	Tenuifoliside B	Protograccillin	Oxyimperatorin	Nortracheloside	Empty
c	Empty	Methyl protograccillin	Negletein	4-Methylaphnetin	Nordalbergin	4-Methylesculetin	3-Epiursolic Acid	3-Epioleanolic acid	Arjungenin	Isosakuranin	Baicalin methyl ester	Empty
d	Empty	Sarracenin	Laetanine	Lotusine (hydroxide)	Taxifolin 7-O-rhamnoside	Bryodulcosigenin	Scutellarein tetramethyl ether	Ethoxysanguinarine	Glucotropaeolin (potassium)	Decursinol angelate	14-Deoxyandrog rapholide	Empty
e	Empty	Onjisaponin Z	Pasakbumin B	Euphorbia Factor L2	Thermopsine	Nepitrin	5,7-Dimethoxyflavone	Eurycomanone	Liensinine (perchlorate)	Rosmanol	Guvacoline (hydrochloride)	Empty
f	Empty	Nepodin	Evolitrine	Veraguensin	Gambogenic acid	Bullatine A	Oxyberberine	Ilexoside D	Forsythoside I	Galloylpaeoniflorin	Asiaticoside B	Empty
g	Empty	Saponin C, from Liriope muscari	DL-Goitrin	Dehydroeffusol	Estragole	Plantainoside D	Bacoside A3	Depressine	Vitexin-4"-O-glucoside	Terrestrosin D	Sinapine	Empty
h	Empty	Lotaustralin	1αH,5αH-Guaia-6-ene-4β,10β-diol	Homodihydrocapsaicin I	Saponarin	Pinocebrin 7-O-[3",O-galloyl-4",6"-	Physcion 8-O-β-D-glucopyranosyl	N-Vanillyldecanamide	Kobusin	D-(+)-Fucose	(E)-Flavokawain A	Empty

Plate layout: CS-L115-26

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	(Rac)-Arnebin 1	β,β-Dimethylacrylalkannin	β,β-Dimethylacrylschikonin	Isovitexin 2"-O-arabinoside	Neosmitilbin	Neoisostilbin	Kaempferol-3-O-(2"-O-β-D-glucopyl)-	Calycanthine	Meloside A	2-Hydroxy-1-methoxyanthraquinone	Empty
b	Empty	Nonacosane	Effusol	(-)-Fenchone	Liriopesides B	25(R,S)-Ruscogenin	Bacopaside X	α-Terpineol	3'-Hydroxypterostilbene	Methyl caffeate	Chryso-splenol D	Empty

c	Empty	8-Deoxygartanin	8-Hydroxybergapten	9-Methoxycampothecin	(-)-Alkannin	Aloin(mixture of A&B)	Bacopasaponin C	Bacopaside II	Beta-Eudesmol	(-)-Butin	(+)-Butin	Empty
d	Empty	Butin	Byakangelicin	Clemastanin B	Darutoside	Dehydroevodiamine (hydrochlorid)	Ganoderic acid F	Gardenin B	Gartanin	Hydroxytyrosol acetate	Kamebakaurin	Empty
e	Empty	(-)?-Maackiain	Ophiopogonone A	(+)-Peusedanol	Praeruptorin A	Praeruptorin E	Raspberry ketone glucoside	Secoisolaricresinol	Soyasapogenol A	Soyasapogenol B	Specneuzhenide	Empty
f	Empty	Tenuifolioside A	Timosaponin A1	Rhein 8-Glucoside	Humulone	Dihydroguaiaietic acid	Veratrosine	Asperulosidic Acid	Fuscaxanthone C	Isomucronulatol 7-O-glucoside	Gypenoside XLVI	Empty
g	Empty	Pinoresinol	Moluccanin	Ilexgenin A	Cafestol	Kahweol	5,??,?3'-?Trihydroxy-?6,?4',?5'-	Cauloside F	Astragaloside VI	7-Hydroxy-4H-chromen-4-one	3'-Methoxyapiin	Empty
h	Empty	4-Feruloylquinic acid	3-Feruloylquinic acid	Pomolic acid	α -Solanine	Tryptanthrin	Physostigmine	Pinocembrin-7-O- β -D-glucopyranoside	Norswertianolol	DL-Mannitol	Lycoramine	Empty

Plate layout: CS-L115-27

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Skullcapflavone II	6-Methylflavone	trans-Nerolidol	Valencene	Senecionine N-oxide	Retrorsine	2-O-Acetyl-20-hydroxyecdys	Luteolin-7-rutinoside	6-Hydroxycoumarin	Trisdecanolin	Empty
b	Empty	Verbenone	Glucovanillin	Methyl 3-O-methylgallate	Okanin	Gardenia yellow	β -?Apo-?8'-?carotenal	Veratridine	ar-Turmerone	Paxilline	Polygalaxanthone XI	Empty
c	Empty	Diammonium Glycyrrhizinate	Isoeugenol acetate	Timosaponin B III	Elemicin	Rebaudioside B	Thymol	Mogroside IIe	Isomogroside V	5,??,?4'-?Trimethoxyflavone	Iristectorin B	Empty
d	Empty	Iristectorin A	Triglochinic acid	Hydroxy- β -sanshool	Hydroxy- α -sanshool	Asatone	Usaramine N-oxide	Monocrotaline N-Oxide	Retusin	Rebaudioside M	Fructo-?oligosaccharide	Empty
e	Empty	Fructo-oligosaccharide DP9/GF8	Fructo-oligosaccharide DP8/GF7	Fructo-?oligosaccharide DP7/GF6	1,1,1,1-Kestohexaose	1,4-b-D-Xylopentaose	Xylotetraose	Arnicolide D	3-Isomangostin	Calenduloside E	Glycyrrhetic acid 3-O- β -D-glucuronide	Empty
f	Empty	Mogroside IIA1	Arnepavine	4-Hydroxyisoleucine	Lucideric acid A	Isovanillic acid	Groenlandicine	Gomisin N	Dehydroabietic acid	Abietic acid	GL3	Empty
g	Empty	Ligustrosidic acid	Oleuropeinic acid	Cauloside D	DiosMetin 7-O- β -D-Glucuronide	Rabdosiin	Gypenoside XIII	Bixin	Tarasaponin VI	Hamaudol	3'-?O-?Acetylhamaudol	Empty
h	Empty	Ergolide	Pseudocoptisine (chloride)	Violanthin	Isoviolanthin	Podecdysone B	Linderene acetate	Continentalic acid	Pseudolaric Acid C2	Licoricesaponin H2	Mogroside II-?A	Empty

Plate layout: CS-L115-28

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Cauloside C	11-Oxomogrosidie III E	N-(3-Methoxybenzyl)oleamide	Zingibroside R1	Mogroside III-E	Angelic acid	Usaramine	Voacamine	Sennidin B	(R,R)-Secoisolaricresinol	Empty
b	Empty	Pseudolaric acid B β -D-glucoside	Pseudolaric Acid B	Prosapogenin A	Angelicain	Mogroside IV-A	Mogroside IV	Mitraphylline	Linalyl acetate	Hederacolchiside A1	Guaiazulene	Empty
c	Empty	Geraniol	Garcinone C	2-O- β -D-Glucopyranosyl-L-ascorbic	Lapachol	α -Spinasterol	Choerospondin	Quercetin 3-O- β -D-(6"-p-coumaroyl)glu	Ethyl Caffeate	Levomenol	α -Humulene	Empty
d	Empty	Cepharanthine	Boldine	Crustecdysone	Licoricesaponin G2	Baccatin III	Liquiritigenin-7-O- β -D-glucopyranos	Licraside	Dulcoside A	Marrubiin	Methyl Eugenol	Empty
e	Empty	Paederosidic acid	Perillyl alcohol	Arborine	Clitorin	(-)-Corynoxidine	7,3',4'-Tri-O-methyluteolin	Zerumbone	Eclalbasaponin I	7-Prenyloxycoumarin	Quercetin 3-O-(6"-galloyl)- β -D-	Empty
f	Empty	Celosin I	Macrozamin	3',?4',?5',?5',?7-?Pentametho	(\pm)?-?Vasicine	Magnolioside	Rhamnetin	Phytohemagglutinin	11-Oxomogrosidie IIa	Isosilybin A	8-Epidiosbulbin E acetate	Empty
g	Empty	4'-Hydroxychalcone	Nonanoic acid	cis-?Jasmone	Helicin	Tropine	Nerol	Geranyl acetate	Grape seed extract	Silymarin	Inulin	Empty
h	Empty	Aleuritic acid	Dihydroferulic acid	Citral	Methyl dihydrojasmonate	Citropten	Tulipalin A	Raffinose	Benzyl cinnamate	D-Fructose	Furaneol	Empty

Plate layout: CS-L115-29

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Dihydrojasmonone	Ethyl oleate	Fenchyl alcohol	7-Hydroxyflavone	6-Hydroxyflavone	Lawson methyl ether	1,4-Cineole	Benzyl acetate	Cinnamyl acetate	Citronellal	Empty

b	Empty	Menthyl acetate	Diphenylamine (hydrochlorid e)	Tropolone	α -?Terpinyl acetate	Gamma-Linolenic acid	Citronellyl acetate	γ -Tocopherol	3-O-Acetyl-11-hydroxy-beta-	Kaempferol 3-O- β -D-glucuronide	12-Deoxywithastramonolide	Empty
c	Empty	(Rac)-Hydnocarpin	N-Caffeoyl O-methyltyramine	4-Hydroxyderricin	5-O-Methylvisaminol	11-Methoxyyangonin	Daphnin	(+)-Isomenthone	Galanthamine N-Oxide	Obtusifolol	Luteolin 7-diglucuronide	Empty
d	Empty	Solanidine	Di-O-methylidemethoxycurcumin	(-)-Hydroxycitric acid lactone	Quinic acid	Isolongifolene	(E)- β -Farnesene	Hibifolin	Butyl isobutyl phthalate	N-Hydroxypiperolic acid	Isomalt	Empty
e	Empty	(-)-Zuonin A	2-Pentylfuran	Phaseoloidin	Entadamide-A- β -D-glucopyranoside	Kauran-16,17-diol	DIMBOA	N-Nitrosodiethylamine	Methyl propyl disulfide	Pentacosane	Protoescigenin	Empty
f	Empty	Oxypalmatine	Isoformononetin	2-(Hydroxymethyl)anthraquin	Psoralenoside	Isopsoralenoside	2,3-Dihydroxy-4-methoxyacetate	12-O-Methylcarnosic acid	Homovanillyl alcohol	4'-Hydroxy-2,4-dimethoxycha	Safranal	Empty
g	Empty	Millepachine	Arjunetin	Isoverticine	Beiwutine	Acetylalkannin	N-Desmethyl Galanthamine	Momordin IIc	Oleanolic acid-3-O-glucosyl(1-	Toralactone	Acetylactractylodinol	Empty
h	Empty	Methyl oleanonate	N-Formylcystisine	Regaloside C	Cassiaside C	Lactiflorin	5-Desmethylsinensetin	Tectol	Oleanolic acid 28-O- β -D-glucopyranoside	Persicogenin	Tubuloside B	Empty

Plate layout: CS-L115-30

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Dihydrolapachenole	Paeoniflorin sulfite	Deoxylimonin	3',4',7-Trimethoxyquercetin	Prunetrin	Curculigoside B	Rhombifoline	Neoanhydrododophyllol	Terminolic acid	Azaleatin	Empty
b	Empty	(-)-Epipodophyllotoxin	Prosaikogenin G	Prosaikogenin D	Saikogenin F	Angoline	Flavanomarein	Marein	Isookanin	Taxifolin 7-O- β -D-glucoside	Picropodophyllone	Empty
c	Empty	Regaloside B	3,5,7,3',4'-Pentamethoxyflavone	3,29-O-Dibenzoyloxykarounidiol	Polyporusterone A	Polyporusterone B	N-(3-Methoxybenzyl)-	D-Mannuronic acid (sodium)	(-)(E)-Guggulsterone	Pristane	Petunidin-3-O-glucoside (chloride)	Empty
d	Empty	N6-Benzyladenosine	Cassiaside	11-Deoxymogrosin V	Complanatoside B	(-)-Menthone	Astragenol	5-Feruloylquinic acid	Crenulatin	Regaloside A	(E/Z)-Ginkgolic acid C17:2	Empty
e	Empty	Quercetin 3-O-neohesperidol	Rubipodanone A	Matairesinose	Octanal	Nonanal	Colutehydroquinone	Glychionide A	Bancroftinone	Echinocystic acid 28-O- β -D-glucoside	Protoneogracillin	Empty
f	Empty	S-(4-Hydroxybenzyl)glutathione	Bisabolol oxide A	Euphorbia factor L7b	Euphorbia factor L7a	24-Methylenecycloartanyl	Emodin 6-O- β -D-glucoside	Rutarenin	Pangelin	Regaloside H	Nigaichigoside F1	Empty
g	Empty	4'-O-Methylpyridoxine	(+)-Secoisolaricresinol	3'-O-Methylbatatasin III	Shancigusin I	Eupalinolide O	Brassicin	Ardisiacrispin B	Gypenoside LI	Sibiricose A1	Homoeriodictyol	Empty
h	Empty	Gypenoside L	Rapanone	2-(2-Phenylethyl)chormone	N-trans-Caffeoyltyramine	Obovatol	Moringin	Lactupicrin	Gentianose	8-Epiloganic acid	5-O-Caffeoylshikimic acid	Empty

Plate layout: CS-L115-31

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	8-Oxocoptisine	Capsiate	Methyl tetracosanoate	Neriifolin	3,6-Dihydroxyflavone	7-Methoxyflavone	Lobelanine	Malabaricone B	Malabaricone C	Sodium Camptothecin	Empty
b	Empty	Neophytadiene	3',4'-Dimethoxyflavone	β -Phellandrene	Cichoriin	Picein	(1'S,2'S)-Nicotine-1'-oxide	Aposcopolamine	Syringetin	Poriol	13,21-Dihydroeurycomanone	Empty
c	Empty	Cimicifugoside H-1	Amaroswerin	Granilin	Toddaculin	Platyconic acid A	Tellimagrandin II	Andrograpanin	Quercetin 3-O-(6"-O-malonyl)- β -D-	γ -Glutamyl-S-allylcysteine	Gibberellin A5	Empty
d	Empty	Betulin diacetate	Norbergenin	Capsaicin β -D-glucopyranoside	Piperitone	3-Methoxyflavone	Linalool oxide	Anisatin	Perilla ketone	β -D-glucopyranosyl- α -L-	Methyl citrate	Empty
e	Empty	Dimethyl Citric acid	6-Ketocholestanol	Oxyphyllacolin	Aureusidin	Docosane	Tigloidin	4-O-Methyl honokiol	D-Mannoheptulose	Ethyl Orsellinate	1-Hydroxyanthraquinone	Empty
f	Empty	3,5-Dimethoxyphenol	2,5-Dihydroxyacetophenone	2-Amino-4-methoxyphenol	3,5-Dimethoxybenzoic acid	5-Hydroxyoxindole	4'-Hydroxy-3'-methoxyacetophenone	Myosmine	2,5-Dimethoxybenzoic acid	Methyl syringate	1,3-Dimethylpyrazole	Empty
g	Empty	2-Hydroxyacetophenone	3-Hydroxy-2-methylpyridine	3-Hydroxy-4-methoxyacetophenone	Methyl isovanillate	4-Methoxyphenethyl alcohol	4-Hydroxybenzylamine	2-Ethylbutyric acid	Nonadecanoic acid	Methyl undecanoate	Methyl laurate	Empty
h	Empty	Methyl tridecanoate	Methyl myristate	Methyl pentadecanoate	Methyl arachidate	1-Undecanol	1-Pentadecanol	1-Heptadecanol	1-Nonadecanol	Linoleyl alcohol	Methyl 5-hydroxypyridine-2-	Empty

Plate layout: CS-L115-32

1	2	3	4	5	6	7	8	9	10	11	12
---	---	---	---	---	---	---	---	---	----	----	----

a	Empty	Isoflavone	L-Uridine	2-Hydroxymethyl-5-	m-Anisaldehyde	Indole-3-carboxaldehyde	N-Methylbenzylamine	4-Methyl-1-pentanol	Cyclen	3-Furanmethanol	Acridone	Empty
b	Empty	5-Methoxysalicylic acid	Phloracetophenone	(+)-Sparteine	Olivetol	Methyl behenate	Hydroxycitric acid (tripotassium)	Phenethyl ferulate	Cedryl acetate	Dibenzyl disulfide	Glycyl-L-tyrosine	Empty
c	Empty	Dibutyl maleate	3,4,5-Trimethoxyphenylacetic	Dibenzoylmethane	Sinapinic acid	1-Deoxymannojirimycin	2-Tridecanone	Acetosyringone	3,4,5-Trimethoxybenzaldehyde	3,4-Methylenedioxybenzylamine	2,6-Dimethylquinoline	Empty
d	Empty	Citronellol	Benzylurea	4'-Hydroxy-2'-methylacetophenone	(2S,3R,4S)-4-Hydroxyisoleucine	2-Methylvaleric acid	cis-3-Hexen-1-ol	2-Methyltetrahydrofuran-3-	2-Methylthiophene	ATP (disodium salt hydrate)	trans-Zeatinriboside	Empty
e	Empty	Eicosapentaenoic acid methyl ester	Pelargonidin (chloride)	(±)-Naringenin	Methyl palmitoleate	Phenyl β-D-glucopyranoside	3,4,5-Trimethoxycinnamic acid	(-)-Sparteine	2-Hydroxyanthraquinone	2-Hydroxycinnamic acid	4'-Methylacetophenone	Empty
f	Empty	4-Ethylbenzaldehyde	Ethyl 3-hydroxybutyrate	Maltol	3-Nitropropanoic acid	2-Methyl-4-pentenoic Acid	2-Thiophenecarboxaldehyde	2-Methylcyclopentane-1,3-	2,3-Pentanedione	Tiglic acid	Rutin (trihydrate)	Empty
g	Empty	Gondoic acid	7,8-Dihydroxyflavone	Acenaphthylene	4-Isopropylbenzoic acid	S-Allyl-L-cysteine	trans,trans-2,4-Decadienal	Ethyl linoleate	Vanillyl butyl ether	Eugenol acetate	Neryl acetate	Empty
h	Empty	β-Ionone	Benzylacetone	Diallyl disulfide	4-Ethylresorcinol	2-Benzoxazolinone	Phthalide	2-Heptanol	γ-Hexalactone	Antiarol	Dihydroconiferyl alcohol	Empty

Plate layout: CS-L115-33

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	Ethyl 3,4-dihydroxybenzoate	2-Undecanone	δ-Decalactone	2,3,4-Trihydroxybenzoic acid	2-Hydroxy-6-methoxybenzoic acid	2-Sec-butyl-3-methoxypyrazine	2-Isobutyl-3-methoxypyrazine	Methyl cinnamate	1-Naphthalene methanol	Terpinen-4-ol	Empty
b	Empty	Carveol	Xanthine	(-)-Carvone	2,5-Furandimethanol	Nortropine	Ferulic acid methyl ester	1-Phenylpropane-1,2-dione	4(3H)-Quinazolinone	Meconine	trans-Cinnamaldehyde	Empty
c	Empty	2-Methoxy-4-vinylphenol	DL-alpha-Tocopherol	α-Terpinene	γ-Terpinene	3-Demethylcolchicine	4,4-Dimethyl-2-cyclopenten-	β-Cyclogeraniol	Dihydrosinapyl alcohol	N,N'-Dimethylthiourea	Anthraquinone-2-carboxylic acid	Empty
d	Empty	ω-Pentadecalactone	Tropone	Callistephin (chloride)	24,25-Dihydrolanosterol	2-(Chloromethyl)-4-(4-	3',5'-Dimethoxyacetophenone	Tropic acid	(±)-Dihydroactinidiolide	Chelidonic acid	Aegeline	Empty
e	Empty	2-Methoxycinnamaldehyde	Lavandoside	3-Methylcarbazole	Carvacrol methyl ether	Cyclo-(Pro-Gly)	2-Methylpyrazine	(E)-Cinnamamide	(E)-3-(4-Methoxyphenyl)acrylic acid	5,7-Dihydroxycoumarin	Ethyl pivaloylacetate	Empty
f	Empty	5-Methyl-2-furanmethanol	Methyl octanoate	Tridecane	2-Ethyl-6-methylphenol	Heneicosane	4-Hydroxy-1H-indole-3-carbaldehyde	Vanillylamine	4-Hydroxyhygric acid	4-Methylsyringol	Nicotinic acid riboside	Empty
g	Empty	Transtorine	4-Vinylsyringol	5-Hydroxymethylfurfural	Oxindole	4-Hydroxyacetophenone	Cinnamyl Alcohol	3,4,5-Trimethoxybenzoic acid	Ethyl cinnamate	NSC 16590	Cinchonine	Empty
h	Empty	Methyl Salicylate	Farnesol	Isatin	p-Hydroxybenzaldehyde	DL-Serine	D-(-)-Mandelic acid	2,4,5-Trimethoxybenzoic acid	trans-Chalcone	3-Hydroxyacetophenone	1,3,5-Trimethoxybenzene	Empty

Plate layout: CS-L115-34

	1	2	3	4	5	6	7	8	9	10	11	12
a	Empty	(1R)-α-Pinene	4-Methoxybenzaldehyde	Cuminaldehyde	4-Hydroxybenzyl alcohol	Acetophenone	Melamine	Malic acid	2'-Hydroxyacetophenone	DL-Menthol	Dimethyl malonate	Empty
b	Empty	(-)-Limonene	Methyl 3,4-dihydroxybenzoate	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
c	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
d	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
e	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
f	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
g	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty
h	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty	Empty