

Catalog No: CS-0032502 Batch#45523

6.646
5.598
5.369
5.361
5.352
5.351
4.551
4.524
3.744
3.718
3.608
2.412
1.960
1.936
1.927
1.910
1.903
1.893
1.879
1.854
1.846
1.763
1.748
1.726
1.722
1.699
1.678
1.655
1.644
1.637
1.632
1.606
1.598
1.578
1.554
1.530
1.523
1.469
1.387
1.365
1.358
1.308
1.260
1.244
1.202
1.194
1.169
1.161
1.065
1.059
1.037
1.027
1.004
0.973



EXPNO 1
PROCNO 1


F2 - Acquisition Parameters


D
Time 18.09
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT Pyr
NS 16
DS 2
SWH 8012.820 Hz
FIDRES 0.122266 Hz
AQ 4.0894465 sec
RG 92
DW 62.400 usec
DE 6.50 usec
TE 301.1 K
D1 2.00000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 400.1324710 MHz
NUC1 1H
P1 14.79 usec
PLW1 11.50800037 W

F2 - Processing parameters

SI 262144
SF 400.1299919 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00
SR -8.08 Hz






EXPNO 1
PROCNO 1

F2 - Acquisition Parameters

INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT Pyr
NS 16
DS 2
SWH 8012.820 Hz
FIDRES 0.122266 Hz
AQ 4.0894465 sec
RG 92
DW 62.400 usec
DE 6.50 usec
TE 301.1 K
D1 2.00000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 400.1324710 MHz
NUC1 1H
P1 14.79 usec
PLW1 11.50800037 W

F2 - Processing parameters
SI 262144
SF 400.1299919 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00
SR -8.08 Hz



EXPNO 1
PROCNO 1


F2 - Acquisition Parameters

Time 18.09
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT Pyr
NS 16
DS 2
SWH 8012.820 Hz
FIDRES 0.122266 Hz
AQ 4.0894465 sec
RG 92
DW 62.400 usec
DE 6.50 usec
TE 301.1 K
D1 2.00000000 sec
TD0 1


===== CHANNEL f1 =====
SFO1 400.1324710 MHz
NUC1 1H
P1 14.79 usec
PLW1 11.50800037 W

F2 - Processing parameters

SI 262144
SF 400.1299919 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00
SR -8.08 Hz



Catalog No: CS-0032502 Batch#45523



EXPNO 1
PROCNO 1

F2 - Acquisition Parameters

Time 18.09
INSTRUM spect
PROBHD 5 mm PABBO BB/
PULPROG zg30
TD 65536
SOLVENT Pyr
NS 16
DS 2
SWH 8012.820 Hz
FIDRES 0.122266 Hz
AQ 4.0894465 sec
RG 92
DW 62.400 usec
DE 6.50 usec
TE 301.1 K
D1 2.00000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 400.1324710 MHz
NUC1 1H
P1 14.79 usec
PLW1 11.50800037 W

F2 - Processing parameters
SI 262144
SF 400.1299919 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00
SR -8.08 Hz