



File E:\ChemStation\1\DATA\2024\2024-09\2024-09-24\CPK2024-923-113900-UPLC-MS-10-045500.D
Injection Date : 24-Sep-24, 13:23:31 Tgt Mass(EZX) :
Sample Name : CPK2024-923-113900 Location : P1-E-07
Acq. Operator : LY_2278 Inj : 1
Spec. Reported : MS Integration Inj Volume : 0.8 uL
Acq. Method : E:\ChemStation\1\Methods\1-POS-UPLC3.0MIN(1.2)(150-1000).M
Analysis Method : E:\CHEMSTATION\1\METHODS\1-POS-UPLC3.0MIN(1.2)(150-1000).M
CAS NO. : 1801344-14-8 WalkUp method: '1-POS-3MIN' Project: CPK2024
Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
Gradient: 5% to 95%B within 2.0 min
Flow Rate :1.2ml/min
Column :Shim-pack Scepter C18-120, 3.0*33mm,3um
Oven Temperature : 45C


DAD1 A, Sig=214,4 Ref=off



DAD1 B, Sig=254,4 Ref=off



*MSD1 TIC, MS File ES-API, Pos, Scan, Frag: 70



Integration Results for DAD1 A, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%
0.75	0.03	1.24	0.47	0.10
0.81	0.01	1305.92	1463.37	99.90

Integration Results for DAD1 B, Sig=254,4 Ref=off


RetTim	Width	Area	Height	Area%
0.75	0.04	2.28	0.80	0.29
0.81	0.01	786.84	876.78	99.71

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%
0.81	0.06	2045462.25	523553.41	100.00

Ret. Time: 0.81

<<<< POSITIVE SPECTRA >>>>



*** End of Report ***