

File ..-06\BIZ2022-804-WLQ22-1-UPLC-MS-04-026163.D Tgt Mass (EZ):

Injection Date : 06-Aug-22, 15:27:33

Seq. Line : 0

Sample Name : BIZ2022-804-WLQ22-1

Location : P2-E-01

Acq. Operator : LY_2278

Inj : 1

Spec. Reported : MS Integration

Inj Volume : 5 ul

Acq. Method : E:\Chem32\1\Methods\1-POS-UPLC10.0MIN(0.8ML)-(150-2000).M

Analysis Method : E:\CHEM32\1\METHODS\1-POS-UPLC10.0MIN(0.8ML)-(150-2000).M

CAS NO. : 1933507-63-1 WalkUp method: '1-POS-10MIN' Project: BIZ2022 Target:

Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)


Gradient: 5% to 95%B within 6 min

Flow Rate :0.8ml/min


Column :Poroshell 120 EC- C18, 2.1*50mm,1.9um

Oven Temperature : 45C

DAD1 A, Sig=214,4 Ref=off



*MSD1 TIC, MS File ES-API, Pos, Scan, Frag: 70




Integration Results for DAD1 A, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS(+)
2.82	0.04	32.85	13.88	1.21	162
4.03	0.08	4.80	1.07	0.18	539
4.14	0.04	39.52	15.24	1.45	162
4.62	0.04	4.74	1.71	0.17	595
4.75	0.05	2609.73	942.67	96.01	595
5.78	0.07	9.93	2.48	0.37	338
6.25	0.04	5.80	2.40	0.21	ND
7.26	0.09	10.70	1.79	0.39	294


Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS(+)
2.82	0.06	34721.66	9460.79	0.44	162
4.14	0.06	283615.47	74043.14	3.61	539
4.76	0.09	7547811.00	1343209.25	95.95	595


Ret. Time: 2.82 <<<< POSITIVE SPECTRA >>>>



Ret. Time: 4.14



Ret. Time: 4.76



*** End of Report ***