





File ..70516 2017-05-16 13-25-15\WYF4274-004-1_2.D Tgt Mass (CHM):
 Injection Date : 16 May 17 1:54 pm +0800 Seq. Line : 7
 Sample Name : WYF4274-004-1_2 Location : P2-A-02
 Acq. Operator : CLJ_701 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 2 ul
 Acq. Method : D:\chem32\1\DATA\20170516\20170516 2017-05-16 13-25-15\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\20170516\20170516 2017-05-16 13-25-15\1-POS-3MIN.M
 Catalog No : CS-1229 Batch#24592 A-RP-186
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-186
 Oven Temperature : 45C



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
0.65	0.02	9.35	9.15	0.29	ND
1.37	0.04	3217.66	1383.39	99.33	254
1.61	0.02	8.12	8.19	0.25	254
1.76	0.02	4.25	4.39	0.13	254

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
0.60	0.01	3.42	5.79	0.10	ND
1.37	0.04	3450.91	1407.56	99.72	254
1.76	0.02	5.58	3.86	0.16	254
2.43	0.05	0.80	0.56	0.02	ND

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.45	0.15	1852535.63	206009.13	100.00	254

Ret. Time: 1.45 <<<< POSITIVE SPECTRA >>>>

