





File ..\DATA\2020\20200407\915\CPK2020-402-25509.D Tgt Mass (CHM):
 Injection Date : 7 Apr 20 9:27 pm +0800 Seq. Line : 129
 Sample Name : CPK2020-402-25509 Location : P1-D-08
 Acq. Operator : LQ_1052 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2020\20200407\915\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200407\915\1-POS-3MIN.M
 Catalog No : CS-6973 Batch#25509
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-433
 Oven Temperature : 45□



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.29	0.02	680.49	669.43	99.02	589
1.40	0.02	2.80	2.37	0.41	589
1.43	0.02	2.95	2.57	0.43	665
1.45	0.01	0.99	1.87	0.14	665

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.29	0.02	592.51	581.67	99.80	589
1.44	0.02	1.18	1.04	0.20	665

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.30	0.03	436639.75	228665.95	100.00	589

Ret. Time: 1.30

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

