

File ..-06\BIZ2023-404-SCH44-1-UPLC-MS-01-015167.D Tgt Mass (EZ):

Injection Date : 6 Apr 23 2:29 pm +0800 Seq. Line : 0

Sample Name : BIZ2023-404-SCH44-1 Location : P2-B-09

Acq. Operator : LY_2278 Inj : 1

Spec. Reported : MS Integration Inj Volume : 0.5 ul

Acq. Method : D:\LCMS\Methods\1-POS-UPLC2.0MIN(0.8ML)-(150-1000).M

Analysis Method : D:\LCMS\METHODS\1-POS-UPLC2.0MIN(0.8ML)-(150-1000).M

CAS NO. : 667880-11-7 Walkup method: '1-POS-2MIN' Project: BIZ2023 Target:

Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)


Gradient: 5% to 95%B within 0.6 min

Flow Rate : 0.8ml/min


Column : Poroshell 120 EC- C18, 2.1*50mm,1.9um A-RP-517

Oven Temperature : 45C


DAD1 A, Sig=214,4 Ref=off



DAD1 B, Sig=254,4 Ref=off



MSD1 TIC, MS File ES-API, Pos, Scan, Frag: 70



Integration Results for DAD1 A, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.05	0.03	0.67	0.42	0.05	371
1.10	0.02	1335.10	1055.38	99.82	161
1.31	0.02	0.70	0.68	0.05	161
1.36	0.02	0.44	0.34	0.03	161
1.57	0.02	0.55	0.39	0.04	161

Integration Results for DAD1 B, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
0.96	0.02	0.59	0.31	0.09	371
1.05	0.02	0.40	0.25	0.06	371
1.10	0.02	683.79	541.97	99.81	161
1.31	0.02	0.30	0.29	0.04	161


Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
--------	-------	------	--------	-------	--------

1.12 0.06 4027669.25 1105982.25 100.00 371

Ret. Time: 1.12

<<<< POSITIVE SPECTRA >>>>



*** End of Report ***