




File E:\DATA\2023\2023-07\2023-07-09\BIZ2023-707-SCH45-UPLC-MS-03-014911.D  
 Injection Date : 09-Jul-23, 11:05:03 Tgt Mass(EZX) :  
 Sample Name : BIZ2023-707-SCH45 Location :  
 Acq. Operator : LY\_2278 Inj : 1  
 Spec. Reported : MS Integration Inj Volume : 0.5 ul  
 Acq. Method : E:\Chem32\1-Methods\1-POS-UPLC2.0MIN(0.8)(150-1000).M  
 Analysis Method : E:\CHEM32\1\METHODS\1-POS-UPLC2.0MIN(0.8)(150-1000).M  
 CAS NO. : 864232-34-8 WalkUp method: '1-POS-2MIN' Project: BIZ2023  
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)  
 Gradient: 5% to 95%B within 1.3 min  
 Flow Rate : 0.8ml/min  
 Column :Poroshell 120 EC- C18, 2.1\*50mm,1.9um  
 Oven Temperature : 45C



Integration Results for DAD1 A, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%
0.92	0.01	3.82	6.20	0.34
1.02	0.01	2.87	3.96	0.25
1.13	0.01	2.06	0.18	0.18
1.15	0.01	1106.42	1270.35	98.00
1.19	0.01	5.07	10.68	0.45
1.27	0.01	8.73	13.10	0.77

Integration Results for DAD1 B, Sig=254,4 Ref=off


RetTim	Width	Area	Height	Area%
0.92	0.01	2.69	4.42	0.45
1.02	0.01	1.49	2.13	0.25
1.12	0.01	1.13	0.35	0.19
1.15	0.01	589.53	686.84	98.05
1.19	0.01	1.41	3.52	0.23
1.27	0.01	5.02	7.80	0.84

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%
1.19	0.06	3330432.50	902874.81	100.00

Ret. Time: 1.19

<<<< POSITIVE SPECTRA >>>>



\*\*\* End of Report \*\*\*