





File ..1\DATA\2020\20200531\980\BIZ2020-529-SCH8.D Tgt Mass (CHM):
 Injection Date : 31 May 20 1:20 pm +0800 Seq. Line : 54
 Sample Name : BIZ2020-529-SCH8 Location : P1-D-03
 Acq. Operator : ZJ_1432 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2020\20200531\980\1-POS-3MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200531\980\1-POS-3MIN.M
 Catalog No : CS-0326
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 1.3 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-607
 Oven Temperature : 45□



Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.18	0.01	1.02	1.35	0.10	361
1.36	0.01	1038.38	1177.41	99.77	307
1.48	0.02	1.35	1.46	0.13	307

Integration Results for DAD1 C, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
1.29	0.02	0.55	0.48	0.11	ND
1.31	0.01	0.45	0.53	0.09	ND
1.36	0.01	523.90	599.69	99.58	307
1.59	0.01	0.52	0.59	0.10	ND
1.85	0.03	0.71	0.42	0.14	ND

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
1.37	0.03	481840.91	260161.11	100.00	307

Ret. Time: 1.37

<<<< POSITIVE SPECTRA >>>>

ES-API Positive

