



File ..\DATA\2020\20200924\1116\BIZ2020-921-WLQ2.D Tgt Mass (CHM):
 Injection Date : 24 Sep 20 4:56 pm +0800 Seq. Line : 92
 Sample Name : BIZ2020-921-WLQ2 Location : P1-F-04
 Acq. Operator : zyj_1547 Inj : 1
 Spec. Reported : MS Integration Inj Volume : 1 ul
 Acq. Method : D:\Chem32\1\data\2020\20200924\1116\1-POS-7MIN.M
 Analysis Method : D:\CHEM32\1\DATA\2020\20200924\1116\1-POS-7MIN.M
 Catalog No : CS-0027742
 Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
 Gradient: 5% to 95%B within 5 min
 Flow Rate :1.8ml/min
 Column :SunFire C18, 4.6*50mm,3.5um A-RP-314
 Oven Temperature : 45C


DAD1 B, Sig=214,4 Ref=off



MSD1 TIC, MS File ES-API, Pos, Scan, Frag: 70



Ion 528, MSD1 528, Target Mass 527 +H Positive, EIC=527.7:528.7




Integration Results for DAD1 B, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
0.67	0.02	109.22	81.37	17.17	174
2.44	0.01	2.74	4.68	0.43	433
2.85	0.01	1.79	2.47	0.28	493
3.03	0.02	295.79	249.30	46.50	527
3.08	0.02	218.67	182.35	34.38	527
3.66	0.01	2.72	3.95	0.43	621
5.23	0.02	5.14	4.16	0.81	ND

Integration Results for MSD1 TIC, MS File

RetTim	Width	Area	Height	Area%	MS (+)
3.05	0.03	319406.81	146865.23	51.53	527
3.10	0.05	300465.69	92735.80	48.47	527

Ret. Time: 3.05 <<<< POSITIVE SPECTRA >>>>



Ret. Time: 3.10

