



File ..018\20180716\20180716-2 1\LY2018-70-00-8A.D Tgt Mass (CHM):
Injection Date : 16 Jul 18 8:53 pm +0800 Seq. Line : 94
Sample Name : LY2018-70-00-8A Location : P2-E-06
Acq. Operator : SYSTEM Inj : 1
Spec. Reported : MS Integration Inj Volume : 1 ul
Acq. Method : D:\LCMS03\Data\2018\20180716\20180716-2 1\1-POS-3MIN.M
Analysis Method : D:\LCMS03\Data\2018\20180716\20180716-2 1\1-POS-3MIN.M
Catalog No : CS-1602 Batch#Lb0709164
Method Info : Mobile Phase: A: water(0.01%TFA) B:ACN(0.01%TFA)
Gradient: 5% to 95%B within 1.3 min
Flow Rate :1.8ml/min
Column :SunFire C18, 4.6*50mm,3.5um A-RP-186
Oven Temperature : 45C


DAD1 A, Sig=214,4 Ref=off




DAD1 B, Sig=254,4 Ref=off




ELS1 A, ELSD Signal



MSD1 TIC, MS File ES-API, Pos, Scan, Frag: 70



Ion 1, MSD1 1, Target Mass 0 +H Positive, EIC=0.7:1.7



Integration Results for DAD1 A, Sig=214,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
0.99	0.04	4.88	1.47	0.49	279
1.19	0.02	986.10	969.33	99.34	615
1.48	0.01	0.54	0.58	0.05	233
1.92	0.03	1.10	0.61	0.11	233

Integration Results for DAD1 B, Sig=254,4 Ref=off

RetTim	Width	Area	Height	Area%	MS (+)
0.86	0.03	1.96	1.04	0.15	279
0.99	0.03	2.18	0.83	0.17	279
1.19	0.02	1264.18	1243.59	99.11	615
1.32	0.02	1.08	1.04	0.08	233
1.34	0.01	0.70	0.81	0.05	702
1.48	0.02	0.25	0.22	0.02	233
1.52	0.01	0.08	0.10	0.01	233
1.54	0.02	0.32	0.26	0.02	233
1.61	0.02	1.51	0.90	0.12	233
1.70	0.02	0.95	0.90	0.07	233

1.77	0.04	1.24	0.37	0.10	233
1.92	0.02	0.65	0.51	0.05	233
2.03	0.02	0.40	0.40	0.03	233

Integration Results for ELS1 A, ELSD Signal


RetTim	Width	Area	Height	Area%	MS (+)
1.26	0.05	591.80	191.70	100.00	615

Integration Results for MSD1 TIC, MS File


RetTim	Width	Area	Height	Area%	MS (+)
1.22	0.06	1372412.13	366598.56	74.88	615
1.38	0.06	323002.00	88997.92	17.62	702
1.59	0.06	101757.73	28543.46	5.55	233
2.00	0.05	35619.71	13670.03	1.94	233

Ret. Time: 1.22


<<<< POSITIVE SPECTRA >>>>




Ret. Time: 1.38



Ret. Time: 1.59



Ret. Time: 2.00



*** End of Report ***