


SAMPLE INFORMATION


CAS NO.:	1662-01-7	Acquired By:	LY
Sample information:		Date Acquired:	6/28/2022 11:53:28 AM CST
Vial:	1:D,2	Acq. Method Set:	1_POS_2MIN
Injection #:	1	Date Processed:	6/28/2022 7:10:00 PM CST,
Injection Volume:	0.50 ul	Processing Method:	PDA_01, MS_scan
Run Time:	2.8 Minutes	Channel Name:	PDA Ch1 214nm@4.8nm, MS TIC
Sample Set Name:	20220628	Column Name:	A-RP-985

Auto-Scaled Chromatogram



— Processed Channel Descr. PDA Ch1 214nm@4.8nm

Auto-Scaled Chromatogram



— Processed Channel Descr. ACQ-SQD2 1: MS Scan MS TIC, Smoothed by 9 point Savitzky-Golay Filter., Time offset by -0.053 mins. (1: 150.00-1000.00 ES+, Centroid, CV=30)

Peak Results

Channel Name: PDA Ch1 214nm@4.8nm


	RT	Width (sec)	Area	Height	% Area	Base Peak (Combined) (m/z)	Channel Name
1	1.097	6.650	2296699	2143493	99.76	228.25	PDA Ch1 214nm@4.8nm
2	1.649	2.900	5630	6447	0.24	152.07	PDA Ch1 214nm@4.8nm

Peak Results

Channel Name: MS TIC

	RT	Width (sec)	Area	Height	% Area	Base Peak (Combined) (m/z)	Channel Name
1	1.102	9.574	494869467	131491626	100.00	333.23	MS TIC

Match Plot



Retention Time 1.102 Channel Name MS TIC